

Compounds exhibiting thrombopoietin receptor agonism

5 Technical Field

The present invention relates to compounds exhibiting thrombopoietin receptor agonism.

Background Art

10 Thrombopoietin, polypeptide cytokine composed of 332 amino acids, activates the production of platelets by stimulating the differentiation and proliferation of megakaryocytes through the receptor and is expected as a medicine for hemopathy accompanied with the unusual number of platelets, for example, thrombocytopenia and the like. DNA sequences encoding the
15 thrombopoietin receptor have been described in Non-Patent 1. Low molecular peptides having an affinity for the thrombopoietin receptor is also known in Patent 1 and Patent 2, but these peptide derivatives are not generally practical for oral administration.

As a low molecule compound having an affinity to the thrombopoietin
20 receptor, 1,4-benzodiazepine derivatives are described in Patent 3 and Patent 4, 1-azonaphthalene derivatives are described in Patent 5, N-(4-phenyl-1,3-thiazol-2-yl)carboxamide derivatives are described in Patent 6, Patent 7, Patent 8, Patent 9, and Patent 10.

Patent 1: JP98/72492

25 Patent 2: WO96/40750

Patent 3: JP99/1477

Patent 4: JP99/152276

Patent 5: WO00/35446

Patent 6: WO01/07423

30 Patent 7: WO01/53267

Patent 8: WO02/059099

Patent 9: WO02/059100

Patent 10: JP98/287634

Non-Patent 1: Proc. Natl. Acad. Sci., 89, 5640-5644 (1992)

5

Disclosure of Invention


The object of the present invention is to prepare pharmaceutical compositions exhibiting thrombopoietin receptor agonism and provide orally administrable platelet production modifiers.

10

In the above situation, the inventors of the present invention have found that the following compounds exhibit strong thrombopoietin receptor agonism.

The present invention relates to:

- 15 1) A compound represented by the general formula (I):



wherein R¹ is a hydrogen atom, a halogen atom, C1-C6 alkyl, or C1-C12 alkyloxy;

R², R³, and R⁴ are each independently a hydrogen atom, a halogen atom, C1-C15 alkyl optionally substituted with one or two substituent(s) selected from
20 substituent group A, C2-C15 alkenyl optionally substituted with one or two substituent(s) selected from substituent group A, C2-C15 alkynyl optionally substituted with one or two substituent(s) selected from substituent group A, C3-C8 cycloalkyl, C1-C15 alkyloxy optionally substituted with one or two substituent(s) selected from substituent group A, or phenyl optionally substituted with one or two substituent(s)
25 selected from substituent group A;

R⁵ is a hydrogen atom, a halogen atom, C1-C3 alkyl, C1-C3 alkyloxy, or morpholino;

R⁶ is a hydrogen atom, a halogen atom, or C1-C3 alkyl;

R⁷ is a halogen atom or C1-C3 alkyl;

R⁸ is a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy;

configuration of double bond substituted with R⁸ is E configuration or Z
5 configuration;

R⁹ is a hydrogen atom or C1-C6 alkyl; or

R¹ and R⁵ are taken together with the adjacent carbon atoms may form a 5 to 8
membered ring which may contain a heteroatom(s) and /or an unsaturated bond(s),
wherein the ring may be substituted with one or two C1-C8 alkyl;

10 provided that when R² and R³ are a chlorine atom, R⁶ is not a hydrogen atom;

substituent group A consists of a halogen atom, C3-C8 cycloalkyl, C3-C8
cycloalkenyl, phenyl, naphthyl, pyridyl, oxolanyl, cyano, C1-C12 alkyloxy, C2-C12
alkenyloxy, C2-C12 alkynyloxy, C3-C8 cycloalkyl-C1-C8 alkyloxy, phenyl-C1-C8
alkyloxy, naphthyl-C1-C8 alkyloxy, C1-C8 alkyloxy-C1-C8 alkyloxy, (C1-C8 alkyloxy-
15 C1-C8 alkyloxy)C1-C8 alkyloxy, di(C1-C8 alkyloxy)C1-C8 alkyloxy, oxolanyl-C1-C8
alkyloxy, haloC1-C8 alkyloxy, C3-C8 cycloalkyloxy, amino optionally substituted with
C1-C8 alkyl, C1-C8 alkylthio, and C1-C8 alkylthio-C1-C8 alkyloxy;

a pharmaceutically acceptable salt, or solvate thereof,

2) A compound of 1), wherein both of R⁶ and R⁷ are a fluorine atom or a chlorine atom, a
20 pharmaceutically acceptable salt, or solvate thereof,

3) A compound of 1) or 2), wherein R⁵ is a hydrogen atom or C1-C3 alkyloxy, a
pharmaceutically acceptable salt, or solvate thereof,


4) A compound of any one of 1) to 3), wherein R⁸ is methyl or methyloxy, a
pharmaceutically acceptable salt, or solvate thereof,

25 5) A compound of any one of 1) to 4), wherein R² is C1-C15 alkyl optionally substituted
with one or two substituent(s) selected from substituent group A, C2-C15 alkynyl
optionally substituted with one or two substituent(s) selected from substituent group A,
or C1-C15 alkyloxy optionally substituted with one or two substituent(s) selected from
substituent group A, a pharmaceutically acceptable salt, or solvate thereof,

30 6) A compound of any one of 1) to 4), wherein R² is C1-C12 alkyl optionally substituted

with one or two C1-C8 alkyloxy, and both of R³ and R⁴ are a hydrogen atom, a pharmaceutically acceptable salt, or solvate thereof,

7) A compound represented by the general formula (II):



5 wherein R^A is a hydrogen atom, C1-C12 alkyloxy, C1-C8 alkyloxy-C1-C8 alkyloxy or (C1-C8 alkyloxy-C1-C8 alkyloxy)C1-C8 alkyloxy;

R^B is C1-C14 alkyl optionally substituted with one or two substituent(s) selected from substituent group B, C2-C14 alkynyl optionally substituted with one or two substituent(s) selected from substituent group B, C3-C8 cycloalkyl, C1-C14
10 alkyloxy optionally substituted with one or two substituent(s) selected from substituent group B, phenyl, or naphthyl;

R^C is a hydrogen atom, a halogen atom, C1-C6 alkyl, or C1-C12 alkyloxy;

R^D is a hydrogen atom, a halogen atom, C1-C3 alkyl, C1-C3 alkyloxy, or morpholino;

15 R⁶ and R⁷ are each independently a halogen atom or C1-C3 alkyl;

R⁸ is a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy;

configuration of double bond substituted with R⁸ is E configuration or Z configuration;

substituent group B consists of a halogen atom, C3-C8 cycloalkyl, C3-C8
20 cycloalkenyl, phenyl, naphthyl, pyridyl, oxolanyl, cyano, C1-C8 alkyloxy, C2-C8 alkenyloxy, C2-C8 alkynyloxy, C3-C8 cycloalkyl-C1-C8 alkyloxy, phenyl-C1-C8 alkyloxy, naphthyl-C1-C8 alkyloxy, C1-C8 alkyloxy-C1-C8 alkyloxy, (C1-C8 alkyloxy-C1-C8 alkyloxy)C1-C8 alkyloxy, di(C1-C8 alkyloxy)C1-C8 alkyloxy, oxolanyl-C1-C8 alkyloxy, haloC1-C8 alkyloxy, C3-C8 cycloalkyloxy, amino optionally substituted with C1-C8
25 alkyl, C1-C8 alkylthio, and C1-C8 alkylthio-C1-C8 alkyloxy;

a pharmaceutically acceptable salt, or solvate thereof,

8) A compound of 7), wherein both of R⁶ and R⁷ are a fluorine atom or a chlorine atom, a pharmaceutically acceptable salt, or solvate thereof,


9) A compound of 7) or 8), wherein R⁸ is methyl or methoxy, a pharmaceutically acceptable salt, or solvate thereof,

10) A compound of any one of 7) to 9), wherein R^C is a fluorine atom or C1-C3 alkyloxy, a pharmaceutically acceptable salt, or solvate thereof,

5 11) A compound of any one of 7) to 10), wherein R^A is C1-C8 alkyloxy; R^B is C1-C11 alkyl optionally substituted with one or two substituent(s) selected from substituent group B, C2-C11 alkynyl optionally substituted with one or two substituent(s) selected from substituent group B, a pharmaceutically acceptable salt, or solvate thereof,

12) A compound of 7), wherein R^C is a fluorine atom or C1-C3 alkyloxy, R^D is a hydrogen atom or C1-C3 alkyloxy, both of R⁶ and R⁷ are a fluorine atom or a chlorine atom, R⁸ is methyl or methoxy, R^A is C1-C3 alkyloxy, R^B is C8-C12 alkyl optionally substituted with one or two substituent(s) selected from substituent group B, a pharmaceutically acceptable salt, or solvate thereof,

13) A compound represented by the general formula (III):



wherein R^E is C1-C15 alkyl optionally substituted with one or two substituent(s) selected from substituent group C, C2-C15 alkynyl optionally substituted with one or two substituent(s) selected from substituent group C, or C1-C15 alkyloxy optionally substituted with one or two substituent(s) selected from substituent group C;


20 Z is straight-chain C1-C4 alkylene optionally substituted with C1-C8 alkyl, which may contain an optionally substituted heteroatom(s) or straight-chain C2-C4 alkenylene optionally substituted with C1-C8 alkyl, which may contain an optionally substituted heteroatom(s);

R⁶ and R⁷ are each independently a halogen atom or C1-C3 alkyl;

25 R⁸ is a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy;

configuration of double bond substituted with R⁸ is E configuration or Z configuration;

- substituent group C consists of a halogen atom, C3-C8 cycloalkyl, C3-C8 cycloalkenyl, phenyl, naphthyl, pyridyl, oxolanyl, cyano, C1-C8 alkyloxy, C2-C8 alkenyloxy, C2-C8 alkynyloxy, C3-C8 cycloalkyl-C1-C8 alkyloxy, phenyl-C1-C8 alkyloxy, naphthyl-C1-C8 alkyloxy, C1-C8 alkyloxy-C1-C8 alkyloxy, (C1-C8 alkyloxy-C1-C8 alkyloxy)C1-C8 alkyloxy, di(C1-C8 alkyloxy)C1-C8 alkyloxy, oxolanyl-C1-C8 alkyloxy, haloC1-C8 alkyloxy, C3-C8 cycloalkyloxy, amino optionally substituted with C1-C8 alkyl, C1-C8 alkylthio, and C1-C8 alkylthio-C1-C8 alkyloxy;
- a pharmaceutically acceptable salt, or solvate thereof,
- 14) A compound of 13), wherein both of R⁶ and R⁷ are a fluorine atom or a chlorine atom, a pharmaceutically acceptable salt, or solvate thereof,
- 15) A compound of 13) or 14), wherein R⁸ is methyl or methyloxy, a pharmaceutically acceptable salt, or solvate thereof,
- 16) A compound of any one of 13) to 15), wherein Z is C1-C4 alkylene, -O-(C1-C3 alkylene)-, or -(C1-C3 alkylene)-O-, a pharmaceutically acceptable salt, or solvate thereof,
- 17) A compound of any one of 13) to 16), wherein R^E is C1-C10 alkyl optionally substituted with one or two substituent(s) selected from substituent group C, C2-C10 alkynyl optionally substituted with one or two substituent(s) selected from substituent group C, or C1-C10 alkyloxy optionally substituted with one or two substituent(s) selected from substituent group C, a pharmaceutically acceptable salt, or solvate thereof,
- 18) A compound of 13), wherein both of R⁶ and R⁷ are a fluorine atom or a chlorine atom, R⁸ is methyl or methyloxy, R^E is C1-C8 alkyl optionally substituted with one or two C1-C6 alkyloxy, Z is C1-C2 alkylene, a pharmaceutically acceptable salt, or solvate thereof,
- 19) A compound represented by the general formula (II-A):



wherein R^C is a hydrogen atom, a halogen atom, C1-C6 alkyl, or C1-C12 alkyloxy;

R^D is a hydrogen atom, a halogen atom, C1-C3 alkyl, C1-C3 alkyloxy, or

morpholino;

R^F is C1-C14 alkyl optionally substituted with one or two substituent(s) selected from substituent group D, C2-C14 alkenyl optionally substituted with one or two substituent(s) selected from substituent group D, C2-C14 alkynyl optionally substituted with one or two substituent(s) selected from substituent group D, C1-C14 alkyloxy optionally substituted with one or two substituent(s) selected from substituent group C, C3-C8 cycloalkyl, or phenyl optionally substituted with one or two substituent(s) selected from substituent group D;

R^6 and R^7 are each independently a halogen atom or C1-C3 alkyl;

R^8 is a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy;

substituent group D consists of a halogen atom, C3-C8 cycloalkyl, C3-C8 cycloalkenyl, phenyl, naphthyl, pyridyl, oxolanyl, cyano, C1-C8 alkyloxy, C2-C8 alkenyloxy, C2-C8 alkynyloxy, C3-C8 cycloalkyl-C1-C8 alkyloxy, phenyl-C1-C8 alkyloxy, naphthyl-C1-C8 alkyloxy, C1-C8 alkyloxy-C1-C8 alkyloxy, (C1-C8 alkyloxy-C1-C8 alkyloxy)C1-C8 alkyloxy, di(C1-C8 alkyloxy)C1-C8 alkyloxy, oxolanyl-C1-C8 alkyloxy, haloC1-C8 alkyloxy, C3-C8 cycloalkyloxy, amino optionally substituted with C1-C8 alkyl, C1-C8 alkylthio, and C1-C8 alkylthio-C1-C8 alkyloxy;

a pharmaceutically acceptable salt, or solvate thereof,

20) A compound of 19), wherein both of R^6 and R^7 are a fluorine atom or a chlorine atom, a pharmaceutically acceptable salt, or solvate thereof,

21) A compound of claim 19), wherein R^8 is methyl or methyloxy, a pharmaceutically acceptable salt, or solvate thereof,

22) A compound of 19), wherein R^C is a fluorine atom or C1-C3 alkyloxy, a pharmaceutically acceptable salt, or solvate thereof,

23) A compound of any one of 19) to 22), wherein R^E is C1-C14 alkyl optionally substituted with one or two substituent(s) selected from substituent group D,

C2-C14 alkynyl optionally substituted with one or two substituent(s) selected from substituent group D, or C1-C14 alkyloxy optionally substituted with one or two substituent(s) selected from substituent group D, a pharmaceutically acceptable salt, or

solvate thereof,

- 24) A pharmaceutical composition containing a compound as an active ingredient, a pharmaceutically acceptable salt, or solvate thereof of any one of 1) to 23),
- 25) A pharmaceutical composition containing a compound as an active ingredient, a pharmaceutically acceptable salt, or solvate thereof of any one of 1) to 23), which is
5 exhibiting thrombopoietin receptor agonism,
- 26) A platelet production modifier which contains a compound as an active ingredient, a pharmaceutically acceptable salt, or solvate thereof of any one of 1) to 23),
- 27) Use of a compound, a pharmaceutically acceptable salt, or solvate thereof of any one of 1) to 23) for preparation of a pharmaceutical composition for modifying a platelet
10 production,
- 28) A method for modifying a platelet production of a mammal, including a human, which comprises administration to said mammal of a compound, a pharmaceutically acceptable salt, or solvate thereof of any one of 1) to 23) in a pharmaceutically effective amount.

15

In the present specification, the term "halogen atom" means fluorine atom (fluoro), chlorine atom (chloro), bromine atom (bromo), and iodine atom (iodo).

In the present specification, nitrogen atom, oxygen atom, sulfur atom, and the
20 like are exemplified as "heteroatom".

In the present specification, the term "alkyl" employed alone or in combination with other term includes a straight- or branched chain alkyl having contains forward-mentioned number of carbon. Methyl, ethyl, n-propyl, isopropyl, n-
25 butyl, isobutyl, sec-butyl, tert-butyl, n-pentyl, isopentyl, neo-pentyl, n-hexyl, isohexyl, n-heptyl, n-octyl, n-nonyl, n-decyl, n-undecyl, n-dodecyl, n-tridecyl, n-tetradecyl, n-pentadecyl, and the like are exemplified as "alkyl".

In the present specification, the term "alkenyl" employed alone or in
30 combination with other term includes a straight- or branched chain alkenyl having

forward-mentioned number of carbon. Ethenyl, 2-propen-1-yl, 3-butene-1-yl, 14-pentadecen-1-yl, and the like are exemplified as "alkenyl".

5 In the present specification, the term "alkynyl" employed alone or in combination with other term includes a straight- or branched chain alkynyl having forward-mentioned number of carbon. Ethynyl, 1-propyn-1-yl, 1-butyn-1-yl, 1-pentyn-1-yl, 1-hexyn-1-yl, 1-heptyn-1-yl, 1-decyn-1-yl, 1-pentadecyn-1-yl, and the like are exemplified as "alkynyl".

10 In the present specification, the term "cycloalkyl" employed alone or in combination with other term includes a mono-carbocyclic group having forward-mentioned number of carbon. Cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, cyclooctyl, and the like are exemplified as "cycloalkyl".

15 In the present specification, the term "cycloalkenyl" employed alone or in combination with other term includes a mono-carbocyclic group having forward-mentioned number of carbon and one or more double bond(s). Cyclopropenyl, 1-cyclobuten-1-yl, 1-cyclopenten-1-yl, 1-cyclohexen-1-yl, 1-cyclohepten-1-yl, 1-cycloocten-1-yl, and the like are exemplified as "cycloalkenyl".

20

In the present specification, the term "naphthyl" means 1-naphthyl or 2-naphthyl.

25 In the present specification, the term "pyridyl" means 2-pyridyl, 3-pyridyl or 4-pyridyl.

In the present specification, the term "oxolanyl" means 2-oxolanyl or 3-oxolanyl.

30 In the present specification, the term "alkyloxy" employed alone or in

combination with other term includes alkyloxy having forward-mentioned number of carbon. Methyloxy, ethyloxy, n-propyloxy, isopropyloxy, n-butyloxy, isobutyloxy, sec-butyloxy, tert-butyloxy, n-pentyloxy, isopentyloxy, neo-pentyloxy, n-hexyloxy, isohexyloxy, n-heptyloxy, n-octyloxy, n-nonyloxy, n-decyloxy, n-undecyloxy, n-dodecyloxy, n-pentadecyloxy, and the like are exemplified as "alkyloxy".

In the present specification, the term "haloalkyloxy" employed alone or in combination with other term includes the above-mentioned "alkyloxy" substituted with one or more halogen atom(s). Chloromethyloxy, difluoromethyloxy, 2,2,2-trifluoroethyloxy, 3-chloropropyloxy, 4-fluorobutyloxy, and the like are exemplified as "haloalkyloxy".

In the present specification, the term "alkenyloxy" employed alone or in combination with other term includes the above-mentioned "alkenyl" substituted with one or more hydroxy. 2-Propenyloxy, 3-butenyloxy, 4-octenyloxy, and the like are exemplified as "alkenyloxy".

In the present specification, the term "alkynyloxy" employed alone or in combination with other term includes the above-mentioned "alkynyl" substituted with one or more hydroxy. 2-Propynnyloxy, 3-butyloxy, 4-octynyloxy, and the like are exemplified as "alkynyloxy".

In the present specification, cyclopropylmethyloxy, 2-cyclopropylethyloxy, 2-cyclobutylethyloxy, 3-cyclopentylpropyloxy, cyclohexylmethyloxy, 4-cyclohexylbutyloxy, 8-cyclooctyloxy, and the like are exemplified as "C3-C8 cycloalkyl-C1-C8 alkyloxy".

In the present specification, phenylmethyloxy, 2-phenylethyloxy, 3-phenylpropyloxy, 4-phenylbutyloxy, 8-phenyloctyloxy, and the like are exemplified as "phenyl-C1-C8 alkyloxy".

In the present specification, 1-naphthylmethyloxy, 2-naphthylmethyloxy, 2-(1-naphthyl)ethyloxy, 3-(2-naphthyl)propyloxy, 4-(1-naphthyl)butyloxy, 8-(2-naphthyl)octyloxy, and the like are exemplified as "naphthyl-C1-C8 alkyloxy".

5 In the present specification, 2-methyloxyethyloxy, 2-ethyloxyethyloxy, 3-methyloxypropyloxy, 4-ethyloxybutyloxy, and the like are exemplified as "C1-C4 alkyloxy-C2-C4 alkyloxy".

10 In the present specification, methyloxymethyloxy, 2-methyloxyethyloxy, 2-ethyloxyethyloxy, 3-methyloxypropyloxy, 4-ethyloxybutyloxy, 6-butyloxyhexyloxy, 8-octyloxyoctyloxy, and the like are exemplified as "C1-C8 alkyloxy-C1-C8 alkyloxy".

15 In the present specification, 2-(methyloxymethyloxy)ethyloxy, 2-(2-ethyloxyethyloxy)ethyloxy, 3-(2-methyloxyethyloxy)propyloxy, 4-(2-ethyloxyethyloxy)butyloxy, and the like are exemplified as "(C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4 alkyloxy".

20 In the present specification, 2-(2-methyloxyethyloxy)ethyloxy, 2-(2-ethyloxyethyloxy)ethyloxy, 3-(2-methyloxyethyloxy)propyloxy, 4-(2-ethyloxyethyloxy)butyloxy, 8-(2-butyloxyethyloxy)octyloxy, and the like are exemplified as "(C1-C8alkyloxy-C1-C8 alkyloxy)C1-C8 alkyloxy".

25 In the present specification, 1,3-di(methyloxy)-2-propyloxy, 1,3-di(ethyloxy)-2-propyloxy, 1-ethyloxy-3-methyloxy-2-propyloxy, and the like are exemplified as "di(C1-C8alkyloxy)C1-C8 alkyloxy".

30 In the present specification, "oxolanyl-C1-C8 alkyloxy" means the above-mentioned "C1-C8 alkyloxy" substituted with oxolanyl. Examples of oxolanyl-C1-C8 alkyloxy includes 2-oxolanylethyloxy, 3-oxolanylpropyloxy, 4-oxolanylbutyloxy, 8-oxolanyloctyloxy, and the like.

In the present specification, the term "cycloalkyloxy" employed alone or in combination with other term includes an oxygen atom substituted with a monocarbocyclic group having forward-mentioned number of carbon. Cycloalkyloxy include
5 cyclopropyloxy, cyclobutyloxy, cyclopentyloxy, cyclohexyloxy, cyclooctynyloxy, and the like are exemplified as "cycloalkyloxy".

In the present specification, the term "alkylthio" employed alone or in combination with other term includes a straight- or branched chain alkylthio having
10 forward-mentioned number of carbon. Alkylthio include methylthio, ethylthio, n-propylthio, isopropylthio, n-butylthio, isobutylthio, sec-butylthio, tert-butylthio, n-pentylthio, isopentylthio, neo-pentylthio, n-hexylthio, isohexylthio, n-heptylthio, n-octylthio, and the like are exemplified as "alkylthio".

15 In the present specification, 2-methylthioethyloxy, 2-ethylthioethyloxy, 3-methylthiopropyloxy, 4-ethylthiobutyloxy, 8-butylthiooctyloxy, and the like are exemplified as "C1-C8 alkylthio-C1-C8 alkyloxy".

In the present specification, the term "C1-C2 alkylene" means methylene and
20 ethylene.

In the present specification, the term "straight-chain C1-C4 alkylene" means straight-chain alkylene having one to four carbon atom(s). Methylene, ethylene, trimethylene, and teteramethylene are exemplified as "straight-chain C1-C4 alkylene".
25

In the present specification, the term "C1-C3 alkylene" means straight-chain alkylene having one to three carbon atom(s). Methylene, ethylene, and trimethylene are exemplified as "C1-C3 alkylene".

30 In the present specification, the term "straight-chain C1-C4 alkylene

optionally substituted with C1-C8 alkyl, which may contain optionally substituted a heteroatom(s)” means straight-chain alkylene having one to four carbon atom(s) which may contain optionally substituted one to three heteroatom(s) optionally substituted with C1-C8 alkyl and the alkylene may be optionally substituted with C1-C8 alkyl.

- 5 Examples are -CH₂-, -CH₂CH₂-, -CH(n-C₄H₉)CH₂-, -CH(n-C₆H₁₃)CH₂-, -CH(n-C₇H₁₅)CH₂-, -CH₂CH₂CH₂-, -CH₂CH₂CH₂CH₂-, -CH₂O-, -OCH₂-, -SCH₂-, -OCH₂O-, -OCH₂CH₂O-, -CH₂CH₂OCH₂CH₂-, and the like.

In the present specification, the term “straight-chain C2-C4 alkenylene
10 optionally substituted with C1-C8 alkyl, which may contain optionally substituted a heteroatom(s)” means straight-chain alkenylene having two to four carbon atom(s) which may contain optionally substituted one to three heteroatom(s) optionally substituted with C1-C8 alkyl and the alkenylene may be optionally substituted with C1-C8 alkyl. Examples are -CH=CH-, -O-CH=CH-, -S-CH=CH-, -O-CH=CH-O-, and the
15 like.

In the present specification, C1-C8 alkyl is exemplified as “optionally substituted heteroatom”.

20 In the present specification, cyclopentadiene, benzene, cyclohexadiene, cycloheptadiene, furan, thiophene, pyran, and the like are exemplified as “5 to 8 membered ring taken together with the adjacent carbon atoms which may contain a heteroatom(s) and/or an unsaturated bond(s)”.

25 In the present specification, the term “amino optionally substituted with C1-C8 alkyl” means non-substituted amino and amino substituted with one or two C1-C8 alkyl. Examples are amino, monomethylamino, dimethylamino, ethylamino, diethylamino, and the like.

30 Preferable are a fluorine atom and a chlorine atom as “halogen atom” for R¹, R²,

R³, R⁴, R⁵, R^C, and R^D. Especially, a fluorine atom is preferable.

Preferable are a fluorine atom and a chlorine atom as "halogen atom" for R⁶, R⁷, and R⁸.

5

Preferable are C1-C4 alkyl as "C1-C6 alkyl" for R¹, R⁹, and R^C. Especially, methyl or ethyl is preferable.

Preferable is methyl as "C1-C3 alkyl" for R⁵, R⁶, R⁷, R⁸, and R^D.

10

Preferable are C1-C8 alkyloxy as "C1-C12 alkyloxy" for R¹ and R^C. Especially, methyloxy or ethyloxy is preferable.

Preferable is methyloxy as "C1-C3 alkyloxy" for R⁵, R⁸, and R^D.

15

Preferable is C1-C12 alkyl as "C1-C15 alkyl" of "C1-C15 alkyl optionally substituted with substituent(s) selected from substituent group A" for R², R³, and R⁴. Preferable are C5-C6 cycloalkyl, C1-C8 alkyloxy, C1-C4 alkyloxy-C2-C4alkyloxy, (C1-C4 alkyloxy-C2-C4alkyloxy)C2-C4 alkyloxy, or methylthio as "substituent(s) selected from substituent group A". Preferable is one or two as "number(s) of substituent(s)".

20

Preferable is a 5 to 6 membered ring which may contain a heteroatom(s) and/or an unsaturated bond(s) as "R¹ and R⁵ taken together with the adjacent carbon atoms may form a 5 to 8 membered ring which may contain a heteroatom(s) and/or an unsaturated bond(s)". Preferable are an oxygen atom, a sulfur atom, or a nitrogen atom as heteroatom. Preferable is one as a number of heteroatom. Preferable is a double bond as an unsaturated bond. Preferable is one as a number of double bond.

25

Preferable is C1-C8 alkyloxy as "C1-C12 alkyloxy" for R^A.

30

Preferable is C1-C4 alkyloxy-C2-C4 alkyloxy as "C1-C8 alkyloxy-C1-C8 alkyloxy" for R^A.

Preferable is (C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4 alkyloxy as "(C1-C8 alkyloxy-C1-C8 alkyloxy)C1-C8 alkyloxy" for R^A.

Preferable is C1-C12 alkyl as "C1-C14 alkyl" of "straight- or branched chain C1-C14 alkyl optionally substituted with substituent(s) selected from substituent group B" for R^B. Preferable are C5-C6 cycloalkyl, C1-C8 alkyloxy, C1-C4 alkyloxy-C2-C4 alkyloxy, (C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4 alkyloxy, or methylthio as "substituent(s) selected from substituent group B". Preferable is one as "number of substituent(s)".

Preferable is C1-C10 alkyl as "C1-C15 alkyl" of "straight- or branched chain C1-C15 alkyl optionally substituted with substituent(s) selected from substituent group C" for R^C. Especially, C1-C8 alkyl is preferable. Preferable are C5-C6 cycloalkyl, C1-C8 alkyloxy, C1-C4 alkyloxy-C2-C4 alkyloxy, (C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4 alkyloxy, or methylthio as "substituent(s) selected from substituent group C". Especially, C1-C6 alkyloxy is preferable. Preferable is one or two as "number of substituent(s)".

Preferable are C1-C4 alkylene, -O-(C1-C3 alkylene), (C1-C3 alkylene)-O- as "straight-chain C1-C4 alkylene optionally substituted with C1-C8 alkyl, which may contain optionally substituted heteroatom" for Z. Especially, C1-C2 alkylene or -OCH₂O- is preferable.

Substituents groups (Ia) to (Io) are shown as preferable substituent(s) groups for R¹ to R⁹ of the compound represented by general formula (I)

For R¹, (Ia) a hydrogen atom, a halogen atom, or C1-C6 alkyloxy, (Ib) halogen

atom or C1-C6 alkyloxy.

For R², (Ic) C1-C15 alkyl substituted with one or same or different two
substituent(s) selected from substituent group consists of (C5-C6 cycloalkyl, C1-C8
5 alkyloxy, C1-C4 alkyloxy-C2-C4 alkyloxy, (C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4
alkyloxy, and methylthio), C2-C15 alkynyl substituted with one or same or different
two substituent(s) selected from substituent group consists of (C5-C6 cycloalkyl, C1-C8
alkyloxy, C1-C4 alkyloxy-C2-C4 alkyloxy, (C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4
alkyloxy, and methylthio) or C1-C15 alkyloxy substituted with one or same or different
10 two substituent(s) selected from substituent group consists of (C5-C6 cycloalkyl, C1-C8
alkyloxy, C1-C4 alkyloxy-C2-C4 alkyloxy, (C1-C4 alkyloxy-C2-C4 alkyloxy)C2-C4
alkyloxy, and methylthio), (Id) C1-C15 alkyl substituted with one substituent selected
from substituent group consists of (C1-C8 alkyloxy and C1-C4 alkyloxy-C2-C4 alkyloxy),
C2-C15 alkynyl substituted with one substituent selected from substituent group
15 consists of (C1-C8 alkyloxy and C1-C4 alkyloxy-C2-C4 alkyloxy), or C1-C15 alkyloxy
substituted with one substituent selected from substituent group consists of (C1-C8
alkyloxy and C1-C4 alkyloxy-C2-C4 alkyloxy), (Ie) C1-C15 alkyl substituted with one
C1-C8 alkyloxy, C2-C15 alkynyl substituted with one C1-C8 alkyloxy, or C1-C15
alkyloxy substituted with one C1-C8 alkyloxy.

20

For R³, R⁴, and R⁵, (If) each independently a hydrogen atom or C1-C3 alkyloxy.

For R⁶ and R⁷, (Ig) each independently a halogen atom.

25 For R⁸, (Ih) a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy, (Ii) C1-C3 alkyl or
C1-C3 alkyloxy, (Ij) C1-C3 alkyl.

For R⁹, (Ik) a hydrogen atom.

30 Or, R¹ and R⁵ may form a (Il) 5 to 6 membered ring taken together with the

adjacent carbon atoms which may contain an oxygen atom, (Im) 6 membered carbocyclic ring taken together with the adjacent carbon atoms, (In) 6 membered ring taken together with the adjacent carbon atoms which contains one oxygen atom.

5 Examples of preferable group of the compound represented by general formula (I) contains $[R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^8, R^9] = [Ia, Ic, If, If, If, Ig, Ig, Ih, Ik], [Ia, Ic, If, If, If, Ig, Ig, Ii, Ik], [Ia, Ic, If, If, If, Ig, Ig, Ij, Ik], [Ia, Id, If, If, If, Ig, Ig, Ih, Ik], [Ia, Id, If, If, If, Ig, Ig, Ii, Ik], [Ia, Id, If, If, If, Ig, Ig, Ij, Ik], [Ia, Ie, If, If, If, Ig, Ig, Ih, Ik], [Ia, Ie, If, If, If, Ig, Ig, Ii, Ik], [Ia, Ie, If, If, If, Ig, Ig, Ij, Ik], [Ib, Ic, If, If, If, Ig, Ig, Ih, Ik], [Ib, Ic, If, If, If, Ig, Ig, Ii, Ik], [Ib, Ic, If, If, If, Ig, Ig, Ij, Ik], [Ib, Id, If, If, If, Ig, Ig, Ih, Ik], [Ib, Id, If, If, If, Ig, Ig, Ii, Ik], [Ib, Id, If, If, If, Ig, Ig, Ij, Ik], [Ib, Ie, If, If, If, Ig, Ig, Ih, Ik], [Ib, Ie, If, If, If, Ig, Ig, Ii, Ik], [Ib, Ie, If, If, If, Ig, Ig, Ij, Ik], or $[R^1-R^5, R^2, R^3, R^4, R^6, R^7, R^8, R^9] = [Il, Ic, If, If, Ig, Ig, Ih, Ik], [Il, Ic, If, If, Ig, Ig, Ii, Ik], [Il, Ic, If, If, Ig, Ig, Ij, Ik], [Il, Id, If, If, Ig, Ig, Ih, Ik], [Il, Id, If, If, Ig, Ig, Ii, Ik], [Il, Id, If, If, Ig, Ig, Ij, Ik], [Il, Ie, If, If, Ig, Ig, Ih, Ik], [Il, Ie, If, If, Ig, Ig, Ii, Ik], [Il, Ie, If, If, Ig, Ig, Ij, Ik], [Im, Ic, If, If, Ig, Ig, Ih, Ik], [Im, Ic, If, If, Ig, Ig, Ii, Ik], [Im, Ic, If, If, Ig, Ig, Ij, Ik], [Im, Id, If, If, Ig, Ig, Ih, Ik], [Im, Id, If, If, Ig, Ig, Ii, Ik], [Im, Id, If, If, Ig, Ig, Ij, Ik], [Im, Ie, If, If, Ig, Ig, Ih, Ik], [Im, Ie, If, If, Ig, Ig, Ii, Ik], [Im, Ie, If, If, Ig, Ig, Ij, Ik], [In, Ic, If, If, Ig, Ig, Ih, Ik], [In, Ic, If, If, Ig, Ig, Ii, Ik], [In, Ic, If, If, Ig, Ig, Ij, Ik], [In, Id, If, If, Ig, Ig, Ih, Ik], [In, Id, If, If, Ig, Ig, Ii, Ik], [In, Id, If, If, Ig, Ig, Ij, Ik], [In, Ie, If, If, Ig, Ig, Ih, Ik], [In, Ie, If, If, Ig, Ig, Ii, Ik], [In, Ie, If, If, Ig, Ig, Ij, Ik].$$

10

15

20

Substituents groups (IIa) to (IIn) are shown as preferable substituent(s) groups for R^6 to R^8 and R^A to R^D of the compound represented by general formula (II)

25 For R^6 and R^7 , (IIa) each independently a halogen atom.

For R^8 , (IIb) a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy, (IIc) C1-C3 alkyl or C1-C3 alkyloxy, (IId) C1-C3 alkyl.

30 For R^A , (IIe) a hydrogen atom, C1-C8 alkyloxy, or C1-C4 alkyloxy-C2-C4

IIe, Ili, IIm, IIn], [IIa, IIa, IIc, IIe, IIj, III, IIn], [IIa, IIa, IIc, IIe, IIj, IIm, IIn], [IIa, IIa,
 IIc, IIe, IIk, III, IIn], [IIa, IIa, IIc, IIe, IIk, IIm, IIn], [IIa, IIa, IIc, IIh, III, IIn], [IIa,
 IIa, IIc, IIh, IIm, IIn], [IIa, IIa, IIc, IIh, Ili, III, IIn], [IIa, IIa, IIc, IIh, Ili, IIm, IIn],
 [IIa, IIa, IIc, IIh, IIj, III, IIn], [IIa, IIa, IIc, IIh, IIj, IIm, IIn], [IIa, IIa, IIc, IIh, IIk, III, IIn],
 5 [IIa, IIa, IIc, IIh, IIk, IIm, IIn], [IIa, IIa, IIc, IIg, IIh, III, IIn], [IIa, IIa, IIc, IIg, IIh, IIm,
 IIn], [IIa, IIa, IIc, IIg, Ili, III, IIn], [IIa, IIa, IIc, IIg, Ili, IIm, IIn], [IIa, IIa, IIc, IIg, IIj,
 III, IIn], [IIa, IIa, IIc, IIg, IIj, IIm, IIn], [IIa, IIa, IIc, IIg, IIk, III, IIn], [IIa, IIa, IIc, IIg,
 IIk, IIm, IIn], [IIa, IIa, IId, IIe, IIh, III, IIn], [IIa, IIa, IId, IIe, IIh, IIm, IIn], [IIa, IIa, IId,
 IIe, Ili, III, IIn], [IIa, IIa, IId, IIe, Ili, IIm, IIn], [IIa, IIa, IId, IIe, IIj, III, IIn], [IIa, IIa,
 10 IId, IIe, IIj, IIm, IIn], [IIa, IIa, IId, IIe, IIk, III, IIn], [IIa, IIa, IId, IIe, IIk, IIm, IIn], [IIa,
 IIa, IId, IIh, III, IIn], [IIa, IIa, IId, IIh, IIm, IIn], [IIa, IIa, IId, IIh, Ili, III, IIn],
 [IIa, IIa, IId, IIh, Ili, IIm, IIn], [IIa, IIa, IId, IIh, IIj, III, IIn], [IIa, IIa, IId, IIh, IIj, IIm,
 IIn], [IIa, IIa, IId, IIh, IIk, III, IIn], [IIa, IIa, IId, IIh, IIk, IIm, IIn], [IIa, IIa, IId, IIg, IIh,
 III, IIn], [IIa, IIa, IId, IIg, IIh, IIm, IIn], [IIa, IIa, IId, IIg, Ili, III, IIn], [IIa, IIa, IId, IIg,
 15 Ili, IIm, IIn], [IIa, IIa, IId, IIg, IIj, III, IIn], [IIa, IIa, IId, IIg, IIj, IIm, IIn], [IIa, IIa, IId,
 IIg, IIk, III, IIn], [IIa, IIa, IId, IIg, IIk, IIm, IIn].

Substituents groups (IIIa) to (IIIn) are shown as preferable substituent(s)
 groups for R⁶ to R⁸, R^E, and Z of the compound represented by general formula (III)

20

For R⁶ and R⁷, (IIIa) each independently a halogen atom.

For R⁸, (IIIb) a halogen atom, C1-C3 alkyl, or C1-C3 alkyloxy, (IIIc) C1-C3
 alkyl or C1-C3 alkyloxy, (IIId) C1-C3 alkyl.

25

For R^E, (IIIe) C1-C15 alkyl substituted with one substituent selected from
 substituent group consists of (C1-C8 alkyloxy and C1-C4 alkyloxy-C2-C4 alkyloxy), C2-
 C15 alkynyl substituted with one substituent selected from substituent group consists
 of (C1-C8 alkyloxy and C1-C4 alkyloxy-C2-C4 alkyloxy), or C1-C15 alkyloxy substituted
 30 with one substituent selected from substituent group consists of (C1-C8 alkyloxy and

II-Ad, II-Ae, II-Ai, II-Aj], [II-Aa, II-Aa, II-Ad, II-Ae, II-Ai, II-Ak], [II-Aa, II-Aa, II-Ad, II-Ae, II-Ai, II-Al], [II-Aa, II-Aa, II-Ad, II-Af, II-Ah, II-Aj], [II-Aa, II-Aa, II-Ad, II-Af, II-Ah, II-Ak], [II-Aa, II-Aa, II-Ad, II-Af, II-Ah, II-Al], [II-Aa, II-Aa, II-Ad, II-Af, II-Aj, II-Aj], [II-Aa, II-Aa, II-Ad, II-Af, II-Aj, II-Ak], [II-Aa, II-Aa, II-Ad, II-Af, II-Aj, II-Al], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ah, II-Aj], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ah, II-Ak], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ah, II-Al], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ai, II-Aj], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ai, II-Ak], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ai, II-Al], [II-Aa, II-Aa, II-Ad, II-Ag, II-Ai, II-Al].

10 In the present specification, the term "platelet production modifier" means pharmaceutical composition for hemopathy accompanied with the unusual number of platelet. For example the hemopathy is thrombocytopenia (thrombocytopenia after bone marrow transplantation, chemotherapy-induced thrombocytopenia, Aplastic anemia, myelodysplasia syndrome, acquired thrombopenia such as idiopathic
15 thrombopoietic purpura, congenital amegakaryocytic thrombocytopenia such as thrombopoietin deficiency), and the like. For example this medicine can be used as treating agent in the case of decreasing number of platelet by administering antitumor agent, or as protecting agent in the case of expecting the decrease of number of platelet by administering antitumor agent.


20

In the present specification, the term "modifying a platelet production" means 1) increasing a number of platelet decreased by administering antitumor agent and the like. 2) maintaining a number of platelet which may be decreased by administering antitumor agent and the like. 3) reducing the ratio of the platelet
25 number of decrease caused by administering antitumor agent and the like.


Best Mode for Carrying Out the Invention

Compounds (I) of the invention can be synthesized by the following methods A
30 to B and the similar process.

(Method A)



wherein R^6 , R^7 , R^8 , and R^9 are as defined above mentioned; R^L and R^M are a protecting group; X^1 is a group represented by the formula (IX), M is alkali metal.



wherein R^1 , R^2 , R^3 , R^4 , and R^5 are as defined above mentioned.

(Step 1)

This step is a process of preparing the compound (V) by protecting of a carboxyl group of 4-formylbenzoic acid derivatives (IV) by R^L . In step 3 combination of R^L and R^M is important in order to remove selectively protecting groups of two carboxylic acid. In the case of R^L is a protecting group such as methyl and ethyl, which can be removed by basic condition, it is necessary that a protecting group of R^M can be removed by another condition except basic condition. Examples of R^M are allyl (removed by palladium (0) complex), tert-butyl, p-methoxybenzyl, triphenylmethyl,

diphenylmethyl (removed by acidic condition), trimethylsilylethyl, trimethylsilylethoxymethyl, tert-butyldimethylsilyl (removed by fluoride ion) and the like.

Esterification condition can be used the method of reacting with considerable
5 halocompound in the presence of suitable base. And it can be synthesized by condensation reaction using an alcohol derivative as starting material.

(Step 2)

This step is a process of preparing the compound (VI) by converting an
10 aldehyde group of the compound (V) to olefin. For examples, the olefin can be synthesized by the reaction using phosphineylide such as Wittig reaction, Horner-Emmons reaction, or by dehydrated condensation reaction such as Knoevenagel reaction.

15 (Step 3)

This step is a process of preparing the compound (VII) removing the protecting group R^L of the compound (VI). The removal of protecting group R^L is carried out under suitable reaction condition as described in Protective Groups in Organic Synthesis, Theodora W Green (John Wiley & Sons).

20

(Step 4)

This step is a process of preparing amide the compound (VIII) or the compound (I-A wherein R^M is C1-C4 alkyl) from the compound (VII) and an amine derivative (X^1-NH_2) by the method such as active esterification, acid chloride, mixed acid anhydride.
25 This step is reacted in the solvent such as tetrahydrofuran, dioxane, dichloromethane, toluene, benzene. At active esterification method it can be carried out by using 1-hydroxybenzotriazole, hydroxysuccinimide, dimethylaminopyridine, and the like and dicyclohexylcarbodiimide, 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide hydrochloride salt, and the like as condensation reagent. At acid halide method it can
30 be carried out by converting free carboxylic acid which is reacted with thionyl chloride

or oxalyl chloride to acid chloride. At mixed acid anhydride method it can be carried out by converting carboxylic acid which is reacted with ethylchloroformate, isobutylchloroformate or the like to mixed acid anhydride. Triethylamine, pyridine or the like are used as base in these reaction according to be necessary.

5

(Step 5)

This step is a process of preparing the compound (I-B) by removing a protecting group R^M of the compound (VIII) or the compound (I-A). The protecting group R^M is removed under suitable reaction condition by using the method as described in Protective Groups in Organic Synthesis, Theodora W Green (John Wiley & Sons).

10

(Step 6)

This step is a process of preparing the compound (I-A) by alkylating the compound (I-B). This step is reacted in the solvent such as tetrahydrofuran, dioxane, dichloromethane, toluene, N,N-dimethylformamide. At alkylation method it can be carried out by condensation with C1-C6 alkyl halide in the presence of base such as potassium carbonate, sodium hydride. At acid chloride method it can be carried out by converting free carboxylic acid which is reacted with thionyl chloride or oxalyl chloride to acid chloride, and then was reacted with C1-C6 alcohol. Triethylamine, pyridine or the like are used as base in these reaction according to be necessary.


20

(Step 7)

This step is a process of preparing the compound (I-C) by treating the compound (I-B) with alkali metal such as sodium, potassium or alkali metal hydroxide. This step is reacted in the solvent such as tetrahydrofuran, dioxane, dichloromethane, toluene, N,N-dimethylformamide, alcohol such as methanol, ethanol, and the like in the presence of base such as alkali metal such as sodium, potassium or alkali metal hydroxide.

30

This method is another method for preparing the compound (VIII) or the compound (I-A) as described method A.



This step is a process of preparing the compound (X) in a manner similar to Step 4 of Method A.

This step is a process of preparing the compound (VIII) or the compound (I-A) by converting an aldehyde group of the compound (X) to olefin in a manner similar to Step 2 of Method A.

This method is another method for preparing the compound (VIII) or the compound (I-A) as described method A.



This step is a process of preparing the compound (XII) by converting an aldehyde group of the compound (XI) to olefin group in a manner similar to Step 2 of Method A.

(Step 2)

This step is a process of preparing the compound (VIII) or the compound (I-A) by substituting a bromo group of the compound (XII). At this step it can be carried out by adding carbon monoxide to a DMF solution of the compound (XII) and $X'NH_2$ in the presence of dichlorobistriphenylphosphinepalladium and base such as triethylamine. The reaction temperature is used 20 °C to 120 °C, preferably 50 °C to 100 °C. The reaction time is used 1 h to 48 h, preferably 4 h to 24 h.

The term "solvate" includes, for example, solvates with organic solvents, hydrates, and the like.

The term "compound of the present invention" herein used includes a pharmaceutically acceptable salt or solvate thereof. The salt is exemplified by a salt with alkali metals (e.g., lithium, sodium, potassium, and the like), alkaline earth metals (e.g., magnesium, calcium, and the like), ammonium, organic bases, amino acids, mineral acids (e.g., hydrochloric acid, hydrobromic acid, phosphoric acid, sulfuric acid, and the like), or organic acids (e.g., acetic acid, citric acid, maleic acid, fumaric acid, benzenesulfonic acid, p-toluenesulfonic acid, and the like). These salts can be formed by the usual method. These hydrates can coordinate with any water molecules when hydrates are formed.

Prodrug is a derivative of the compound having a group which can be decomposed chemically or metabolically, and such prodrug is a compound according to the present invention which becomes pharmaceutically active by means of solvolysis or by placing the compound in vivo under a physiological condition. The method of both selection and manufacture of appropriate prodrug derivatives is described in, for example, Design of Prodrugs, Elsevier, Amsterdam, 1985). For instance, prodrugs such as an ester derivative which is prepared by reacting a basal acid compound with a suitable alcohol, or an amide derivative which is prepared by reacting a basal acid compound with a suitable amine are exemplified when the compounds according to present invention

have a carboxylic group. Particularly preferred esters as prodrugs are methyl ester, ethyl ester, n-propyl ester, isopropyl ester, n-butyl ester, isobutyl ester, tert-butyl ester, morpholinoethyl ester, and N,N-diethylglycolamido ester, and the like. For instance, when the compounds according to present invention have a hydroxy group, prodrugs such as an acyloxy derivative which is prepared by reacting with a suitable acyl halide or a suitable acid anhydride. Particularly preferred acyloxy derivatives as prodrugs - OCOC_2H_5 , $-\text{OCO}(\text{t-Bu})$, $-\text{OCOC}_{15}\text{H}_{31}$, $-\text{OCO}(\text{m-COONa-Ph})$, $-\text{COCH}_2\text{CH}_2\text{COONa}$, $-\text{OCOCH}(\text{NH}_2)\text{CH}_3$, $-\text{OCOCH}_2\text{N}(\text{CH}_3)_2$, and the like. For instance, when the compounds according to present invention have an amino group, prodrugs such as an amide derivative which is prepared by reacting with a suitable acid halide or a suitable acid anhydride. Particularly preferred amide as prodrugs are $-\text{NHCO}(\text{CH}_2)_{20}\text{CH}_3$, $-\text{NHCOCH}(\text{NH}_2)\text{CH}_3$, and the like.

The compound of the present invention is not restricted to any particular isomers but includes all possible isomers and racemic modifications.

The present invention compounds show excellent thrombopoietin receptor agonism as described in examples mentioned later, and may be used as a pharmaceutical composition (platelet production modifier) for hemopathy accompanied with the unusual number of platelet, for example thrombocytopenia (e.g., thrombocytopenia after bone marrow transplantation, chemotherapy-induced thrombocytopenia, Aplastic anemia, myelodysplastic syndrome, acquired thrombocytopenia such as idiopathic thrombocytopenic purpura, congenital amegakaryocytic thrombocytopenia such as thrombopoietin deficiency), and the like. And the present compound may be used as treating and/or preventing agent for the unusual number of platelet accompanied with administering antitumor agent.

When the compound of the present invention is administered to a person for the treatment of the above diseases, it can be administered orally as powder, granules, tablets, capsules, pilulae, and liquid medicines, or parenterally as injections,

suppositories, percutaneous formulations, insufflation, or the like. An effective dose of the compound is formulated by being mixed with appropriate medicinal admixtures such as excipient, binder, penetrant, disintegrators, lubricant, and the like if necessary. Parenteral injections are prepared by sterilizing the compound together with an
5 appropriate carrier.

The dosage varies with the conditions of the patients, administration route, their age, and body weight. In the case of oral administration, the dosage can generally be between 0.1 to 100 mg/kg/day, and preferably 1 to 20 mg/kg/day for adult.
10


The following examples are provided to further illustrate the present invention and are not to be constructed as limiting the scope thereof.

Abbreviations described below are used in the following examples.

Me: methyl
15 Et: ethyl
n-Bu: n-butyl
Ph: phenyl
Tf: trifluoromethanesulfonyl
DMF: N,N-dimethylformamide
20 THF: tetrahydrofuran

Examples

Example 1 Synthesis of Compound (A1)



1) Synthesis of 4-bromo-2,6-difluorobenzaldehyde (2)

To a THF (250 mL) solution of diisopropylamine (53 mL) was added 2.44 M hexane solution of butyl lithium at -78°C , and the reaction mixture was stirred for 30 minute.

- 5 To the reaction mixture was added a THF solution of 3,5-difluorobromobenzene (1) (36 g), and then the reaction mixture was stirred for 1 h. To the reaction mixture was added DMF 146 mL, and the reaction mixture was stirred for additional 1h. To the reaction mixture was added a saturated ammonium chloride aqueous solution, and the reaction mixture was extracted with ethyl acetate. The organic layer was washed with
- 10 water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 20 : 1) to obtain the compound (2) 23.2 g.

$^1\text{H-NMR}(\text{CDCl}_3)$ 10.29(s, 1H), 7.19-7.25(m, 2H).

15 2) Synthesis of ethyl 3-(4-bromo-2,6-difluorophenyl)-2-methylacrylate (3)

To a THF (100 mL) solution of triethyl-2-phosphonopropionic acid (33.8 mL) was

added sodium hydride (8.4 g) under ice-cooling. After the reaction mixture was stirred for 1 h, to the reaction mixture was added a THF solution of 4-bromo-2,6-difluorobenzaldehyde (2) (23.2 g) dropwise under ice-cooling. After the reaction mixture was stirred under ice-cooling for 2 h, to the reaction mixture were added ice-
5 water, 2N hydrochloric acid, and the reaction mixture was extracted with ethyl acetate. The organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 15 : 1) to obtain the compound (3) 32.08 g.

¹H-NMR(CDCl₃) 7.32(d, 1H, J = 1.5 Hz), 7.11-7.17(m, 2H), 4.28(q, 2H, J = 7.2 Hz),
10 1.86(d, 3H, J = 1.5 Hz), 1.35(t, 3H, J = 7.2 Hz).

3) Synthesis of 5-(3-methyloxyhexyn-1-yl)tetralone (5)

To a DMF (100mL) solution of 5-hydroxytetralone trifluoromethanesulfonic acid ester (4) (13.5 g), 3-methyloxy-1-hexyne (10.3 g), dichlorobistriphenylphosphinepalladium
15 (0.9 g), and copper iodide (0.5 g) was added triethylamine (10 mL), and then the reaction mixture was stirred at 80 °C for 64 h. To the reaction mixture were added water, and the reaction mixture was extracted with ethyl acetate. The organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate =
20 4 : 1) to obtain the compound (5) 11 g.

¹H-NMR(CDCl₃) 8.01(d, 1H, J = 7.8 Hz), 7.62(dd, 1H, J = 7.4 Hz, 1.4 Hz), 7.27(t, 1H, J = 7.7 Hz), 4.23(t, 1H, J = 6.6 Hz), 3.50(s, 3H), 3.11(t, 2H, J = 6.1 Hz), 2.64-2.69(m, 2H), 2.14-2.21(m, 2H), 1.77-1.84(m, 2H), 1.52-1.60(m, 2H), 0.99(t, 3H, J = 7.4 Hz).

25 4) Synthesis of 5-(3-methyloxyhexyl)tetralone (6)

To a THF (60 mL) solution of 5-(3-methyloxyhexyn-1-yl)tetralone (5) (11 g) was added 10% palladium-carbon (0.9 g), and the reaction mixture was stirred under a hydrogen gas atmosphere for 5 h. The reaction mixture filtered off, and the filtrate was evaporated. The obtained residue was purified by column chromatography (hexane :
30 ethyl acetate = 9 : 1) to obtain the compound (6) 9.0 g.

¹H-NMR(CDCl₃) 7.94(dd, 1H, J = 7.8 Hz, 1.4 Hz), 7.36(dd, 1H, J = 7.4 Hz, 1.4 Hz), 7.25(t, 1H, J = 7.7 Hz), 3.37(s, 3H), 3.23-3.24(m, 1H), 2.91-2.96(m, 2H), 2.63-2.83(m, 4H), 2.05-2.17(m, 2H), 1.71-1.77(m, 2H), 1.26-1.59(m, 4H), 0.94(t, 3H, J = 7.2 Hz).

5 5) Synthesis of 4,5-dihydro-6-(3-methoxyhexyl)naphtho[1,2-d]thiazol-2-ylamine (7)

To a 10% methanol-chloroform (60 mL) solution of 5-(3-methoxyhexyl)tetralone (6) (9.0 g) was added bromine (5.5 g), and the reaction mixture was stirred for 1 h. After the solvent was evaporated, the residue was dissolved in ethanol (60 mL), and to the residue was added thiourea (2.65 g). After the mixture was heated at reflux for 7 h, the reaction solvent was evaporated. To the residue was added a saturated sodium hydrogencarbonate aqueous solution, and the mixture was extracted with ethyl acetate. The organic layer was dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (7) 4.6 g.

15 ¹H-NMR(CDCl₃) 7.59(d, 1H, J = 7.5 Hz), 7.17(t, 1H, J = 7.7 Hz), 7.05(d, 1H, J = 7.7 Hz), 4.93(bs, 2H), 3.36(s, 3H), 3.21(t, 1H, J = 5.8 Hz), 2.99-3.05(m, 2H), 2.63-2.87(m, 4H), 1.68-1.76(m, 4H), 1.35-1.56(m, 4H), 0.93(t, 3H, J = 7.2 Hz).

20 6) Synthesis of ethyl 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-methoxyhexyl)naphtho[1,2-d]thiazol-2-ylcarbonyl]phenyl}-2-methylacrylate (8)

To a DMF (25 mL) solution of 4,5-dihydro-6-(3-methoxyhexyl)naphtho[1,2-d]thiazol-2-ylamine (7) (4.5 g), 3-(4-bromo-2,6-difluorophenyl)-2-methylacrylic acid ethyl ester (3) (4.35 g), and dichlorobis(triphenylphosphine)palladium (0.8 g) was added triethylamine (10 mL), and the reaction mixture was stirred under carbon monoxide atmosphere at 85 °C for 16 h. To the reaction mixture was added water, and the reaction mixture was extracted with ethyl acetate. The organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (8) 7.1 g.

30 ¹H-NMR(CDCl₃) 7.36-7.38(m, 3H), 7.25(bs, 1H), 7.00(d, 2H, J = 2.3 Hz), 4.29(q, 2H, J =


7.2 Hz), 3.38(s, 3H), 3.22(t, 1H, J = 5.5 Hz), 3.01-3.05(m, 4H), 2.60-2.80(m, 2H), 1.80(s, 3H), 1.67-1.75(m, 2H), 1.24-1.60(m, 7H), 0.94(t, 3H, J = 7.2 Hz).

7) Synthesis of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-methoxyhexyl)naphtho[1,2-d]thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (A1)

A mixture of THF (40 mL), methanol (40 mL), and 2N sodium hydroxide aqueous solution (40 mL) of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-methoxyhexyl)naphtho[1,2-d]thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid ethyl ester (8) (7.0 g), was stirred at room temperature for 3 h. The reaction mixture was acidified with hydrochloric acid, and extracted with ethyl acetate. The organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The residue was recrystallized from ethyl acetate to obtain the compound (A1) 5.5 g.

¹H-NMR(DMSO-d₆) 12.93(bs, 2H), 7.95(d, 2H, J = 8.3 Hz), 7.64(d, 1H, J = 7.5 Hz), 7.33(s, 3H), 7.09(d, 1H, J = 6.7 Hz), 3.27(s, 3H), 3.21(t, 1H, J = 6.3 Hz), 2.99(s, 4H), 2.60-2.80(m, 2H), 1.80(d, 3H, J = 1.6 Hz), 1.64-1.66(m, 2H), 1.45-1.47(m, 2H), 1.31-1.33(m, 2H), 0.89(t, 3H, J = 7.0 Hz).

Example 2 Synthesis of Compound (A1307)



1) Synthesis of tert-butyl 3-(2-isopropylphenoxy)propionate (10)

2-Isopropylphenol (6 g) was dissolved in acrylic acid tert-butyl ester (6.2 g), and to the mixture was added potassium tert-butyloxide (0.3 g). The reaction mixture was stirred at 130 °C for 6 h. To the reaction mixture was added water, the reaction mixture extracted with ethyl acetate. The organic layer was washed with brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 9 : 1) to obtain the compound (10) 4.3 g.

1H-NMR(CDCl₃) 7.20(dd, 1H, J = 7.5, 1.7Hz), 7.14(dt, 1H, J = 7.5, 1.7Hz), 6.92(dd, 1H, J = 7.5, 1.7Hz), 6.86(dt, 1H, J = 7.5, 1.7Hz), 4.21(t, 2H, J = 6.3 Hz), 3.30(sext, 1H, J = 7.0Hz), 2.72(t, 2H, J = 6.3Hz), 1.45(s, 9H), 1.15(d, 6H, J = 7.0 Hz).

2) Synthesis of 3-(2-isopropylphenoxy)propionic acid (11)

3-(2-Isopropylphenoxy)propionic acid tert-butyl ester (10) (4.3 g) was dissolved in dichloromethane (40 mL), and to the mixture was added trifluoroacetic acid (4 mL). The reaction mixture was stirred at room temperature for 3h, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (11) 3.14 g.

1H-NMR(CDCl₃) 7.23(dd, 1H, J = 7.5, 1.7Hz), 7.17(dt, 1H, J = 7.5, 1.7Hz), 6.95(dd, 1H, J = 7.5, 1.7Hz), 6.89(dt, 1H, J = 7.5, 1.7Hz), 4.26(t, 2H, J = 6.3 Hz), 3.30(sext, 1H, J = 7.0Hz), 2.78(t, 2H, J = 6.3Hz), 1.19(d, 6H, J = 7.0 Hz).

3) Synthesis of 8-isopropylchroman-4-one (12)

3-(2-Isopropylphenoxy)propionic acid (11) was dissolved in dichloromethane (30 mL), and to the mixture were added oxalyl chloride (2.1 g) and DMF (5 mL) under ice-cooling. The reaction mixture was stirred for 30 minutes and cooled at -20 °C. To the reaction mixture was added aluminium chloride (4 g), and the reaction mixture was stirred at -20 °C for 2 h. To the reaction mixture was added 2N hydrochloric acid, and the reaction mixture was extracted with dichloromethane. The organic layer was washed with brine, dried over magnesium sulfate, and evaporated. The obtained residue was

purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (12) 2.3 g.

¹H-NMR(CDCl₃) 7.73(d, 1H, J = 7.5Hz), 7.37(d, 1H, J = 7.5Hz), 6.93(t, 1H, J = 7.5Hz), 4.56(t, 2H, J = 6.3 Hz), 3.25(sext, 1H, J = 7.0Hz), 2.78(t, 2H, J = 6.3Hz), 1.24(d, 6H, J = 7.0 Hz).

4) Synthesis of 6-isopropyl-4H-chromeno[4,3-d]thiazol-2-ylamine (13)

8-Isopropylchroman-4-one (12) (2.3 g) was dissolved with 10% methanol-chloroform (20 mL), and to the mixture was added bromine (1.93 g). After the reaction mixture was stirred for 1 h, and evaporated. The residue was dissolved in ethanol (30 mL), and to the reaction mixture was added thiourea (0.92 g). The reaction mixture was heated at reflux, and evaporated. The residue was extracted with ethyl acetate, and a saturated sodium hydrogencarbonate aqueous solution, and the organic layer was dried over magnesium sulfate, and evaporated. The residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (13) 0.7 g.

¹H-NMR(CDCl₃) 7.43(d, 1H, J = 7.5Hz), 7.10(d, 1H, J = 7.5Hz), 6.95(t, 1H, J = 7.5Hz), 5.29(s, 2H), 5.20(bs, 2H), 3.25(sext, 1H, J = 7.0Hz), 1.24(d, 6H, J = 7.0 Hz).

5) (E)-3-[2,6-difluoro-4-(6-isopropyl-4H-chromeno[4,3-d]thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid ethyl ester(14)

6-Isopropyl-4H-chromeno[4,3-d]thiazol-2-ylamine (13) (360 mg), (Z)-3-(4-bromo-2,6-difluorophenyl)-2-methylacrylic acid ethyl ester (460 mg), and dichlorobis(triphenylphosphine)palladium (150 mg) were dissolved in DMF (6 mL). To the mixture was poured triethylamine (0.84 mL), and the reaction mixture was stirred under carbon monoxide atmosphere at 85 °C for 16 h. The reaction mixture was added into water, and extracted with ethyl acetate. The organic layer was washed with water, and brine, and dried over magnesium sulfate, and evaporated. The residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (14) 620 mg.

¹H-NMR(CDCl₃) 7.44(s, 1H), 7.42(s, 1H), 7.28-7.33(m, 1H), 7.10(d, 1H, J = 7.6

Hz), 6.85(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 4.27(q, 2H, J = 7.0 Hz), 3.25(sext, 1H, J = 7.0 Hz), 1.79(s, 3H), 1.25(t, 3H, J = 7.0 Hz), 1.20(d, 6H, J = 7.0 Hz).

6) (E)-3-[2,6-difluoro-4-(6-isopropyl-4H-chromeno[4,3-d]thiazol-2-ylcarbamoyl)phenyl]-
5 2-methylacrylic acid (A1309)

(E)-3-[2,6-difluoro-4-(6-isopropyl-4H-chromeno[4,3-d]thiazol-2-ylcarbamoyl)phenyl]-
2-methylacrylic acid ethyl ester (620 mg) was dissolved in THF (2 mL), methanol (2 ml),
and 2N sodium hydroxide aqueous solution (2 mL), and the reaction mixture was
stirred at room temperature for 3 h. The reaction mixture was acidified with
10 hydrochloric acid and extracted with ethyl acetate. The organic layer was washed
with water, and brine, dried over magnesium sulfate, and evaporated. The residue
was recrystallized from ethyl acetate to obtain the compound (A1309) 460 mg.

¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.98(s, 1H), 7.97(s, 1H), 7.48(d, 1H, J = 7.6 Hz),
7.33(s, 1H), 7.11(d, 1H, J = 7.6 Hz), 7.01(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 3.20-3.30(m,
15 1H), 1.79(s, 3H), 1.04(d, 6H, J = 6.0 Hz).

A2-A12, A339, A341, A346, A347, A349, A351, A401, A423, A430, A440, A450,
A500, A601, A928, A930, A936, A937, A939, A941, A944, A954, A993, A1003, A1016,
A1018, A1033, A1123, A1295-A1308, and A1310-A1332 were synthesized by similar
20 method described above.

Example 3 Synthesis of 3-[2,6-difluoro-4-(4,5-dihydro-6-pentyl-naphtho[1,2-d]thiazol-
2-ylcabamoyl)phenyl]-2-methylacrylic acid (A2)

¹H-NMR(DMSO-d₆) 12.92(bs, 2H), 7.91-7.98(m, 2H), 7.62-7.65(m, 1H), 7.33(s, 1H),
25 7.18-7.23(m, 1H), 7.06-7.10(m, 1H), 2.97(s, 4H), 2.63(t, 2H, J = 7.6 Hz), 1.80(s, 3H), 1.52
(t, 2H, J = 6.9 Hz), 1.32-1.35(m, 4H), 0.88(t, 3H, J = 6.0 Hz).

Example 4 Synthesis of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3,3-
dimethylbutyl)naphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A3)

30 ¹H-NMR(DMSO-d₆) 12.96(bs, 2H), 7.92(d, 2H, J = 8.1 Hz), 7.60(d, 1H, J = 7.5 Hz),

7.30(s, 1H), 7.17(d, 1H, J = 7.5 Hz), 7.03-7.06(m, 1H), 2.94(s, 4H), 2.53-2.59(m, 2H), 1.77(s, 3H), 1.31-1.37(m, 2H), 0.91(s, 9H).

Example 5 Synthesis of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-methoxy-4,4-dimethylpentyl)naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A4)

¹H-NMR(DMSO-d₆) 12.91(bs, 1H), 7.95(d, 2H, J = 7.6 Hz), 7.63(d, 1H, J = 7.6 Hz), 7.33(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.33(s, 3H), 3.21-3.26(m, 1H), 2.95-2.99(m, 4H), 2.65-2.70(m, 2H), 1.80(d, 3H, J = 1.3Hz), 1.70-1.80(m, 2H), 0.88(s, 9H).

Example 6 Synthesis of 3-{4-[6-(3-n-butyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A5)

¹H-NMR(DMSO-d₆) 12.94(bs, 1H), 7.94(d, 2H, J = 7.6 Hz), 7.64(d, 1H, J = 7.6 Hz), 7.33(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.05(d, 1H, J = 7.6 Hz), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.65(t, 2H, J = 7.6Hz), 1.88(d, 3H, J = 1.3Hz), 1.70-1.80(m, 2H), 1.45-1.53(m, 2H), 1.31-1.40(m, 2H), 0.89(t, 3H, J = 7.4Hz).

Example 7 Synthesis of 3-(2,6-difluoro-4-{4,5-dihydro-6-[3-(2,2-dimethylpropyloxy)propyl]naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl)-2-methylacrylic acid (A6)

¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.95(d, 2H, J = 7.6 Hz), 7.65(d, 1H, J = 7.6 Hz), 7.33 (d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.40(t, 2H, J = 6.4Hz), 3.05(s, 2H), 2.95-2.99(m, 4H), 2.71(t, 2H, J = 7.4Hz), 1.84(d, 3H, J = 1.3Hz), 1.70-1.80(m, 2H), 0.91(s, 9H).

Example 8 Synthesis of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-isopropyloxypropyl)naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A7)

¹H-NMR(DMSO-d₆) 12.94(bs, 1H), 7.95(d, 2H, J = 7.3 Hz), 7.65(d, 1H, J = 7.3 Hz), 7.33(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.3 Hz), 7.09(d, 1H, J = 7.3 Hz), 3.53(hept, 1H, J =

6.1 Hz), 3.40(t, 2H, J = 6.4 Hz), 2.95-2.99(m, 4H), 2.69(t, 2H, J = 7.0 Hz), 1.84(d, 3H, J = 1.3 Hz), 1.75-1.80(m, 2H), 1.11(d, 6H, J = 6.1 Hz).

Example 9 Synthesis of 3-{2,6-difluoro-4,5-dihydro-4-[6-(3-ethyloxypropyl)naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A8)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 7.95(d, 2H, J = 7.6 Hz), 7.64(d, 1H, J = 7.6 Hz), 7.34(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.71(t, 2H, J = 7.0 Hz), 1.80(d, 3H, J = 1.3 Hz), 1.70-1.80(m, 2H), 1.12(t, 3H, J = 7.4 Hz).

Example 10 Synthesis of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-n-propyloxypropyl)naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A9)

¹H-NMR(DMSO-d₆) 12.91(bs, 1H), 7.95(d, 2H, J = 7.6 Hz), 7.65(d, 1H, J = 7.6 Hz), 7.33(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0 Hz), 1.80(d, 3H, J = 1.3 Hz), 1.70-1.80(m, 2H), 1.45-1.53(m, 2H), 0.89(t, 3H, J = 7.4 Hz).

Example 11 Synthesis of 3-{2,6-dichloro-4-[4,5-dihydro-6-(3-ethyloxypropyl)naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A10)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.71(t, 2H, J = 7.0 Hz), 1.75-1.80(m, 2H), 1.70(d, 3H, J = 1.3 Hz), 1.12(t, 3H, J = 7.0 Hz).

Example 12 Synthesis of 3-{4-[6-(3-n-butyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-dichlorophenyl}-2-methylacrylic acid (A11)

¹H-NMR(DMSO-d₆) 12.91(bs, 1H), 8.27(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0 Hz), 1.75-1.80(m, 2H), 1.70(d, 3H, J = 1.3 Hz), 1.52-1.58(m, 2H), 1.31-1.40(m, 2H), 0.89(t, 3H, J = 7.0 Hz).

Example 13 Synthesis of 3-{2,6-difluoro-4-[4,5-dihydro-6-(3-methoxyhexyl)naphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A12)

1H-NMR(DMSO-d6) 12.97(bs, 1H), 8.27(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3 Hz), 7.24(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.33(s, 3H), 3.21-3.26(m, 1H), 2.95-2.99(m, 4H), 2.65-2.70(m, 2H), 1.70(d, 3H, J = 1.3 Hz), 1.65-1.70(m, 2H), 1.52-1.58(m, 2H), 1.31-1.40(m, 2H), 0.89(t, 3H, J = 7.0 Hz).

Example 14 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-methoxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A339)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.65(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.27(s, 3H), 3.10-3.16(m, 1H), 2.95-2.99(m, 4H), 2.65-2.80(m, 2H), 1.80(s, 3H), 1.60-1.70(m, 2H), 1.45-1.60(m, 2H), 0.86(t, 3H, J = 7.6 Hz).

15

Example 15 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-methoxyheptyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A341)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.65(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.25(s, 3H), 3.14-3.22(m, 1H), 2.95-2.99(m, 4H), 2.50-2.65(m, 2H), 1.79(s, 3H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.22-1.34(m, 4H), 0.90-0.94(m, 3H).

20

Example 16 Synthesis of (E)-3-{4-[6-(3-ethoxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A346)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.64(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.18(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.45(q, 2H, J = 7.0 Hz), 3.20-3.26(m, 1H), 2.95-2.99(m, 4H), 2.60-2.80(m, 2H), 1.79(s, 3H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.13(t, 3H, J = 7.0 Hz), 0.86(t, 3H, J = 7.6 Hz).

25

Example 17 Synthesis of (E)-3-{4-[6-(3-ethoxyhexyl)-4,5-dihydronaphtho[1,2-

30

d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A347)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.64(d, 1H, J=7.6Hz), 7.33(s, 1H), 7.20(t, 1H, J=7.6Hz), 7.09(d, 1H, J=7.6Hz), 3.45(q, 2H, J=7.0Hz), 3.20-3.26(m, 1H), 2.95-2.99(m, 4H), 2.60-2.80(m, 2H), 1.79(s, 3H),
5 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.30-1.40(m, 2H), 1.13(t, 3H, J=7.0Hz), 0.86(t, 3H, J=7.6Hz).

Example 18 Synthesis of (E)-3-{4-[6-(3-ethyloxyheptyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A349)

10 1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.64(d, 1H, J=7.6Hz), 7.33(s, 1H), 7.20(t, 1H, J = 7.6Hz), 7.09(d, 1H, J = 7.6Hz), 3.48(q, 2H, J=7.0Hz), 3.20-3.26(m, 1H), 2.95-2.99(m, 4H), 2.60-2.80(m, 2H), 1.79(s, 3H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.30-1.40(m, 4H), 1.13(t, 3H, J = 7.0Hz), 0.86-0.89(m, 3H).

15

Example 19 Synthesis of (E)-3-{4-[6-(3-ethyloxy-4,4-dimethylpentyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A351)

20 1H-NMR(DMSO-d6) 12.95(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.65(d, 1H, J = 7.6 Hz), 7.33 (s, 1H), 7.23(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.50-3.65(m, 2H), 2.95-2.99(m, 4H), 2.80-2.90(m, 2H), 2.59-2.65(m, 1H), 1.80(s, 3H), 1.60-1.70(m, 1H), 1.45-1.5 (m, 1H), 1.17(t, 3H, J = 7.0 Hz), 0.90(s, 9H).

Example 20 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-pentyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A401)

25 1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.65(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.36(t, 2H, J = 6.4 Hz), 3.28(t, 2H, J = 7.0 Hz), 2.95-2.99(m, 4H), 2.74(t, 2H, J = 7.0Hz), 1.78(s, 3H), 1.69-1.75(m, 2H), 1.48-1.55(m, 2H), 1.22-1.34(m, 4H), 0.90-0.94(m, 3H).

30

Example 21 Synthesis of (Z)-3-{2,6-difluoro-4-[6-(3-methoxyhexyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methoxyacrylic acid (A423)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 7.91(s, 1H), 7.89(s, 1H), 7.65(d, 1H, J = 7.6 Hz), 7.20(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 6.65(s, 1H), 3.7 (s, 3H), 3.22(s, 3H), 3.14-3.22(m, 1H), 2.95-2.99(m, 4H), 2.55-2.70(m, 2H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.22-1.34(m, 2H), 0.90-0.94(m, 3H).

Example 22 Synthesis of (Z)-3-{4-[6-(3-ethoxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methoxyacrylic acid (A430)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 7.91(s, 1H), 7.89(s, 1H), 7.64(d, 1H, J = 7.6 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.06(d, 1H, J = 7.6 Hz), 6.61(s, 1H), 3.71(s, 3H), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.71(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.13(t, 3H, J = 7.0 Hz).

Example 23 Synthesis of (Z)-3-{2,6-difluoro-4-[6-(3-propyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methoxyacrylic acid (A440)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 7.92(s, 1H), 7.89(s, 1H), 7.64(d, 1H, J = 7.6 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.06(d, 1H, J = 7.6 Hz), 6.62(s, 1H), 3.71(s, 3H), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.71(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.45-1.55(m, 2H), 0.89 (t, 3H, J = 7.0 Hz).

Example 24 Synthesis of (Z)-3-{2,6-difluoro-4-[6-(3-isopropyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methoxyacrylic acid (A450)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 7.91(s, 1H), 7.89(s, 1H), 7.64(d, 1H, J = 7.6 Hz), 7.20(t, 1H, J = 7.6 Hz), 7.04(d, 1H, J = 7.6 Hz), 6.66(s, 1H), 3.71(s, 3H), 3.50-3.60(m, 1H), 3.38(t, 2H, J = 7.0 Hz), 2.95-2.99(m, 4H), 2.69(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.11(d, 6H, J = 6.0 Hz).

Example 25 Synthesis of (Z)-3-(4-{6-[3-(2,2-dimethylpropyloxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methoxyacrylic

acid (A500)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 7.90(s, 1H), 7.88(s, 1H), 7.64(d, 1H, J = 7.6 Hz), 7.20(t, 1H, J = 7.6 Hz), 7.04(d, 1H, J = 7.6 Hz), 6.65(s, 1H), 3.71(s, 3H), 3.40(t, 2H, J = 7.0 Hz), 3.07(s, 2H), 2.95-2.99(m, 4H), 2.69(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 0.90(s, 9H).

Example 26 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3,3-dimethylbutyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A601)

1H-NMR(DMSO-d6) 12.99(bs, 2H), 8.28(s, 2H), 7.61-7.64(m, 1H), 7.40(d, 1H, J = 1.3 Hz), 7.18-7.23(m, 1H), 7.07-7.10(m, 1H), 2.98(s, 4H), 2.49-2.64(m, 2H), 1.69(s, 3H), 1.35-1.41(m, 2H), 0.98(s, 9H).

Example 27 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-methyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A928)

1H-NMR(DMSO-d6) 12.95(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.27(s, 3H), 3.10-3.16(m, 1H), 2.95-2.99(m, 4H), 2.65-2.80(m, 2H), 1.68(s, 3H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 0.86(t, 3H, J = 7.6 Hz).

Example 28 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-methyloxyheptyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A930)

1H-NMR(DMSO-d6) 12.95(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.27(s, 3H), 3.14-3.22(m, 1H), 2.95-2.99(m, 4H), 2.55-2.65(m, 2H), 1.68(s, 3H), 1.66-1.69(m, 2H), 1.45-1.55(m, 2H), 1.22-1.34(m, 4H), 0.90-0.94(m, 3H).

Example 29 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-methoxy-4,4-dimethylpentyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A932)

1H-NMR(DMSO-d6) 12.95(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.44(s, 3H), 2.95-2.99(m, 4H),

2.65-2.70(m, 2H), 1.68(s, 3H), 1.45-1.55(m, 2H), 0.90(s, 9H).

Example 30 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-ethyloxypentyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A936)

5 ¹H-NMR(DMSO-d₆) 12.95(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.45(q, 2H, J = 7.0 Hz), 3.20-3.26(m, 1H), 2.95-2.99(m, 4H), 2.65-2.80(m, 2H), 1.68(s, 3H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.13 (t, 3H, J = 7.0 Hz), 0.86(t, 3H, J = 7.6 Hz).

10 Example 31 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-ethyloxyhexyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A937)

¹H-NMR(DMSO-d₆) 12.95(bs, 1H), 8.28(s, 2H), 7.63(d, 1H, J=7.6 Hz), 7.40(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.07(d, 1H, J=7.6 Hz), 3.47(q, 2H, J=7.0 Hz), 3.20-3.26(m, 1H), 2.95-2.99(m, 4H), 2.65-2.80(m, 2H), 1.68(s, 3H), 1.60-1.69(m, 2H),
15 1.45-1.55(m, 2H), 1.30-1.40(m, 2H), 1.13(t, 3H, J=7.0Hz), 0.86(t, 3H, J=7.6 Hz).

Example 32 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-ethyloxyheptyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A939)

¹H-NMR(DMSO-d₆) 12.95(bs, 1H), 8.23(s, 2H), 7.63(d, 1H, J = 7.6 Hz), 7.40(s,
20 1H), 7.21(t, 1H, J = 7.6 Hz), 7.10(d, 1H, J = 7.6 Hz), 3.47(q, 2H, J = 7.0 Hz), 3.20-3.26(m, 1H), 2.95-2.99(m, 4H), 2.65-2.80(m, 2H), 1.68(s, 3H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.30-1.40(m, 4H), 1.13(t, 3H, J = 7.0 Hz), 0.86-0.89(m, 3H).

Example 33 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-ethyloxy-4,4-dimethylpentyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A941)

¹H-NMR(DMSO-d₆) 12.95(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(s, 1H), 7.21(t, 1H, J = 7.6 Hz), 7.12(d, 1H, J = 7.6 Hz), 3.50-3.65(m, 2H), 2.95-2.99(m, 4H), 2.80-2.90(m, 2H), 2.59-2.65(m, 1H), 1.68(s, 3H), 1.60-1.70(m, 1H), 1.45-1.50(m, 1H), 1.17(t, 3H, J = 7.0 Hz), 0.90(s, 9H).

Example 34 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-propyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A944)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3 Hz), 7.2(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6Hz), 3.33-3.40(m, 4H),
5 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0Hz), 1.70-1.80(m, 2H), 1.66(s, 3H), 1.45-1.53(m, 2H), 0.88(t, 3H, J = 7.4Hz).

Example 35 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-isopropyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A954)

10 1H-NMR(DMSO-d6) 12.9(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6Hz), 3.50-3.58(m, 1H), 3.38(t, 2H, J = 7.0), 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0Hz), 1.70-1.80(m, 2H), 1.66(s, 3H), 1.10(d, 6H, J = 6.0 Hz).

15 Example 36 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-pentyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A993)

1H-NMR(DMSO-d6) 12.95(bs, 1H), 8.24(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(s, 1H), 7.21 (t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.36(t, 2H, J = 6.4 Hz), 3.28(t, 2H, J = 7.0Hz), 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0Hz), 1.69-1.75(m, 2H), 1.68(s,
20 3H), 1.48-1.55(m, 2H), 1.22-1.34(m, 4H), 0.90-0.94(m, 3H).

Example 37 Synthesis of (E)-3-(2,6-dichloro-4-{6-[3-(2,2-dimethylpropyloxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1003)

1H-NMR(DMSO-d6) 12.95(bs, 1H), 8.27(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.40(d, 1H, J = 1.3Hz), 7.21(t, 1H, J = 7.6Hz), 7.09(d, 1H, J = 7.6Hz), 3.38(t, 2H, J = 7.0 Hz), 3.07(s, 2H), 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.68(s, 3H), 0.90(s, 9H).

Example 38 Synthesis of (Z)-3-{2,6-dichloro-4-[6-(3-methyloxyhexyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methyloxyacrylic acid (A1016)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.23(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 6.76(s, 1H), 3.60(s, 3H), 3.27(s, 3H), 3.14-3.22(m, 1H), 2.95-2.99(m, 4H), 2.55-2.75(m, 2H), 1.60-1.69(m, 2H), 1.45-1.55(m, 2H), 1.22-1.34(m, 2H), 0.90-0.94(m, 3H).

5

Example 39 Synthesis of (Z)-3-{2,6-dichloro-4-[6-(3-methoxyheptyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methoxyacrylic acid (A1018)

¹H-NMR(DMSO-d₆) 12.95(bs, 1H), 8.27(s, 2H), 7.64(d, 1H, J = 7.6 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 6.73(s, 1H), 3.61(s, 3H), 3.27(s, 3H),
10 3.14-3.22(m, 1H), 2.95-2.99(m, 4H), 2.55-2.65(m, 2H), 1.62-1.69(m, 2H), 1.45-1.55(m, 2H), 1.22-1.34(m, 2H), 0.90-0.94(m, 3H).

Example 40 Synthesis of (Z)-3-{2,6-dichloro-4-[6-(3-propyloxypropyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methoxyacrylic acid (A1033)

15 ¹H-NMR(DMSO-d₆) 12.95(bs, 1H), 8.23(s, 2H), 7.62(d, 1H, J = 7.6 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 6.73(s, 1H), 3.61(s, 3H), 3.33-3.40(m, 4H), 2.95-2.99(m, 4H), 2.70(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.45-1.53(m, 2H), 0.89(t, 3H, J = 7.0 Hz).

20 Example 41 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-propyloxypropyl)-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1123)

¹H-NMR(DMSO-d₆) 12.9 (bs, 1H), 8.28(s, 2H), 7.49(d, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.09(d, 1H, J = 7.6 Hz), 6.97(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 3.33-3.40(m, 4H), 2.63(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.68(s, 3H), 1.45-1.53(m, 2H), 0.89(t, 3H,
25 J = 7.4 Hz).

Example 42 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-methoxy-3-methylbutyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1295)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.65(d, 1H, J = 7.5 Hz),
30 7.33(s, 1H), 7.21(t, 2H, J = 7.5 Hz), 7.11(d, 1H, J = 7.5 Hz), 3.18(s, 3H), 2.60-2.65(m, 2H),

1.79(s, 3H), 1.60-1.69(m, 2H), 1.18(s, 6H).

Example 43 Synthesis of (E)-3-(4-{6-[3-(2-ethyloxy-1-ethyloxymethylethyloxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl}-2,6-difluorophenyl)-2-methylacrylic acid
5 (A1296)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.97(s, 1H), 7.94(s, 1H), 7.65(d, 1H, J = 7.5 Hz), 7.33(s, 1H), 7.21(t, 2H, J = 7.5 Hz), 7.10(d, 1H, J = 7.5 Hz), 3.56-3.60(m, 4H), 3.40-3.50(m, 7H), 2.95-2.99 (m, 4H), 2.69(t, 2H, J = 7.3 Hz), 1.79(s, 3H), 1.67-1.73(m, 2H), 1.10(t, 6H, J = 7.3 Hz).

10

Example 44 Synthesis of (E)-3-(2,6-difluoro-4-{6-[3-(2-isopropoxyethyloxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl}phenyl)-2-methylacrylic acid (A1297)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.97(s, 1H), 7.94(s, 1H), 7.65(d, 1H, J = 7.5 Hz), 7.33(s, 1H), 7.21(t, 2H, J = 7.5 Hz), 7.11(d, 1H, J = 7.5 Hz), 3.56-3.60(m, 2H), 2.95-2.99
15 (m, 4H), 2.70 (t, 2H, J = 7.4 Hz), 1.78 (s, 3H), 1.65-1.70 (m, 2H), 1.10 (d, 6H, J = 6.0 Hz).

Example 45 Synthesis of (E)-3-(2,6-difluoro-4-{6-[3-(2-ethyloxy-1-ethyloxymethylethyloxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl}phenyl)-2-methylacrylic acid (A1298)

20 ¹H-NMR(DMSO-d₆) 12.97(bs, 1H), 8.27(s, 2H), 7.66(d, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.20(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.56-3.60(m, 4H), 3.40-3.50(m, 7H), 2.95-2.99(m, 4H), 2.69(t, 2H, J = 7.2 Hz), 1.65-1.78(m, 2H), 1.69(s, 3H), 1.02(t, 6H, J = 7.2 Hz).

25 Example 46 Synthesis of (E)-3-(2,6-dichloro-4-{6-[3-(2-methoxyethyloxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl}phenyl)-2-methylacrylic acid (A1299)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.28(s, 2H), 7.64(d, 1H, J=7.6Hz), 7.40(d, 1H, J = 1.3Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.40-3.50(m, 6H), 3.18(s, 3H), 2.95-2.99(m, 4H), 2.68(t, 2H, J = 7.4Hz), 1.68-1.78(m, 2H), 1.68(s, 3H).

30

Example 47 Synthesis of (E)-3-(2,6-difluoro-4-{6-[3-(2-methoxyethoxy)propyl]-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl}phenyl)-2-methylacrylic acid (A1300)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.65(d, 1H, J = 7.6 Hz), 7.33(d, 1H, J = 1.3 Hz), 7.21(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.40-3.50(m, 6H),
5 3.18(s, 3H), 2.95-2.99(m, 4H), 2.68(t, 2H, J = 7.4Hz), 1.80-1.88(m, 2H), 1.78(s, 3H).

Example 48 Synthesis of (E)-3-[2,6-difluoro-4-(6-hexyloxy-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1301)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.37(d, 1H, J =
10 7.6Hz), 7.33(s, 1H), 7.24(t, 1H, J = 7.6 Hz), 6.92(d, 1H, J = 7.6 Hz), 4.00(t, 2H, J = 7.0 Hz), 2.95-2.99(m, 4H), 1.80(s, 3H), 1.70-1.80(m, 2H), 1.45-1.55(m, 2H), 1.30-1.40(m, 4H), 0.89 -0.91(m, 3H).

Example 49 Synthesis of (E)-3-[2,6-dichloro-4-(6-hexyloxy-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1302)
15

1H-NMR(DMSO-d6) 12.92(bs, 1H), 8.28(s, 2H), 7.39(s, 1H), 7.37(d, 1H, J = 7.6 Hz), 7.24(t, 1H, J = 7.6 Hz), 6.91(d, 1H, J = 7.6 Hz), 4.00(t, 2H, J = 7.0 Hz), 2.95-2.99(m, 4H), 1.70-1.80(m, 2H), 1.68(s, 3H), 1.45-1.55(m, 2H), 1.30-1.40(m, 4H), 0.89 -0.91(m, 3H).

20

Example 50 Synthesis of (E)-3-[2,6-dichloro-4-(6-isobutyloxy-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1303)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 8.28(s, 2H), 7.39(s, 1H), 7.37(d, 1H, J = 7.6 Hz), 7.24(t, 1H, J = 7.6 Hz), 6.89(d, 1H, J = 7.6 Hz), 3.79(d, 2H, J = 6.6 Hz),
25 2.95-2.99(m, 4H), 2.05-2.15(m, 1H), 1.68(s, 3H), 1.02(d, 6H, J = 6.0 Hz).

Example 51 Synthesis of (E)-3-[2,6-difluoro-4-(6-isobutyloxy-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1304)

1H-NMR(DMSO-d6) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.37(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.24(t, 1H, J = 7.6 Hz), 6.92(d, 1H, J = 7.6 Hz), 3.79(d, 2H, J = 6.6
30

Hz), 2.95-2.99(m, 4H), 2.05-2.15(m, 1H), 1.78(s, 3H), 1.02(d, 6H, J = 6.0 Hz).

Example 52 Synthesis of (E)-3-{4-[6-(2-ethoxyethoxy)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A1305)

5 ¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.40(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.24(t, 1H, J = 7.6 Hz), 6.95(d, 1H, J = 7.6 Hz), 4.13(t, 2H, J = 5.0 Hz), 3.73(t, 2H, J = 5.0 Hz), 3.54(q, 2H, J = 7.0 Hz), 2.95-2.99(m, 4H), 1.78(s, 3H), 1.15(t, 3H, J = 7.0 Hz).

10 Example 53 Synthesis of (E)-3-{2,6-dichloro-4-[6-(2-ethoxyethoxy)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1306)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.28(s, 2H), 7.39(s, 1H), 7.37(d, 1H, J = 7.6 Hz), 7.24(t, 1H, J = 7.6 Hz), 6.95(d, 1H, J = 7.6 Hz), 4.13(t, 2H, J = 5.0 Hz), 3.73(t, 2H, J = 5.0 Hz), 3.54(q, 2H, J = 7.0 Hz), 2.95-2.99(m, 4H), 1.68(s, 3H), 1.14(t, 3H, J = 7.0 Hz).

Example 54 Synthesis of (E)-3-[4-(6-ethyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (A1307)

¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.48(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.11 d, 1H, J = 7.6 Hz), 6.97(d, 1H, J = 7.6 Hz), 5.49(s, 2H), 2.60(q, 2H, J = 7.0 Hz), 1.79(s, 3H), 1.14(t, 3H, J = 7.0 Hz).

Example 55 Synthesis of (E)-3-[2,6-difluoro-4-(6-propyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1308)

25 ¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.49(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.07(d, 1H, J = 7.6 Hz), 6.97(t, 1H, J = 7.6 Hz), 5.47(s, 2H), 2.53(t, 2H, J = 7.0 Hz), 1.79(s, 3H), 1.49-1.59(m, 2H), 0.94(t, 3H, J = 7.0 Hz).

Example 56 Synthesis of (E)-3-[2,6-dichloro-4-(6-ethyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1310)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.26(s, 2H), 7.47(d, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.09(d 1H, J = 7.6 Hz), 6.95(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 2.55(q, 2H, J = 7.0 Hz), 1.69(s, 3H), 1.14 t, 3H, J = 7.0 Hz).

5 Example 57 Synthesis of (E)-3-[2,6-dichloro-4-(6-propyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1311)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.27(s, 2H), 7.47(d, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.09(d, 1H, J = 7.6 Hz), 6.95(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 2.53(t, 2H, J = 7.0 Hz), 1.66(s, 3H), 1.49-1.59(m, 2H), 0.94(t, 3H, J = 7.0 Hz).

10

Example 58 Synthesis of (E)-3-[2,6-dichloro-4-(6-isopropyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1312)

¹H-NMR(DMSO-d₆) 12.92(bs, 1H), 8.27(s, 2H), 7.49(d, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.13(d, 1H, J = 7.6 Hz), 7.01(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 3.20-3.30(m, 2H),
15 1.69(s, 3H), 1.04(d, 6H, J = 6.0 Hz).

Example 59 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-propyloxypropyl)-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1313)

¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.49(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.10(d, 1H, J = 7.6 Hz), 6.95(t, 1H, J = 7.6 Hz), 5.49(s, 2H),
20 3.33-3.40(m, 4H), 2.63(t, 2H, J = 7.0 Hz), 1.80(s, 3H), 1.70-1.80(m, 2H), 1.45-1.53(m, 2H), 0.89(t, 3H, J = 7.4 Hz).

Example 60 Synthesis of (E)-3-[2,6-difluoro-4-(6-hexyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1314)

¹H-NMR(DMSO-d₆) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.49(d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.10(d, 1H, J = 7.6 Hz), 6.97(t, 1H, J = 7.6 Hz), 5.47(s, 2H), 2.53(t, 2H, J = 7.0 Hz), 1.80(s, 3H), 1.49-1.59(m, 2H), 1.25-1.36(m, 6H), 0.94(t, 3H, J = 7.0 Hz).

30

Example 61 Synthesis of (E)-3-{4-[6-(3,3-dimethylbutyl)-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (A1315)

1H-NMR(DMSO-d6) 12.93(bs, 1H), 7.96(s, 1H), 7.94(s, 1H), 7.4 (d, 1H, J = 7.6 Hz), 7.33(s, 1H), 7.10(d, 1H, J = 7.6 Hz), 6.97(t, 1H, J = 7.6 Hz), 5.47(s, 2H),
5 2.50-2.60(m, 2H), 1.80(s, 3H), 1.39-1.45(m, 2H), 0.95(s, 9H).

Example 62 Synthesis of (E)-3-[2,6-dichloro-4-(6-hexyl-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1316)

1H-NMR(DMSO-d6) 12.92(bs, 1H), 8.27(s, 2H), 7.48(d, 1H, J = 7.6 Hz), 7.3 (s, 1H), 7.09(d, 1H, J = 7.6 Hz), 6.97(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 2.56(t, 2H, J = 7.0 Hz), 1.68(s, 3H), 1.49-1.59(m, 2H), 1.25-1.36(m, 6H), 0.86(t, 3H, J = 7.0 Hz).

Example 63 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3,3-dimethylbutyl)-4H-chromeno[4,3-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1317)

15 1H-NMR(DMSO-d6) 12.92(bs, 1H), 8.28(s, 2H), 7.50(d, 1H, J = 7.6 Hz), 7.40(s, 1H), 7.09(d, 1H, J = 7.6 Hz), 6.96(t, 1H, J = 7.6 Hz), 5.49(s, 2H), 2.50-2.60(m, 2H), 1.68(s, 3H), 1.39-1.45(m, 2H), 0.95(s, 9H).

Example 64 Synthesis of (Z)-3-{2,6-dichloro-4-[6-(3,3-dimethylbutyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methoxyacrylic acid (A1318)

20 1H-NMR(DMSO-d6) 12.90 (bs, 2H), 8.23 (s, 2H), 7.63 (d, 1H, J = 7.5 Hz), 7.20 (t, 1H, J = 7.5 Hz), 7.08 (d, 1H, J = 7.7 Hz), 6.73 (s, 1H), 3.61 (s, 3H), 2.98 (s, 4H), 2.49 - 2.64 (m, 2H), 1.35 - 1.41 (m, 2H), 0.98 (s, 9H).

25 Example 65 Synthesis of (Z)-3-{4-[6-(3,3-dimethylbutyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]-2,6-difluorophenyl}-2-methoxyacrylic acid (A1319)

1H-NMR(DMSO-d6) 12.87 (bs, 2H), 7.88 - 7.91 (m, 2H), 7.62 - 7.65 (m, 1H), 7.20 (t, 1H, J = 7.5 Hz), 7.07 - 7.09 (m, 1H), 6.65 (s, 1H), 3.71 (s, 3H), 2.98 (s, 4H), 2.49 - 2.64 (m, 2H), 1.35 - 1.41 (m, 2H), 0.98 (s, 9H).

Example 66 Synthesis of (E)-3-[2,6-difluoro-4-(5-pentyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1320)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.73(d, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.22-7.35(m, 3H), 2.94-3.16(m, 3H), 1.80(s, 3H), 1.40-1.55(m, 2H),
5 1.20-1.30(m, 6H), 0.86 (t, 3H, J = 7.0 Hz).

Example 67 Synthesis of (E)-3-[2,6-dichloro-4-(5-pentyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1321)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 8.28(s, 2H), 7.73(d, 1H, J = 7.6 Hz), 7.39(s,
10 1H), 7.22-7.35(m, 3H), 2.94-3.16(m, 3H), 1.69(s, 3H), 1.40-1.55(m, 2H), 1.20-1.30(m, 6H), 0.86 (t, 3H, J = 7.0 Hz).

Example 68 Synthesis of (E)-3-[2,6-difluoro-4-(5-heptyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1322)

15 1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.73(d, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.22-7.35(m, 3H), 2.94-3.16(m, 3H), 1.80(s, 3H), 1.40-1.55(m, 2H), 1.20-1.30(m, 10H), 0.86(t, 3H, J = 7.0 Hz).

Example 69 Synthesis of (E)-3-[2,6-difluoro-4-(5-pent-1-ynyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1323)

1H-NMR(DMSO-d6) 12.97(bs, 2H), 7.91-7.99(m, 2H), 7.70-7.73(m, 1H), 7.33(s, 1H),
7.24-7.30(m, 2H), 3.18(t, 2H, J = 7.5 Hz), 3.01(t, 2H, J = 7.8 Hz), 2.42-2.54(m, 2H),
1.80(s, 3H), 1.55-1.66(m, 2H), 1.04(t, 3H, J = 7.5 Hz).

25 Example 70 Synthesis of (E)-3-[2,6-difluoro-4-(6-hept-1-ynyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1324)

1H-NMR(DMSO-d6) 12.97(bs, 2H), 7.92-8.00(m, 2H), 7.71(t, 1H, J = 3.9 Hz), 7.34(s, 1H), 7.28(d, 2H, J = 3.6 Hz), 3.17(t, 2H, J = 7.8 Hz), 3.01(t, 2H, J = 8.1 Hz), 1.81(s, 3H),
1.55-1.64(m, 2H), 1.29-1.49(m, 4H), 0.91(t, 3H, J = 7.2 Hz).

Example 71 Synthesis of (E)-3-[4-(6-dec-1-ynyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (A1325)

1H-NMR(DMSO-d6) 12.99(bs, 2H), 7.95(d, 2H, J = 7.8 Hz), 7.71(t, 1H, J = 4.8 Hz), 7.27-7.34(m, 3H), 3.17(t, 2H, J = 8.1 Hz), 3.01(t, 2H, J = 8.1 Hz), 1.81(s, 3H), 1.20-1.60(m, 12H), 0.84-0.88(m, 3H).

Example 72 Synthesis of (E)-3-{2,6-difluoro-4-[6-(4-methylpent-1-ynyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1326)

1H-NMR(DMSO-d6) 12.97(bs, 2H), 7.96(d, 2H, J = 8.4 Hz), 7.70-7.73(m, 1H), 7.23-7.34(m, 3H), 3.18(t, 2H, J = 8.4 Hz), 3.02(t, 2H, J = 8.1 Hz), 2.40(d, 2H, J = 6.3 Hz), 1.85-1.94(m, 1H), 1.81(s, 3H), 2.07(d, 6H, J = 6.6 Hz).

Example 73 Synthesis of (E)-3-[2,6-dichloro-4-(5-heptyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)phenyl]-2-methylacrylic acid (A1327)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 8.26(s, 2H), 7.73(d, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.22-7.35(m, 3H), 2.94-3.16(m, 3H), 1.69(s, 3H), 1.40-1.55(m, 2H), 1.20-1.30(m, 10H), 0.86(t, 3H, J = 7.0 Hz).

Example 74 Synthesis of (E)-3-[4-(5-butyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (A1328)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.73(d, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.22-7.35(m, 3H), 2.94-3.16(m, 3H), 1.80(s, 3H), 1.40-1.55(m, 2H), 1.20-1.30(m, 4H), 0.86(t, 3H, J = 7.0 Hz).

Example 75 Synthesis of (E)-3-[4-(5-butyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)-2,6-dichlorophenyl]-2-methylacrylic acid (A1329)

1H-NMR(DMSO-d6) 12.91(bs, 1H), 8.27(s, 2H), 7.70(d, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.22-7.35(m, 3H), 2.94-3.16(m, 3H), 1.69(s, 3H), 1.40-1.55(m, 2H), 1.20-1.30(m, 4H), 0.86 (t, 3H, J = 7.0 Hz).

Example 76 Synthesis of (E)-3-[4-(6-cyclohexyl-1-enylethynyl-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (A1330)

1H-NMR(DMSO-d6) 12.97(bs, 2H), 7.92-8.00(m, 2H), 7.72-7.75(m, 1H), 7.29-7.38(m, 3H), 6.20-6.28(m, 1H), 3.17(t, 2H, J = 7.5 Hz), 3.02(t, 2H, J = 7.5 Hz), 2.06-2.26(m, 4H),
5 1.81(s, 3H), 1.54-1.70(m, 4H).


Example 77 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-methoxyprop-1-ynyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1331)

1H-NMR(DMSO-d6) 12.98(bs, 2H), 7.92-8.00(m, 2H), 7.75-7.80(m, 1H), 7.29-7.38(m, 3H), 4.40(s, 2H), 3.37(s, 3H), 3.20(t, 2H, J = 6.6 Hz), 3.03(t, 2H, J = 6.6 Hz), 1.80(s, 3H).
10

Example 78 Synthesis of (E)-3-{2,6-dichloro-4-[6-(3-ethoxypentyl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcabamoyl]phenyl}-2-methylacrylic acid (A1332)

1H-NMR(CDCl3) 7.72(s, 2H), 7.25(s, 2H), 6.99(d, 1H, J = 7.6 Hz), 6.94(t, 1H, J = 7.6 Hz), 4.27(q, 2H, J = 7.0 Hz), 3.49-3.56(m, 2H), 3.20-3.25(m, 1H), 2.95-3.11(m, 4H), 2.60-2.80(m, 2H), 1.60-1.69(m, 2H), 1.61(s, 3H), 1.45-1.55(m, 2H), 1.48 (t, 3H, J = 7.0 Hz), 1.28 (t, 3H, J = 7.0 Hz), 0.86(t, 3H, J = 7.2 Hz).
15

The compounds described below can be synthesized by similar method
20 described above.



wherein R⁶, R⁷, and R⁸ are independently fluoro, chloro, or methyl;

R^E is n-pentyl, 3,3-dimethylbutyl, 1-methoxyethyl, 1-methoxypropyl, 1-methoxybutyl, 1-methoxy-2-methylpropyl, 1-methoxypentyl, 1-methoxy-3-methylbutyl, 1-methoxy-2,2-dimethylpropyl, 1-methoxyhexyl, 1-methoxy-3,3-dimethylbutyl, 1-ethoxyethyl, 1-ethoxypropyl, 1-ethoxybutyl, 1-ethoxy-2-methylpropyl, 1-ethoxypentyl, 1-ethoxy-3-methylbutyl, 1-ethoxy-2,2-
25

dimethylpropyl, 1-ethyloxyhexyl, 1-ethyloxy-3,3-dimethylbutyl, 1-n-propyloxyethyl, 1-
 n-propyloxypropyl, 1-n-propyloxybutyl, 1-n-propyloxy-2-methylpropyl, 1-n-
 propyloxypropyl, 1-n-propyloxy-3-methylbutyl, 1-n-propyloxy-2,2-dimethylpropyl, 1-n-
 propyloxyhexyl, 1-n-propyloxy-3,3-dimethylbutyl, 1-isopropyloxyethyl, 1-
 5 isopropyloxypropyl, 1-isopropyloxybutyl, 1-isopropyloxy-2-methylpropyl, 1-
 isopropyloxypropyl, 1-isopropyloxy-3-methylbutyl, 1-isopropyloxy-2,2-dimethylpropyl,
 1-isopropyloxyhexyl, 1-isopropyloxy-3,3-dimethylbutyl, 1-n-butyloxyethyl, 1-n-
 butyloxypropyl, 1-n-butyloxybutyl, 1-n-butyloxy-2-methylpropyl, 1-n-butyloxypropyl, 1-
 n-butyloxy-3-methylbutyl, 1-n-butyloxy-2,2-dimethylpropyl, 1-isobutyloxyhexyl, 1-
 10 isobutyloxy-3,3-dimethylbutyl, 1-isobutyloxyethyl, 1-isobutyloxypropyl, 1-
 isobutyloxybutyl, 1-isobutyloxy-2-methylpropyl, 1-isobutyloxypropyl, 1-isobutyloxy-3-
 methylbutyl, 1-isobutyloxy-2,2-dimethylpropyl, 1-isobutyloxyhexyl, 1-isobutyloxy-3,3-
 dimethylbutyl, 1-t-butyloxyethyl, 1-t-butyloxypropyl, 1-t-butyloxybutyl, 1-t-butyloxy-2-
 methylpropyl, 1-t-butyloxypropyl, 1-t-butyloxy-3-methylbutyl, 1-t-butyloxy-2,2-
 15 dimethylpropyl, 1-t-butyloxyhexyl, 1-t-butyloxy-3,3-dimethylbutyl, 1-n-pentyloxyethyl,
 1-n-pentyloxypropyl, 1-n-pentyloxybutyl, 1-n-pentyloxy-2-methylpropyl, 1-n-
 pentyloxypropyl, 1-n-pentyloxy-3-methylbutyl, 1-n-pentyloxy-2,2-dimethylpropyl, 1-n-
 pentyloxyhexyl, 1-n-pentyloxy-3,3-dimethylbutyl, 1-neopentyloxyethyl, 1-
 neopentyloxypropyl, 1-neopentyloxybutyl, 1-neopentyloxy-2-methylpropyl, 1-
 20 neopentyloxypropyl, 1-neopentyloxy-3-methylbutyl, 1-neopentyloxy-2,2-
 dimethylpropyl, 1-neopentyloxyhexyl, 1-neopentyloxy-3,3-dimethylbutyl, 3-
 methyloxypropyl, 3-methyloxybutyl, 3-methyloxypropyl, 3-methyloxyhexyl, 3-
 methyloxy-4-methylpentyl, 3-methyloxyheptyl, 3-methyloxy-5-methylhexyl, 3-
 methyloxy-4,4-dimethylpentyl, 3-methyloxyoctyl, 3-methyloxy-5,5-dimethylhexyl, 3-
 25 ethyloxypropyl, 3-ethyloxybutyl, 3-ethyloxypropyl, 3-ethyloxyhexyl, 3-ethyloxy-4-
 methylpentyl, 3-ethyloxyheptyl, 3-ethyloxy-5-methylhexyl, 3-ethyloxy-4,4-
 dimethylpentyl, 3-ethyloxyoctyl, 3-ethyloxy-5,5-dimethylhexyl, 3-n-propyloxypropyl, 3-
 n-propyloxybutyl, 3-n-propyloxypropyl, 3-n-propyloxyhexyl, 3-n-propyloxy-4-
 methylpentyl, 3-n-propyloxyheptyl, 3-n-propyloxy-5-methylhexyl, 3-n-propyloxy-4,4-
 30 dimethylpentyl, 3-n-propyloxyoctyl, 3-n-propyloxy-5,5-dimethylhexyl, 3-

isopropoxypropyl, 3-isopropoxybutyl, 3-isopropoxypentyl, 3-isopropoxyhexyl, 3-isopropoxy-4-methylpentyl, 3-isopropoxyheptyl, 3-isopropoxy-5-methylhexyl, 3-isopropoxy-4,4-dimethylpentyl, 3-isopropoxyoctyl, 3-isopropoxy-5,5-dimethylhexyl, 3-n-butyloxypropyl, 3-n-butyloxybutyl, 3-n-butyloxypentyl, 3-n-butyloxyhexyl, 3-n-
5 butyloxy-4-methylpentyl, 3-n-butyloxyheptyl, 3-n-butyloxy-5-methylhexyl, 3-n-butyloxy-4,4-dimethylpentyl, 3-n-butyloxyoctyl, 3-n-butyloxy-5,5-dimethylhexyl, 3-isobutyloxypropyl, 3-isobutyloxybutyl, 3-isobutyloxypentyl, 3-isobutyloxyhexyl, 3-isobutyloxy-4-methylpentyl, 3-isobutyloxyheptyl, 3-isobutyloxy-5-methylhexyl, 3-isobutyloxy-4,4-dimethylpentyl, 3-isobutyloxyoctyl, 3-isobutyloxy-5,5-dimethylhexyl, 3-
10 t-butyloxypropyl, 3-t-butyloxybutyl, 3-t-butyloxypentyl, 3-t-butyloxyhexyl, 3-t-butyloxy-4-methylpentyl, 3-t-butyloxyheptyl, 3-t-butyloxy-5-methylhexyl, 3-t-butyloxy-4,4-dimethylpentyl, 3-t-butyloxyoctyl, 3-t-butyloxy-5,5-dimethylhexyl, 3-n-pentyloxypropyl, 3-n-pentyloxybutyl, 3-n-pentyloxypentyl, 3-n-pentyloxyhexyl, 3-n-pentyloxy-4-methylpentyl, 3-n-pentyloxyheptyl, 3-n-pentyloxy-5-methylhexyl, 3-n-
15 pentyloxy-4,4-dimethylpentyl, 3-n-pentyloxyoctyl, or 3-n-pentyloxy-5,5-dimethylhexyl;

Z is ethylene or oxymethylene.

(Compound No., R⁶, R⁷, R⁸, R^E, Z) = (A13, F, F, Me, 1-methoxyethyl, CH₂CH₂), (A14, F, F, Me, 1-methoxypropyl, CH₂CH₂), (A15, F, F, Me, 1-
20 methoxybutyl, CH₂CH₂), (A16, F, F, Me, 1-methoxy-2-methylpropyl, CH₂CH₂), (A17, F, F, Me, 1-methoxypentyl, CH₂CH₂), (A18, F, F, Me, 1-methoxy-3-methylbutyl, CH₂CH₂), (A19, F, F, Me, 1-methoxy-2,2-dimethylpropyl, CH₂CH₂), (A20, F, F, Me, 1-methoxyhexyl, CH₂CH₂), (A21, F, F, Me, 1-methoxy-3,3-dimethylbutyl, CH₂CH₂), (A22, F, F, Me, 1-ethoxyethyl, CH₂CH₂), (A23, F, F, Me, 1-
25 ethoxypropyl, CH₂CH₂), (A24, F, F, Me, 1-ethoxybutyl, CH₂CH₂), (A25, F, F, Me, 1-ethoxy-2-methylpropyl, CH₂CH₂), (A26, F, F, Me, 1-ethoxypentyl, CH₂CH₂), (A27, F, F, Me, 1-ethoxy-3-methylbutyl, CH₂CH₂), (A28, F, F, Me, 1-ethoxy-2,2-dimethylpropyl, CH₂CH₂), (A29, F, F, Me, 1-ethoxyhexyl, CH₂CH₂), (A30, F, F, Me, 1-ethoxy-3,3-dimethylbutyl, CH₂CH₂), (A31, F, F, Me, 1-n-propyloxyethyl, CH₂CH₂),
30 (A32, F, F, Me, 1-n-propyloxypropyl, CH₂CH₂), (A33, F, F, Me, 1-n-propyloxybutyl,

CH₂CH₂), (A34, F, F, Me, 1-n-propyloxy-2-methylpropyl, CH₂CH₂), (A35, F, F, Me, 1-n-propyloxypentyl, CH₂CH₂), (A36, F, F, Me, 1-n-propyloxy-3-methylbutyl, CH₂CH₂), (A37, F, F, Me, 1-n-propyloxy-2,2-dimethylpropyl, CH₂CH₂), (A38, F, F, Me, 1-n-propyloxyhexyl, CH₂CH₂), (A39, F, F, Me, 1-n-propyloxy-3,3-dimethylbutyl, CH₂CH₂), (A40, F, F, Me, 1-isopropyloxyethyl, CH₂CH₂), (A41, F, F, Me, 1-isopropyloxypropyl, CH₂CH₂), (A42, F, F, Me, 1-isopropyloxybutyl, CH₂CH₂), (A43, F, F, Me, 1-isopropyloxy-2-methylpropyl, CH₂CH₂), (A44, F, F, Me, 1-isopropyloxypentyl, CH₂CH₂), (A45, F, F, Me, 1-isopropyloxy-3-methylbutyl, CH₂CH₂), (A46, F, F, Me, 1-isopropyloxy-2,2-dimethylpropyl, CH₂CH₂), (A47, F, F, Me, 1-isopropyloxyhexyl, CH₂CH₂), (A48, F, F, Me, 1-isopropyloxy-3,3-dimethylbutyl, CH₂CH₂), (A49, F, F, Me, 1-n-butyloxyethyl, CH₂CH₂), (A50, F, F, Me, 1-n-butyloxypropyl, CH₂CH₂), (A51, F, F, Me, 1-n-butyloxybutyl, CH₂CH₂), (A52, F, F, Me, 1-n-butyloxy-2-methylpropyl, CH₂CH₂), (A53, F, F, Me, 1-n-butyloxypentyl, CH₂CH₂), (A54, F, F, Me, 1-n-butyloxy-3-methylbutyl, CH₂CH₂), (A55, F, F, Me, 1-n-butyloxy-2,2-dimethylpropyl, CH₂CH₂), (A56, F, F, Me, 1-n-butyloxyhexyl, CH₂CH₂), (A57, F, F, Me, 1-n-butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A58, F, F, Me, 1-isobutyloxyethyl, CH₂CH₂), (A59, F, F, Me, 1-isobutyloxypropyl, CH₂CH₂), (A60, F, F, Me, 1-isobutyloxybutyl, CH₂CH₂), (A61, F, F, Me, 1-isobutyloxy-2-methylpropyl, CH₂CH₂), (A62, F, F, Me, 1-isobutyloxypentyl, CH₂CH₂), (A63, F, F, Me, 1-isobutyloxy-3-methylbutyl, CH₂CH₂), (A64, F, F, Me, 1-isobutyloxy-2,2-dimethylpropyl, CH₂CH₂), (A65, F, F, Me, 1-isobutyloxyhexyl, CH₂CH₂), (A66, F, F, Me, 1-isobutyloxy-3,3-dimethylbutyl, CH₂CH₂), (A67, F, F, Me, 1-t-butyloxyethyl, CH₂CH₂), (A68, F, F, Me, 1-t-butyloxypropyl, CH₂CH₂), (A69, F, F, Me, 1-t-butyloxybutyl, CH₂CH₂), (A70, F, F, Me, 1-t-butyloxy-2-methylpropyl, CH₂CH₂), (A71, F, F, Me, 1-t-butyloxypentyl, CH₂CH₂), (A72, F, F, Me, 1-t-butyloxy-3-methylbutyl, CH₂CH₂), (A73, F, F, Me, 1-t-butyloxy-2,2-dimethylpropyl, CH₂CH₂), (A74, F, F, Me, 1-t-butyloxyhexyl, CH₂CH₂), (A75, F, F, Me, 1-t-butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A76, F, F, Me, 1-n-pentyloxyethyl, CH₂CH₂), (A77, F, F, Me, 1-n-pentyloxypropyl, CH₂CH₂), (A78, F, F, Me, 1-n-pentyloxybutyl, CH₂CH₂), (A79, F, F, Me, 1-n-pentyloxy-2-methylpropyl, CH₂CH₂), (A80, F, F, Me, 1-n-pentyloxypentyl, CH₂CH₂), (A81, F, F, Me, 1-n-pentyloxy-3-methylbutyl, CH₂CH₂), (A82, F, F, Me, 1-n-

pentyloxy-2,2-dimethylpropyl, CH₂CH₂), (A83, F, F, Me, 1-n-pentyloxyhexyl, CH₂CH₂),
 (A84, F, F, Me, 1-n-pentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A85, F, F, Me, 1-
 neopentyloxyethyl, CH₂CH₂), (A86, F, F, Me, 1-neopentyloxypropyl, CH₂CH₂), (A87, F,
 F, Me, 1-neopentyloxybutyl, CH₂CH₂), (A88, F, F, Me, 1-neopentyloxy-2-methylpropyl,
 5 CH₂CH₂), (A89, F, F, Me, 1-neopentyloxypentyl, CH₂CH₂), (A90, F, F, Me, 1-
 neopentyloxy-3-methylbutyl, CH₂CH₂), (A91, F, F, Me, 1-neopentyloxy-2,2-
 dimethylpropyl, CH₂CH₂), (A92, F, F, Me, 1-neopentyloxyhexyl, CH₂CH₂), (A93, F, F,
 Me, 1-neopentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A94, F, F, OMe, 1-methyloxyethyl,
 CH₂CH₂), (A95, F, F, OMe, 1-methyloxypropyl, CH₂CH₂), (A96, F, F, OMe, 1-
 10 methyloxybutyl, CH₂CH₂), (A97, F, F, OMe, 1-methyloxy-2-methylpropyl, CH₂CH₂),
 (A98, F, F, OMe, 1-methyloxypentyl, CH₂CH₂), (A99, F, F, OMe, 1-methyloxy-3-
 methylbutyl, CH₂CH₂), (A100, F, F, OMe, 1-methyloxy-2,2-dimethylpropyl, CH₂CH₂),
 (A101, F, F, OMe, 1-methyloxyhexyl, CH₂CH₂), (A102, F, F, OMe, 1-methyloxy-3,3-
 dimethylbutyl, CH₂CH₂), (A103, F, F, OMe, 1-ethyloxyethyl, CH₂CH₂), (A104, F, F,
 15 OMe, 1-ethyloxypropyl, CH₂CH₂), (A105, F, F, OMe, 1-ethyloxybutyl, CH₂CH₂), (A106,
 F, F, OMe, 1-ethyloxy-2-methylpropyl, CH₂CH₂), (A107, F, F, OMe, 1-ethyloxypentyl,
 CH₂CH₂), (A108, F, F, OMe, 1-ethyloxy-3-methylbutyl, CH₂CH₂), (A109, F, F, OMe, 1-
 ethyloxy-2,2-dimethylpropyl, CH₂CH₂), (A110, F, F, OMe, 1-ethyloxyhexyl, CH₂CH₂),
 (A111, F, F, OMe, 1-ethyloxy-3,3-dimethylbutyl, CH₂CH₂), (A112, F, F, OMe, 1-n-
 20 propyloxyethyl, CH₂CH₂), (A113, F, F, OMe, 1-n-propyloxypropyl, CH₂CH₂), (A114, F,
 F, OMe, 1-n-propyloxybutyl, CH₂CH₂), (A115, F, F, OMe, 1-n-propyloxy-2-
 methylpropyl, CH₂CH₂), (A116, F, F, OMe, 1-n-propyloxypentyl, CH₂CH₂), (A117, F, F,
 OMe, 1-n-propyloxy-3-methylbutyl, CH₂CH₂), (A118, F, F, OMe, 1-n-propyloxy-2,2-
 dimethylpropyl, CH₂CH₂), (A119, F, F, OMe, 1-n-propyloxyhexyl, CH₂CH₂), (A120, F,
 25 F, OMe, 1-n-propyloxy-3,3-dimethylbutyl, CH₂CH₂), (A121, F, F, OMe, 1-
 isopropyloxyethyl, CH₂CH₂), (A122, F, F, OMe, 1-isopropyloxypropyl, CH₂CH₂), (A123,
 F, F, OMe, 1-isopropyloxybutyl, CH₂CH₂), (A124, F, F, OMe, 1-isopropyloxy-2-
 methylpropyl, CH₂CH₂), (A125, F, F, OMe, 1-isoproxypentyl, CH₂CH₂), (A126, F,
 F, OMe, 1-isopropyloxy-3-methylbutyl, CH₂CH₂), (A127, F, F, OMe, 1-isopropyloxy-
 30 2,2-dimethylpropyl, CH₂CH₂), (A128, F, F, OMe, 1-isopropyloxyhexyl, CH₂CH₂), (A129,

F, F, OMe, 1-isopropoxy-3,3-dimethylbutyl, CH₂CH₂), (A130, F, F, OMe, 1-n-
 butyloxyethyl, CH₂CH₂), (A131, F, F, OMe, 1-n-butyloxypropyl, CH₂CH₂), (A132, F, F,
 OMe, 1-n-butyloxybutyl, CH₂CH₂), (A133, F, F, OMe, 1-n-butyloxy-2-methylpropyl,
 CH₂CH₂), (A134, F, F, OMe, 1-n-butyloxypentyl, CH₂CH₂), (A135, F, F, OMe, 1-n-
 5 butyloxy-3-methylbutyl, CH₂CH₂), (A136, F, F, OMe, 1-n-butyloxy-2,2-dimethylpropyl,
 CH₂CH₂), (A137, F, F, OMe, 1-n-butyloxyhexyl, CH₂CH₂), (A138, F, F, OMe, 1-n-
 butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A139, F, F, OMe, 1-isobutyloxyethyl, CH₂CH₂),
 (A140, F, F, OMe, 1-isobutyloxypropyl, CH₂CH₂), (A141, F, F, OMe, 1-isobutyloxybutyl,
 CH₂CH₂), (A142, F, F, OMe, 1-isobutyloxy-2-methylpropyl, CH₂CH₂), (A143, F, F,
 10 OMe, 1-isobutyloxypentyl, CH₂CH₂), (A144, F, F, OMe, 1-isobutyloxy-3-methylbutyl,
 CH₂CH₂), (A145, F, F, OMe, 1-isobutyloxy-2,2-dimethylpropyl, CH₂CH₂), (A146, F, F,
 OMe, 1-isobutyloxyhexyl, CH₂CH₂), (A147, F, F, OMe, 1-isobutyloxy-3,3-dimethylbutyl,
 CH₂CH₂), (A148, F, F, OMe, 1-t-butyloxyethyl, CH₂CH₂), (A149, F, F, OMe, 1-t-
 butyloxypropyl, CH₂CH₂), (A150, F, F, OMe, 1-t-butyloxybutyl, CH₂CH₂), (A151, F, F,
 15 OMe, 1-t-butyloxy-2-methylpropyl, CH₂CH₂), (A152, F, F, OMe, 1-t-butyloxypentyl,
 CH₂CH₂), (A153, F, F, OMe, 1-t-butyloxy-3-methylbutyl, CH₂CH₂), (A154, F, F, OMe,
 1-t-butyloxy-2,2-dimethylpropyl, CH₂CH₂), (A155, F, F, OMe, 1-t-butyloxyhexyl,
 CH₂CH₂), (A156, F, F, OMe, 1-t-butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A157, F, F,
 OMe, 1-n-pentyloxyethyl, CH₂CH₂), (A158, F, F, OMe, 1-n-pentyloxypropyl, CH₂CH₂),
 20 (A159, F, F, OMe, 1-n-pentyloxybutyl, CH₂CH₂), (A160, F, F, OMe, 1-n-pentyloxy-2-
 methylpropyl, CH₂CH₂), (A161, F, F, OMe, 1-n-pentyloxypentyl, CH₂CH₂), (A162, F, F,
 OMe, 1-n-pentyloxy-3-methylbutyl, CH₂CH₂), (A163, F, F, OMe, 1-n-pentyloxy-2,2-
 dimethylpropyl, CH₂CH₂), (A164, F, F, OMe, 1-n-pentyloxyhexyl, CH₂CH₂), (A165, F,
 F, OMe, 1-n-pentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A166, F, F, OMe, 1-
 25 neopentyloxyethyl, CH₂CH₂), (A167, F, F, OMe, 1-neopentyloxypropyl, CH₂CH₂),
 (A168, F, F, OMe, 1-neopentyloxybutyl, CH₂CH₂), (A169, F, F, OMe, 1-neopentyloxy-2-
 methylpropyl, CH₂CH₂), (A170, F, F, OMe, 1-neopentyloxypentyl, CH₂CH₂), (A171, F,
 F, OMe, 1-neopentyloxy-3-methylbutyl, CH₂CH₂), (A172, F, F, OMe, 1-neopentyloxy-
 2,2-dimethylpropyl, CH₂CH₂), (A173, F, F, OMe, 1-neopentyloxyhexyl, CH₂CH₂),
 30 (A174, F, F, OMe, 1-neopentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A175, F, F, Me, 1-

methyloxyethyl, OCH₂), (A176, F, F, Me, 1-methyloxypropyl, OCH₂), (A177, F, F, Me, 1-methyloxybutyl, OCH₂), (A178, F, F, Me, 1-methyloxy-2-methylpropyl, OCH₂), (A179, F, F, Me, 1-methyloxy-pentyl, OCH₂), (A180, F, F, Me, 1-methyloxy-3-methylbutyl, OCH₂), (A181, F, F, Me, 1-methyloxy-2,2-dimethylpropyl, OCH₂), (A182, F, F, Me, 1-methyloxyhexyl, OCH₂), (A183, F, F, Me, 1-methyloxy-3,3-dimethylbutyl, OCH₂), (A184, F, F, Me, 1-ethyloxyethyl, OCH₂), (A185, F, F, Me, 1-ethyloxypropyl, OCH₂), (A186, F, F, Me, 1-ethyloxybutyl, OCH₂), (A187, F, F, Me, 1-ethyloxy-2-methylpropyl, OCH₂), (A188, F, F, Me, 1-ethyloxy-pentyl, OCH₂), (A189, F, F, Me, 1-ethyloxy-3-methylbutyl, OCH₂), (A190, F, F, Me, 1-ethyloxy-2,2-dimethylpropyl, OCH₂), (A191, F, F, Me, 1-ethyloxyhexyl, OCH₂), (A192, F, F, Me, 1-ethyloxy-3,3-dimethylbutyl, OCH₂), (A193, F, F, Me, 1-n-propyloxyethyl, OCH₂), (A194, F, F, Me, 1-n-propyloxypropyl, OCH₂), (A195, F, F, Me, 1-n-propyloxybutyl, OCH₂), (A196, F, F, Me, 1-n-propyloxy-2-methylpropyl, OCH₂), (A197, F, F, Me, 1-n-propyloxy-pentyl, OCH₂), (A198, F, F, Me, 1-n-propyloxy-3-methylbutyl, OCH₂), (A199, F, F, Me, 1-n-propyloxy-2,2-dimethylpropyl, OCH₂), (A200, F, F, Me, 1-n-propyloxyhexyl, OCH₂), (A201, F, F, Me, 1-n-propyloxy-3,3-dimethylbutyl, OCH₂), (A202, F, F, Me, 1-isopropyloxyethyl, OCH₂), (A203, F, F, Me, 1-isopropyloxypropyl, OCH₂), (A204, F, F, Me, 1-isopropyloxybutyl, OCH₂), (A205, F, F, Me, 1-isopropyloxy-2-methylpropyl, OCH₂), (A206, F, F, Me, 1-isopropyloxy-pentyl, OCH₂), (A207, F, F, Me, 1-isopropyloxy-3-methylbutyl, OCH₂), (A208, F, F, Me, 1-isopropyloxy-2,2-dimethylpropyl, OCH₂), (A209, F, F, Me, 1-isopropyloxyhexyl, OCH₂), (A210, F, F, Me, 1-isopropyloxy-3,3-dimethylbutyl, OCH₂), (A211, F, F, Me, 1-n-butyloxyethyl, OCH₂), (A212, F, F, Me, 1-n-butyloxypropyl, OCH₂), (A213, F, F, Me, 1-n-butyloxybutyl, OCH₂), (A214, F, F, Me, 1-n-butyloxy-2-methylpropyl, OCH₂), (A215, F, F, Me, 1-n-butyloxy-pentyl, OCH₂), (A216, F, F, Me, 1-n-butyloxy-3-methylbutyl, OCH₂), (A217, F, F, Me, 1-n-butyloxy-2,2-dimethylpropyl, OCH₂), (A218, F, F, Me, 1-n-butyloxyhexyl, OCH₂), (A219, F, F, Me, 1-n-butyloxy-3,3-dimethylbutyl, OCH₂), (A220, F, F, Me, 1-isobutyloxyethyl, OCH₂), (A221, F, F, Me, 1-isobutyloxypropyl, OCH₂), (A222, F, F, Me, 1-isobutyloxybutyl, OCH₂), (A223, F, F, Me, 1-isobutyloxy-2-methylpropyl, OCH₂), (A224, F, F, Me, 1-isobutyloxy-pentyl, OCH₂), (A225, F, F, Me, 1-isobutyloxy-3-methylbutyl, OCH₂), (A226, F, F, Me, 1-isobutyloxy-

2,2-dimethylpropyl, OCH₂), (A227, F, F, Me, 1-isobutyloxyhexyl, OCH₂), (A228, F, F, Me, 1-isobutyloxy-3,3-dimethylbutyl, OCH₂), (A229, F, F, Me, 1-t-butyloxyethyl, OCH₂), (A230, F, F, Me, 1-t-butyloxypropyl, OCH₂), (A231, F, F, Me, 1-t-butyloxybutyl, OCH₂), (A232, F, F, Me, 1-t-butyloxy-2-methylpropyl, OCH₂), (A233, F, F, Me, 1-t-butyloxypropyl, OCH₂), (A234, F, F, Me, 1-t-butyloxy-3-methylbutyl, OCH₂), (A235, F, F, Me, 1-t-butyloxy-2,2-dimethylpropyl, OCH₂), (A236, F, F, Me, 1-t-butyloxyhexyl, OCH₂), (A237, F, F, Me, 1-t-butyloxy-3,3-dimethylbutyl, OCH₂), (A238, F, F, Me, 1-n-pentyloxyethyl, OCH₂), (A239, F, F, Me, 1-n-pentyloxypropyl, OCH₂), (A240, F, F, Me, 1-n-pentyloxybutyl, OCH₂), (A241, F, F, Me, 1-n-pentyloxy-2-methylpropyl, OCH₂), (A242, F, F, Me, 1-n-pentyloxypropyl, OCH₂), (A243, F, F, Me, 1-n-pentyloxy-3-methylbutyl, OCH₂), (A244, F, F, Me, 1-n-pentyloxy-2,2-dimethylpropyl, OCH₂), (A245, F, F, Me, 1-n-pentyloxyhexyl, OCH₂), (A246, F, F, Me, 1-n-pentyloxy-3,3-dimethylbutyl, OCH₂), (A247, F, F, Me, 1-neopentyloxyethyl, OCH₂), (A248, F, F, Me, 1-neopentyloxypropyl, OCH₂), (A249, F, F, Me, 1-neopentyloxybutyl, OCH₂), (A250, F, F, Me, 1-neopentyloxy-2-methylpropyl, OCH₂), (A251, F, F, Me, 1-neopentyloxypropyl, OCH₂), (A252, F, F, Me, 1-neopentyloxy-3-methylbutyl, OCH₂), (A253, F, F, Me, 1-neopentyloxy-2,2-dimethylpropyl, OCH₂), (A254, F, F, Me, 1-neopentyloxyhexyl, OCH₂), (A255, F, F, Me, 1-neopentyloxy-3,3-dimethylbutyl, OCH₂), (A256, F, F, OMe, 1-methyloxyethyl, OCH₂), (A257, F, F, OMe, 1-methyloxypropyl, OCH₂), (A258, F, F, OMe, 1-methyloxybutyl, OCH₂), (A259, F, F, OMe, 1-methyloxy-2-methylpropyl, OCH₂), (A260, F, F, OMe, 1-methyloxypropyl, OCH₂), (A261, F, F, OMe, 1-methyloxy-3-methylbutyl, OCH₂), (A262, F, F, OMe, 1-methyloxy-2,2-dimethylpropyl, OCH₂), (A263, F, F, OMe, 1-methyloxyhexyl, OCH₂), (A264, F, F, OMe, 1-methyloxy-3,3-dimethylbutyl, OCH₂), (A265, F, F, OMe, 1-ethyloxyethyl, OCH₂), (A266, F, F, OMe, 1-ethyloxypropyl, OCH₂), (A267, F, F, OMe, 1-ethyloxybutyl, OCH₂), (A268, F, F, OMe, 1-ethyloxy-2-methylpropyl, OCH₂), (A269, F, F, OMe, 1-ethyloxypropyl, OCH₂), (A270, F, F, OMe, 1-ethyloxy-3-methylbutyl, OCH₂), (A271, F, F, OMe, 1-ethyloxy-2,2-dimethylpropyl, OCH₂), (A272, F, F, OMe, 1-ethyloxyhexyl, OCH₂), (A273, F, F, OMe, 1-ethyloxy-3,3-dimethylbutyl, OCH₂), (A274, F, F, OMe, 1-n-propyloxyethyl, OCH₂), (A275, F, F, OMe, 1-n-propyloxypropyl, OCH₂), (A276, F, F, OMe, 1-n-propyloxybutyl, OCH₂), (A277, F, F,

OMe, 1-n-propyloxy-2-methylpropyl, OCH₂), (A278, F, F, OMe, 1-n-propyloxypropyl, OCH₂), (A279, F, F, OMe, 1-n-propyloxy-3-methylbutyl, OCH₂), (A280, F, F, OMe, 1-n-propyloxy-2,2-dimethylpropyl, OCH₂), (A281, F, F, OMe, 1-n-propyloxyhexyl, OCH₂), (A282, F, F, OMe, 1-n-propyloxy-3,3-dimethylbutyl, OCH₂), (A283, F, F, OMe, 1-isopropyloxyethyl, OCH₂), (A284, F, F, OMe, 1-isopropyloxypropyl, OCH₂), (A285, F, F, OMe, 1-isopropyloxybutyl, OCH₂), (A286, F, F, OMe, 1-isopropyloxy-2-methylpropyl, OCH₂), (A287, F, F, OMe, 1-isopropyloxypropyl, OCH₂), (A288, F, F, OMe, 1-isopropyloxy-3-methylbutyl, OCH₂), (A289, F, F, OMe, 1-isopropyloxy-2,2-dimethylpropyl, OCH₂), (A290, F, F, OMe, 1-isopropyloxyhexyl, OCH₂), (A291, F, F, OMe, 1-isopropyloxy-3,3-dimethylbutyl, OCH₂), (A292, F, F, OMe, 1-n-butyloxyethyl, OCH₂), (A293, F, F, OMe, 1-n-butyloxypropyl, OCH₂), (A294, F, F, OMe, 1-n-butyloxybutyl, OCH₂), (A295, F, F, OMe, 1-n-butyloxy-2-methylpropyl, OCH₂), (A296, F, F, OMe, 1-n-butyloxypropyl, OCH₂), (A297, F, F, OMe, 1-n-butyloxy-3-methylbutyl, OCH₂), (A298, F, F, OMe, 1-n-butyloxy-2,2-dimethylpropyl, OCH₂), (A299, F, F, OMe, 1-n-butyloxyhexyl, OCH₂), (A300, F, F, OMe, 1-n-butyloxy-3,3-dimethylbutyl, OCH₂), (A301, F, F, OMe, 1-isobutyloxyethyl, OCH₂), (A302, F, F, OMe, 1-isobutyloxypropyl, OCH₂), (A303, F, F, OMe, 1-isobutyloxybutyl, OCH₂), (A304, F, F, OMe, 1-isobutyloxy-2-methylpropyl, OCH₂), (A305, F, F, OMe, 1-isobutyloxypropyl, OCH₂), (A306, F, F, OMe, 1-isobutyloxy-3-methylbutyl, OCH₂), (A307, F, F, OMe, 1-isobutyloxy-2,2-dimethylpropyl, OCH₂), (A308, F, F, OMe, 1-isobutyloxyhexyl, OCH₂), (A309, F, F, OMe, 1-isobutyloxy-3,3-dimethylbutyl, OCH₂), (A310, F, F, OMe, 1-t-butyloxyethyl, OCH₂), (A311, F, F, OMe, 1-t-butyloxypropyl, OCH₂), (A312, F, F, OMe, 1-t-butyloxybutyl, OCH₂), (A313, F, F, OMe, 1-t-butyloxy-2-methylpropyl, OCH₂), (A314, F, F, OMe, 1-t-butyloxypropyl, OCH₂), (A315, F, F, OMe, 1-t-butyloxy-3-methylbutyl, OCH₂), (A316, F, F, OMe, 1-t-butyloxy-2,2-dimethylpropyl, OCH₂), (A317, F, F, OMe, 1-t-butyloxyhexyl, OCH₂), (A318, F, F, OMe, 1-t-butyloxy-3,3-dimethylbutyl, OCH₂), (A319, F, F, OMe, 1-n-pentyloxyethyl, OCH₂), (A320, F, F, OMe, 1-n-pentyloxypropyl, OCH₂), (A321, F, F, OMe, 1-n-pentyloxybutyl, OCH₂), (A322, F, F, OMe, 1-n-pentyloxy-2-methylpropyl, OCH₂), (A323, F, F, OMe, 1-n-pentyloxypropyl, OCH₂), (A324, F, F, OMe, 1-n-pentyloxy-3-methylbutyl, OCH₂), (A325, F, F, OMe, 1-n-

pentyloxy-2,2-dimethylpropyl, OCH₂), (A326, F, F, OMe, 1-n-pentyloxyhexyl, OCH₂),
 (A327, F, F, OMe, 1-n-pentyloxy-3,3-dimethylbutyl, OCH₂), (A328, F, F, OMe, 1-
 neopentyloxyethyl, OCH₂), (A329, F, F, OMe, 1-neopentyloxypropyl, OCH₂), (A330, F,
 F, OMe, 1-neopentyloxybutyl, OCH₂), (A331, F, F, OMe, 1-neopentyloxy-2-
 5 methylpropyl, OCH₂), (A332, F, F, OMe, 1-neopentyloxypentyl, OCH₂), (A333, F, F,
 OMe, 1-neopentyloxy-3-methylbutyl, OCH₂), (A334, F, F, OMe, 1-neopentyloxy-2,2-
 dimethylpropyl, OCH₂), (A335, F, F, OMe, 1-neopentyloxyhexyl, OCH₂), (A336, F, F,
 OMe, 1-neopentyloxy-3,3-dimethylbutyl, OCH₂), (A337, F, F, Me, 3-methyloxypropyl,
 CH₂CH₂), (A338, F, F, Me, 3-methyloxybutyl, CH₂CH₂), (A340, F, F, Me, 3-
 10 methyloxy-4-methylpentyl, CH₂CH₂), (A342, F, F, Me, 3-methyloxy-5-methylhexyl,
 CH₂CH₂), (A343, F, F, Me, 3-methyloxyoctyl, CH₂CH₂), (A344, F, F, Me, 3-methyloxy-
 5,5-dimethylhexyl, CH₂CH₂), (A345, F, F, Me, 3-ethyloxybutyl, CH₂CH₂), (A348, F, F,
 Me, 3-ethyloxy-4-methylpentyl, CH₂CH₂), (A350, F, F, Me, 3-ethyloxy-5-methylhexyl,
 CH₂CH₂), (A352, F, F, Me, 3-ethyloxyoctyl, CH₂CH₂), (A353, F, F, Me, 3-ethyloxy-5,5-
 15 dimethylhexyl, CH₂CH₂), (A354, F, F, Me, 3-n-propyloxybutyl, CH₂CH₂), (A355, F, F,
 Me, 3-n-propyloxypentyl, CH₂CH₂), (A356, F, F, Me, 3-n-propyloxyhexyl, CH₂CH₂),
 (A357, F, F, Me, 3-n-propyloxy-4-methylpentyl, CH₂CH₂), (A358, F, F, Me, 3-n-
 propyloxyheptyl, CH₂CH₂), (A359, F, F, Me, 3-n-propyloxy-5-methylhexyl, CH₂CH₂),
 (A360, F, F, Me, 3-n-propyloxy-4,4-dimethylpentyl, CH₂CH₂), (A361, F, F, Me, 3-n-
 20 propyloxyoctyl, CH₂CH₂), (A362, F, F, Me, 3-n-propyloxy-5,5-dimethylhexyl, CH₂CH₂),
 (A363, F, F, Me, 3-isopropyloxybutyl, CH₂CH₂), (A364, F, F, Me, 3-isopropyloxypentyl,
 CH₂CH₂), (A365, F, F, Me, 3-isopropyloxyhexyl, CH₂CH₂), (A366, F, F, Me, 3-
 isopropyloxy-4-methylpentyl, CH₂CH₂), (A367, F, F, Me, 3-isopropyloxyheptyl,
 CH₂CH₂), (A368, F, F, Me, 3-isopropyloxy-5-methylhexyl, CH₂CH₂), (A369, F, F, Me,
 25 3-isopropyloxy-4,4-dimethylpentyl, CH₂CH₂), (A370, F, F, Me, 3-isopropyloxyoctyl,
 CH₂CH₂), (A371, F, F, Me, 3-isopropyloxy-5,5-dimethylhexyl, CH₂CH₂), (A372, F, F,
 Me, 3-n-butyloxybutyl, CH₂CH₂), (A373, F, F, Me, 3-n-butyloxypentyl, CH₂CH₂),
 (A374, F, F, Me, 3-n-butyloxyhexyl, CH₂CH₂), (A375, F, F, Me, 3-n-butyloxy-4-
 methylpentyl, CH₂CH₂), (A376, F, F, Me, 3-n-butyloxyheptyl, CH₂CH₂), (A377, F, F,
 30 Me, 3-n-butyloxy-5-methylhexyl, CH₂CH₂), (A378, F, F, Me, 3-n-butyloxy-4,4-

dimethylpentyl, CH₂CH₂), (A379, F, F, Me, 3-n-butyloxyoctyl, CH₂CH₂), (A380, F, F, Me, 3-n-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A381, F, F, Me, 3-isobutyloxypropyl, CH₂CH₂), (A382, F, F, Me, 3-isobutyloxybutyl, CH₂CH₂), (A383, F, F, Me, 3-isobutyloxypentyl, CH₂CH₂), (A384, F, F, Me, 3-isobutyloxyhexyl, CH₂CH₂), (A385, F, F, Me, 3-isobutyloxy-4-methylpentyl, CH₂CH₂), (A386, F, F, Me, 3-isobutyloxyheptyl, CH₂CH₂), (A387, F, F, Me, 3-isobutyloxy-5-methylhexyl, CH₂CH₂), (A388, F, F, Me, 3-isobutyloxy-4,4-dimethylpentyl, CH₂CH₂), (A389, F, F, Me, 3-isobutyloxyoctyl, CH₂CH₂), (A390, F, F, Me, 3-isobutyloxy-5,5-dimethylhexyl, CH₂CH₂), (A391, F, F, Me, 3-t-butyloxypropyl, CH₂CH₂), (A392, F, F, Me, 3-t-butyloxybutyl, CH₂CH₂), (A393, F, F, Me, 3-t-butyloxypentyl, CH₂CH₂), (A394, F, F, Me, 3-t-butyloxyhexyl, CH₂CH₂), (A395, F, F, Me, 3-t-butyloxy-4-methylpentyl, CH₂CH₂), (A396, F, F, Me, 3-t-butyloxyheptyl, CH₂CH₂), (A397, F, F, Me, 3-t-butyloxy-5-methylhexyl, CH₂CH₂), (A398, F, F, Me, 3-t-butyloxy-4,4-dimethylpentyl, CH₂CH₂), (A399, F, F, Me, 3-t-butyloxyoctyl, CH₂CH₂), (A400, F, F, Me, 3-t-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A402, F, F, Me, 3-n-pentyloxybutyl, CH₂CH₂), (A403, F, F, Me, 3-n-pentyloxypentyl, CH₂CH₂), (A404, F, F, Me, 3-n-pentyloxyhexyl, CH₂CH₂), (A405, F, F, Me, 3-n-pentyloxy-4-methylpentyl, CH₂CH₂), (A406, F, F, Me, 3-n-pentyloxyheptyl, CH₂CH₂), (A407, F, F, Me, 3-n-pentyloxy-5-methylhexyl, CH₂CH₂), (A408, F, F, Me, 3-n-pentyloxy-4,4-dimethylpentyl, CH₂CH₂), (A409, F, F, Me, 3-n-pentyloxyoctyl, CH₂CH₂), (A410, F, F, Me, 3-n-pentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A411, F, F, Me, 3-neopentyloxybutyl, CH₂CH₂), (A412, F, F, Me, 3-neopentyloxypentyl, CH₂CH₂), (A413, F, F, Me, 3-neopentyloxyhexyl, CH₂CH₂), (A414, F, F, Me, 3-neopentyloxy-4-methylpentyl, CH₂CH₂), (A415, F, F, Me, 3-neopentyloxyheptyl, CH₂CH₂), (A416, F, F, Me, 3-neopentyloxy-5-methylhexyl, CH₂CH₂), (A417, F, F, Me, 3-neopentyloxy-4,4-dimethylpentyl, CH₂CH₂), (A418, F, F, Me, 3-neopentyloxyoctyl, CH₂CH₂), (A419, F, F, Me, 3-neopentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A420, F, F, OMe, 3-methyloxypropyl, CH₂CH₂), (A421, F, F, OMe, 3-methyloxybutyl, CH₂CH₂), (A422, F, F, OMe, 3-methyloxypentyl, CH₂CH₂), (A424, F, F, OMe, 3-methyloxy-4-methylpentyl, CH₂CH₂), (A425, F, F, OMe, 3-methyloxyheptyl, CH₂CH₂), (A426, F, F, OMe, 3-methyloxy-5-methylhexyl, CH₂CH₂), (A427, F, F, OMe, 3-methoxy-4,4-dimethylpentyl, CH₂CH₂),

(A428, F, F, OMe, 3-methyloxyoctyl, CH₂CH₂), (A429, F, F, OMe, 3-methyloxy-5,5-dimethylhexyl, CH₂CH₂), (A431, F, F, OMe, 3-ethyloxybutyl, CH₂CH₂), (A432, F, F, OMe, 3-ethyloxypropyl, CH₂CH₂), (A433, F, F, OMe, 3-ethyloxyhexyl, CH₂CH₂), (A434, F, F, OMe, 3-ethyloxy-4-methylpentyl, CH₂CH₂), (A435, F, F, OMe, 3-ethyloxyheptyl, CH₂CH₂), (A436, F, F, OMe, 3-ethyloxy-5-methylhexyl, CH₂CH₂), (A437, F, F, OMe, 3-ethyloxy-4,4-dimethylpentyl, CH₂CH₂), (A438, F, F, OMe, 3-ethyloxyoctyl, CH₂CH₂), (A439, F, F, OMe, 3-ethyloxy-5,5-dimethylhexyl, CH₂CH₂), (A441, F, F, OMe, 3-n-propyloxybutyl, CH₂CH₂), (A442, F, F, OMe, 3-n-propyloxypropyl, CH₂CH₂), (A443, F, F, OMe, 3-n-propyloxyhexyl, CH₂CH₂), (A444, F, F, OMe, 3-n-propyloxy-4-methylpentyl, CH₂CH₂), (A445, F, F, OMe, 3-n-propyloxyheptyl, CH₂CH₂), (A446, F, F, OMe, 3-n-propyloxy-5-methylhexyl, CH₂CH₂), (A447, F, F, OMe, 3-n-propyloxy-4,4-dimethylpentyl, CH₂CH₂), (A448, F, F, OMe, 3-n-propyloxyoctyl, CH₂CH₂), (A449, F, F, OMe, 3-n-propyloxy-5,5-dimethylhexyl, CH₂CH₂), (A451, F, F, OMe, 3-isopropyloxybutyl, CH₂CH₂), (A452, F, F, OMe, 3-isopropyloxypropyl, CH₂CH₂), (A453, F, F, OMe, 3-isopropyloxyhexyl, CH₂CH₂), (A454, F, F, OMe, 3-isopropyloxy-4-methylpentyl, CH₂CH₂), (A455, F, F, OMe, 3-isopropyloxyheptyl, CH₂CH₂), (A456, F, F, OMe, 3-isopropyloxy-5-methylhexyl, CH₂CH₂), (A457, F, F, OMe, 3-isopropyloxy-4,4-dimethylpentyl, CH₂CH₂), (A458, F, F, OMe, 3-isopropyloxyoctyl, CH₂CH₂), (A459, F, F, OMe, 3-isopropyloxy-5,5-dimethylhexyl, CH₂CH₂), (A460, F, F, OMe, 3-n-butyloxypropyl, CH₂CH₂), (A461, F, F, OMe, 3-n-butyloxybutyl, CH₂CH₂), (A462, F, F, OMe, 3-n-butyloxypropyl, CH₂CH₂), (A463, F, F, OMe, 3-n-butyloxyhexyl, CH₂CH₂), (A464, F, F, OMe, 3-n-butyloxy-4-methylpentyl, CH₂CH₂), (A465, F, F, OMe, 3-n-butyloxyheptyl, CH₂CH₂), (A466, F, F, OMe, 3-n-butyloxy-5-methylhexyl, CH₂CH₂), (A467, F, F, OMe, 3-n-butyloxy-4,4-dimethylpentyl, CH₂CH₂), (A468, F, F, OMe, 3-n-butyloxyoctyl, CH₂CH₂), (A469, F, F, OMe, 3-n-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A470, F, F, OMe, 3-isobutyloxypropyl, CH₂CH₂), (A471, F, F, OMe, 3-isobutyloxybutyl, CH₂CH₂), (A472, F, F, OMe, 3-isobutyloxypropyl, CH₂CH₂), (A473, F, F, OMe, 3-isobutyloxyhexyl, CH₂CH₂), (A474, F, F, OMe, 3-isobutyloxy-4-methylpentyl, CH₂CH₂), (A475, F, F, OMe, 3-isobutyloxyheptyl, CH₂CH₂), (A476, F, F, OMe, 3-isobutyloxy-5-methylhexyl, CH₂CH₂), (A477, F, F, OMe, 3-isobutyloxy-4,4-dimethylpentyl, CH₂CH₂),

(A478, F, F, OMe, 3-isobutyloxyoctyl, CH₂CH₂), (A479, F, F, OMe, 3-isobutyloxy-5,5-dimethylhexyl, CH₂CH₂), (A480, F, F, OMe, 3-t-butyloxypropyl, CH₂CH₂), (A481, F, F, OMe, 3-t-butyloxybutyl, CH₂CH₂), (A482, F, F, OMe, 3-t-butyloxypentyl, CH₂CH₂), (A483, F, F, OMe, 3-t-butyloxyhexyl, CH₂CH₂), (A484, F, F, OMe, 3-t-butyloxy-4-methylpentyl, CH₂CH₂), (A485, F, F, OMe, 3-t-butyloxyheptyl, CH₂CH₂), (A486, F, F, OMe, 3-t-butyloxy-5-methylhexyl, CH₂CH₂), (A487, F, F, OMe, 3-t-butyloxy-4,4-dimethylpentyl, CH₂CH₂), (A488, F, F, OMe, 3-t-butyloxyoctyl, CH₂CH₂), (A489, F, F, OMe, 3-t-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A490, F, F, OMe, 3-n-pentyloxypropyl, CH₂CH₂), (A491, F, F, OMe, 3-n-pentyloxybutyl, CH₂CH₂), (A492, F, F, OMe, 3-n-pentyloxypentyl, CH₂CH₂), (A493, F, F, OMe, 3-n-pentyloxyhexyl, CH₂CH₂), (A494, F, F, OMe, 3-n-pentyloxy-4-methylpentyl, CH₂CH₂), (A495, F, F, OMe, 3-n-pentyloxyheptyl, CH₂CH₂), (A496, F, F, OMe, 3-n-pentyloxy-5-methylhexyl, CH₂CH₂), (A497, F, F, OMe, 3-n-pentyloxy-4,4-dimethylpentyl, CH₂CH₂), (A498, F, F, OMe, 3-n-pentyloxyoctyl, CH₂CH₂), (A499, F, F, OMe, 3-n-pentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A501, F, F, OMe, 3-neopentyloxybutyl, CH₂CH₂), (A502, F, F, OMe, 3-neopentyloxypentyl, CH₂CH₂), (A503, F, F, OMe, 3-neopentyloxyhexyl, CH₂CH₂), (A504, F, F, OMe, 3-neopentyloxy-4-methylpentyl, CH₂CH₂), (A505, F, F, OMe, 3-neopentyloxyheptyl, CH₂CH₂), (A506, F, F, OMe, 3-neopentyloxy-5-methylhexyl, CH₂CH₂), (A507, F, F, OMe, 3-neopentyloxy-4,4-dimethylpentyl, CH₂CH₂), (A508, F, F, OMe, 3-neopentyloxyoctyl, CH₂CH₂), (A509, F, F, OMe, 3-neopentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A510, F, F, OMe, 3-methyloxypropyl, OCH₂), (A511, F, F, OMe, 3-methyloxybutyl, OCH₂), (A512, F, F, OMe, 3-methyloxypentyl, OCH₂), (A513, F, F, OMe, 3-methyloxyhexyl, OCH₂), (A514, F, F, OMe, 3-methyloxy-4-methylpentyl, OCH₂), (A515, F, F, OMe, 3-methyloxyheptyl, OCH₂), (A516, F, F, OMe, 3-methyloxy-5-methylhexyl, OCH₂), (A517, F, F, OMe, 3-methoxy-4,4-dimethylpentyl, OCH₂), (A518, F, F, OMe, 3-methoxyoctyl, OCH₂), (A519, F, F, OMe, 3-methoxy-5,5-dimethylhexyl, OCH₂), (A520, F, F, OMe, 3-ethyloxypropyl, OCH₂), (A521, F, F, OMe, 3-ethyloxybutyl, OCH₂), (A522, F, F, OMe, 3-ethyloxypentyl, OCH₂), (A523, F, F, OMe, 3-ethyloxyhexyl, OCH₂), (A524, F, F, OMe, 3-ethyloxy-4-methylpentyl, OCH₂), (A525, F, F, OMe, 3-ethyloxyheptyl, OCH₂), (A526, F, F, OMe, 3-ethyloxy-5-methylhexyl, OCH₂), (A527, F,

F, OMe, 3-ethyloxy-4,4-dimethylpentyl, OCH₂), (A528, F, F, OMe, 3-ethyloxyoctyl,
 OCH₂), (A529, F, F, OMe, 3-ethyloxy-5,5-dimethylhexyl, OCH₂), (A530, F, F, OMe, 3-
 n-propyloxypropyl, OCH₂), (A531, F, F, OMe, 3-n-propyloxybutyl, OCH₂), (A532, F, F,
 OMe, 3-n-propyloxypropyl, OCH₂), (A533, F, F, OMe, 3-n-propyloxyhexyl, OCH₂),
 5 (A534, F, F, OMe, 3-n-propyloxy-4-methylpentyl, OCH₂), (A535, F, F, OMe, 3-n-
 propyloxyheptyl, OCH₂), (A536, F, F, OMe, 3-n-propyloxy-5-methylhexyl, OCH₂),
 (A537, F, F, OMe, 3-n-propyloxy-4,4-dimethylpentyl, OCH₂), (A538, F, F, OMe, 3-n-
 propyloxyoctyl, OCH₂), (A539, F, F, OMe, 3-n-propyloxy-5,5-dimethylhexyl, OCH₂),
 (A540, F, F, OMe, 3-isopropyloxypropyl, OCH₂), (A541, F, F, OMe, 3-isopropyloxybutyl,
 10 OCH₂), (A542, F, F, OMe, 3-isopropyloxypropyl, OCH₂), (A543, F, F, OMe, 3-
 isopropyloxyhexyl, OCH₂), (A544, F, F, OMe, 3-isopropyloxy-4-methylpentyl, OCH₂),
 (A545, F, F, OMe, 3-isopropyloxyheptyl, OCH₂), (A546, F, F, OMe, 3-isopropyloxy-5-
 methylhexyl, OCH₂), (A547, F, F, OMe, 3-isopropyloxy-4,4-dimethylpentyl, OCH₂),
 (A548, F, F, OMe, 3-isopropyloxyoctyl, OCH₂), (A549, F, F, OMe, 3-isopropyloxy-5,5-
 15 dimethylhexyl, OCH₂), (A550, F, F, OMe, 3-n-butyloxypropyl, OCH₂), (A551, F, F, OMe,
 3-n-butyloxybutyl, OCH₂), (A552, F, F, OMe, 3-n-butyloxypropyl, OCH₂), (A553, F, F,
 OMe, 3-n-butyloxyhexyl, OCH₂), (A554, F, F, OMe, 3-n-butyloxy-4-methylpentyl,
 OCH₂), (A555, F, F, OMe, 3-n-butyloxyheptyl, OCH₂), (A556, F, F, OMe, 3-n-butyloxy-
 5-methylhexyl, OCH₂), (A557, F, F, OMe, 3-n-butyloxy-4,4-dimethylpentyl, OCH₂),
 20 (A558, F, F, OMe, 3-n-butyloxyoctyl, OCH₂), (A559, F, F, OMe, 3-n-butyloxy-5,5-
 dimethylhexyl, OCH₂), (A560, F, F, OMe, 3-isobutyloxypropyl, OCH₂), (A561, F, F,
 OMe, 3-isobutyloxybutyl, OCH₂), (A562, F, F, OMe, 3-isobutyloxypropyl, OCH₂), (A563,
 F, F, OMe, 3-isobutyloxyhexyl, OCH₂), (A564, F, F, OMe, 3-isobutyloxy-4-methylpentyl,
 OCH₂), (A565, F, F, OMe, 3-isobutyloxyheptyl, OCH₂), (A566, F, F, OMe, 3-
 25 isobutyloxy-5-methylhexyl, OCH₂), (A567, F, F, OMe, 3-isobutyloxy-4,4-dimethylpentyl,
 OCH₂), (A568, F, F, OMe, 3-isobutyloxyoctyl, OCH₂), (A569, F, F, OMe, 3-isobutyloxy-
 5,5-dimethylhexyl, OCH₂), (A570, F, F, OMe, 3-t-butyloxypropyl, OCH₂), (A571, F, F,
 OMe, 3-t-butyloxybutyl, OCH₂), (A572, F, F, OMe, 3-t-butyloxypropyl, OCH₂), (A573, F,
 F, OMe, 3-t-butyloxyhexyl, OCH₂), (A574, F, F, OMe, 3-t-butyloxy-4-methylpentyl,
 30 OCH₂), (A575, F, F, OMe, 3-t-butyloxyheptyl, OCH₂), (A576, F, F, OMe, 3-t-butyloxy-

5-methylhexyl, OCH₂), (A577, F, F, OMe, 3-t-butyloxy-4,4-dimethylpentyl, OCH₂),
 (A578, F, F, OMe, 3-t-butyloxyoctyl, OCH₂), (A579, F, F, OMe, 3-t-butyloxy-5,5-
 dimethylhexyl, OCH₂), (A580, F, F, OMe, 3-n-pentyloxypropyl, OCH₂), (A581, F, F,
 OMe, 3-n-pentyloxybutyl, OCH₂), (A582, F, F, OMe, 3-n-pentyloxypentyl, OCH₂),
 5 (A583, F, F, OMe, 3-n-pentyloxyhexyl, OCH₂), (A584, F, F, OMe, 3-n-pentyloxy-4-
 methylpentyl, OCH₂), (A585, F, F, OMe, 3-n-pentyloxyheptyl, OCH₂), (A586, F, F, OMe,
 3-n-pentyloxy-5-methylhexyl, OCH₂), (A587, F, F, OMe, 3-n-pentyloxy-4,4-
 dimethylpentyl, OCH₂), (A588, F, F, OMe, 3-n-pentyloxyoctyl, OCH₂), (A589, F, F, OMe,
 3-n-pentyloxy-5,5-dimethylhexyl, OCH₂), (A590, F, F, OMe, 3-neopentyloxypropyl,
 10 OCH₂), (A591, F, F, OMe, 3-neopentyloxybutyl, OCH₂), (A592, F, F, OMe, 3-
 neopentyloxypentyl, OCH₂), (A593, F, F, OMe, 3-neopentyloxyhexyl, OCH₂), (A594, F,
 F, OMe, 3-neopentyloxy-4-methylpentyl, OCH₂), (A595, F, F, OMe, 3-
 neopentyloxyheptyl, OCH₂), (A596, F, F, OMe, 3-neopentyloxy-5-methylhexyl, OCH₂),
 (A597, F, F, OMe, 3-neopentyloxy-4,4-dimethylpentyl, OCH₂), (A598, F, F, OMe, 3-
 15 neopentyloxyoctyl, OCH₂), (A599, F, F, OMe, 3-neopentyloxy-5,5-dimethylhexyl,
 OCH₂), (A600, Cl, Cl, Me, n-pentyl, CH₂CH₂), (A602, Cl, Cl, Me, 1-methyloxyethyl,
 CH₂CH₂), (A603, Cl, Cl, Me, 1-methyloxypropyl, CH₂CH₂), (A604, Cl, Cl, Me, 1-
 methyloxybutyl, CH₂CH₂), (A605, Cl, Cl, Me, 1-methyloxy-2-methylpropyl, CH₂CH₂),
 (A606, Cl, Cl, Me, 1-methyloxypentyl, CH₂CH₂), (A607, Cl, Cl, Me, 1-methyloxy-3-
 20 methylbutyl, CH₂CH₂), (A608, Cl, Cl, Me, 1-methyloxy-2,2-dimethylpropyl, CH₂CH₂),
 (A609, Cl, Cl, Me, 1-methyloxyhexyl, CH₂CH₂), (A610, Cl, Cl, Me, 1-methyloxy-3,3-
 dimethylbutyl, CH₂CH₂), (A611, Cl, Cl, Me, 1-ethyloxyethyl, CH₂CH₂), (A612, Cl, Cl,
 Me, 1-ethyloxypropyl, CH₂CH₂), (A613, Cl, Cl, Me, 1-ethyloxybutyl, CH₂CH₂), (A614,
 Cl, Cl, Me, 1-ethyloxy-2-methylpropyl, CH₂CH₂), (A615, Cl, Cl, Me, 1-ethyloxypentyl,
 25 CH₂CH₂), (A616, Cl, Cl, Me, 1-ethyloxy-3-methylbutyl, CH₂CH₂), (A617, Cl, Cl, Me, 1-
 ethyloxy-2,2-dimethylpropyl, CH₂CH₂), (A618, Cl, Cl, Me, 1-ethyloxyhexyl, CH₂CH₂),
 (A619, Cl, Cl, Me, 1-ethyloxy-3,3-dimethylbutyl, CH₂CH₂), (A620, Cl, Cl, Me, 1-n-
 propyloxyethyl, CH₂CH₂), (A621, Cl, Cl, Me, 1-n-propyloxypropyl, CH₂CH₂), (A622, Cl,
 Cl, Me, 1-n-propyloxybutyl, CH₂CH₂), (A623, Cl, Cl, Me, 1-n-propyloxy-2-methylpropyl,
 30 CH₂CH₂), (A624, Cl, Cl, Me, 1-n-propyloxypentyl, CH₂CH₂), (A625, Cl, Cl, Me, 1-n-

propyloxy-3-methylbutyl, CH₂CH₂), (A626, Cl, Cl, Me, 1-n-propyloxy-2,2-
 dimethylpropyl, CH₂CH₂), (A627, Cl, Cl, Me, 1-n-propyloxy-n-hexyl, CH₂CH₂), (A628,
 Cl, Cl, Me, 1-n-propyloxy-3,3-dimethylbutyl, CH₂CH₂), (A629, Cl, Cl, Me, 1-
 isopropyloxyethyl, CH₂CH₂), (A630, Cl, Cl, Me, 1-isopropyloxypropyl, CH₂CH₂), (A631,
 5 Cl, Cl, Me, 1-isopropyloxybutyl, CH₂CH₂), (A632, Cl, Cl, Me, 1-isopropyloxy-2-
 methylpropyl, CH₂CH₂), (A633, Cl, Cl, Me, 1-isopropyloxypentyl, CH₂CH₂), (A634, Cl,
 Cl, Me, 1-isopropyloxy-3-methylbutyl, CH₂CH₂), (A635, Cl, Cl, Me, 1-isopropyloxy-2,2-
 dimethylpropyl, CH₂CH₂), (A636, Cl, Cl, Me, 1-isopropyloxyhexyl, CH₂CH₂), (A637, Cl,
 Cl, Me, 1-isopropyloxy-3,3-dimethylbutyl, CH₂CH₂), (A638, Cl, Cl, Me, 1-n-
 10 butyloxyethyl, CH₂CH₂), (A639, Cl, Cl, Me, 1-n-butyloxypropyl, CH₂CH₂), (A640, Cl,
 Cl, Me, 1-n-butyloxybutyl, CH₂CH₂), (A641, Cl, Cl, Me, 1-n-butyloxy-2-methylpropyl,
 CH₂CH₂), (A642, Cl, Cl, Me, 1-n-butyloxypentyl, CH₂CH₂), (A643, Cl, Cl, Me, 1-n-
 butyloxy-3-methylbutyl, CH₂CH₂), (A644, Cl, Cl, Me, 1-n-butyloxy-2,2-dimethylpropyl,
 CH₂CH₂), (A645, Cl, Cl, Me, 1-n-butyloxyhexyl, CH₂CH₂), (A646, Cl, Cl, Me, 1-n-
 15 butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A647, Cl, Cl, Me, 1-isobutyloxyethyl, CH₂CH₂),
 (A648, Cl, Cl, Me, 1-isobutyloxypropyl, CH₂CH₂), (A649, Cl, Cl, Me, 1-isobutyloxybutyl,
 CH₂CH₂), (A650, Cl, Cl, Me, 1-isobutyloxy-2-methylpropyl, CH₂CH₂), (A651, Cl, Cl,
 Me, 1-isobutyloxypentyl, CH₂CH₂), (A652, Cl, Cl, Me, 1-isobutyloxy-3-methylbutyl,
 CH₂CH₂), (A653, Cl, Cl, Me, 1-isobutyloxy-2,2-dimethylpropyl, CH₂CH₂), (A654, Cl, Cl,
 20 Me, 1-isobutyloxyhexyl, CH₂CH₂), (A655, Cl, Cl, Me, 1-isobutyloxy-3,3-dimethylbutyl,
 CH₂CH₂), (A656, Cl, Cl, Me, 1-t-butyloxyethyl, CH₂CH₂), (A657, Cl, Cl, Me, 1-t-
 butyloxypropyl, CH₂CH₂), (A658, Cl, Cl, Me, 1-t-butyloxybutyl, CH₂CH₂), (A659, Cl, Cl,
 Me, 1-t-butyloxy-2-methylpropyl, CH₂CH₂), (A660, Cl, Cl, Me, 1-t-butyloxypentyl,
 CH₂CH₂), (A661, Cl, Cl, Me, 1-t-butyloxy-3-methylbutyl, CH₂CH₂), (A662, Cl, Cl, Me,
 25 1-t-butyloxy-2,2-dimethylpropyl, CH₂CH₂), (A663, Cl, Cl, Me, 1-t-butyloxyhexyl,
 CH₂CH₂), (A664, Cl, Cl, Me, 1-t-butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A665, Cl, Cl,
 Me, 1-n-pentyloxyethyl, CH₂CH₂), (A666, Cl, Cl, Me, 1-n-pentyloxypropyl, CH₂CH₂),
 (A667, Cl, Cl, Me, 1-n-pentyloxybutyl, CH₂CH₂), (A668, Cl, Cl, Me, 1-n-pentyloxy-2-
 methylpropyl, CH₂CH₂), (A669, Cl, Cl, Me, 1-n-pentyloxypentyl, CH₂CH₂), (A670, Cl,
 30 Cl, Me, 1-n-pentyloxy-3-methylbutyl, CH₂CH₂), (A671, Cl, Cl, Me, 1-n-pentyloxy-2,2-

dimethylpropyl, CH₂CH₂), (A672, Cl, Cl, Me, 1-n-pentyloxyhexyl, CH₂CH₂), (A673, Cl,
 Cl, Me, 1-n-pentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A674, Cl, Cl, Me, 1-
 neopentyloxyethyl, CH₂CH₂), (A675, Cl, Cl, Me, 1-neopentyloxypropyl, CH₂CH₂),
 (A676, Cl, Cl, Me, 1-neopentyloxybutyl, CH₂CH₂), (A677, Cl, Cl, Me, 1-neopentyloxy-2-
 5 methylpropyl, CH₂CH₂), (A678, Cl, Cl, Me, 1-neopentyloxypentyl, CH₂CH₂), (A679, Cl,
 Cl, Me, 1-neopentyloxy-3-methylbutyl, CH₂CH₂), (A680, Cl, Cl, Me, 1-neopentyloxy-
 2,2-dimethylpropyl, CH₂CH₂), (A681, Cl, Cl, Me, 1-neopentyloxyhexyl, CH₂CH₂),
 (A682, Cl, Cl, Me, 1-neopentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A683, Cl, Cl, OMe, 1-
 methyloxyethyl, CH₂CH₂), (A684, Cl, Cl, OMe, 1-methyloxypropyl, CH₂CH₂), (A685,
 10 Cl, Cl, OMe, 1-methyloxybutyl, CH₂CH₂), (A686, Cl, Cl, OMe, 1-methyloxy-2-
 methylpropyl, CH₂CH₂), (A687, Cl, Cl, OMe, 1-methyloxypentyl, CH₂CH₂), (A688, Cl,
 Cl, OMe, 1-methyloxy-3-methylbutyl, CH₂CH₂), (A689, Cl, Cl, OMe, 1-methyloxy-2,2-
 dimethylpropyl, CH₂CH₂), (A690, Cl, Cl, OMe, 1-methyloxyhexyl, CH₂CH₂), (A691, Cl,
 Cl, OMe, 1-methyloxy-3,3-dimethylbutyl, CH₂CH₂), (A692, Cl, Cl, OMe, 1-
 15 ethyloxyethyl, CH₂CH₂), (A693, Cl, Cl, OMe, 1-ethyloxypropyl, CH₂CH₂), (A694, Cl, Cl,
 OMe, 1-ethyloxybutyl, CH₂CH₂), (A695, Cl, Cl, OMe, 1-ethyloxy-2-methylpropyl,
 CH₂CH₂), (A696, Cl, Cl, OMe, 1-ethyloxypentyl, CH₂CH₂), (A697, Cl, Cl, OMe, 1-
 ethyloxy-3-methylbutyl, CH₂CH₂), (A698, Cl, Cl, OMe, 1-ethyloxy-2,2-dimethylpropyl,
 CH₂CH₂), (A699, Cl, Cl, OMe, 1-ethyloxyhexyl, CH₂CH₂), (A700, Cl, Cl, OMe, 1-
 20 ethyloxy-3,3-dimethylbutyl, CH₂CH₂), (A701, Cl, Cl, OMe, 1-n-propyloxyethyl,
 CH₂CH₂), (A702, Cl, Cl, OMe, 1-n-propyloxypropyl, CH₂CH₂), (A703, Cl, Cl, OMe, 1-
 n-propyloxybutyl, CH₂CH₂), (A704, Cl, Cl, OMe, 1-n-propyloxy-2-methylpropyl,
 CH₂CH₂), (A705, Cl, Cl, OMe, 1-n-propyloxypentyl, CH₂CH₂), (A706, Cl, Cl, OMe, 1-
 n-propyloxy-3-methylbutyl, CH₂CH₂), (A707, Cl, Cl, OMe, 1-n-propyloxy-2,2-
 25 dimethylpropyl, CH₂CH₂), (A708, Cl, Cl, OMe, 1-n-propyloxy-n-hexyl, CH₂CH₂), (A709,
 Cl, Cl, OMe, 1-n-propyloxy-3,3-dimethylbutyl, CH₂CH₂), (A710, Cl, Cl, OMe, 1-
 isopropyloxyethyl, CH₂CH₂), (A711, Cl, Cl, OMe, 1-isopropyloxypropyl, CH₂CH₂),
 (A712, Cl, Cl, OMe, 1-isopropyloxybutyl, CH₂CH₂), (A713, Cl, Cl, OMe, 1-isopropyloxy-
 2-methylpropyl, CH₂CH₂), (A714, Cl, Cl, OMe, 1-isopropyloxypentyl, CH₂CH₂), (A715,
 30 Cl, Cl, OMe, 1-isopropyloxy-3-methylbutyl, CH₂CH₂), (A716, Cl, Cl, OMe, 1-

isopropoxy-2,2-dimethylpropyl, CH₂CH₂), (A717, Cl, Cl, OMe, 1-isopropoxyhexyl, CH₂CH₂), (A718, Cl, Cl, OMe, 1-isopropoxy-3,3-dimethylbutyl, CH₂CH₂), (A719, Cl, Cl, OMe, 1-n-butyloxyethyl, CH₂CH₂), (A720, Cl, Cl, OMe, 1-n-butyloxypropyl, CH₂CH₂), (A721, Cl, Cl, OMe, 1-n-butyloxybutyl, CH₂CH₂), (A722, Cl, Cl, OMe, 1-n-butyloxy-2-methylpropyl, CH₂CH₂), (A723, Cl, Cl, OMe, 1-n-butyloxypentyl, CH₂CH₂), (A724, Cl, Cl, OMe, 1-n-butyloxy-3-methylbutyl, CH₂CH₂), (A725, Cl, Cl, OMe, 1-n-butyloxy-2,2-dimethylpropyl, CH₂CH₂), (A726, Cl, Cl, OMe, 1-n-butyloxyhexyl, CH₂CH₂), (A727, Cl, Cl, OMe, 1-n-butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A728, Cl, Cl, OMe, 1-isobutyloxyethyl, CH₂CH₂), (A729, Cl, Cl, OMe, 1-isobutyloxypropyl, CH₂CH₂), (A730, Cl, Cl, OMe, 1-isobutyloxybutyl, CH₂CH₂), (A731, Cl, Cl, OMe, 1-isobutyloxy-2-methylpropyl, CH₂CH₂), (A732, Cl, Cl, OMe, 1-isobutyloxypentyl, CH₂CH₂), (A733, Cl, Cl, OMe, 1-isobutyloxy-3-methylbutyl, CH₂CH₂), (A734, Cl, Cl, OMe, 1-isobutyloxy-2,2-dimethylpropyl, CH₂CH₂), (A735, Cl, Cl, OMe, 1-isobutyloxyhexyl, CH₂CH₂), (A736, Cl, Cl, OMe, 1-isobutyloxy-3,3-dimethylbutyl, CH₂CH₂), (A737, Cl, Cl, OMe, 1-t-butyloxyethyl, CH₂CH₂), (A738, Cl, Cl, OMe, 1-t-butyloxypropyl, CH₂CH₂), (A739, Cl, Cl, OMe, 1-t-butyloxybutyl, CH₂CH₂), (A740, Cl, Cl, OMe, 1-t-butyloxy-2-methylpropyl, CH₂CH₂), (A741, Cl, Cl, OMe, 1-t-butyloxypentyl, CH₂CH₂), (A742, Cl, Cl, OMe, 1-t-butyloxy-3-methylbutyl, CH₂CH₂), (A743, Cl, Cl, OMe, 1-t-butyloxy-2,2-dimethylpropyl, CH₂CH₂), (A744, Cl, Cl, OMe, 1-t-butyloxyhexyl, CH₂CH₂), (A745, Cl, Cl, OMe, 1-t-butyloxy-3,3-dimethylbutyl, CH₂CH₂), (A746, Cl, Cl, OMe, 1-n-pentyloxyethyl, CH₂CH₂), (A747, Cl, Cl, OMe, 1-n-pentyloxypropyl, CH₂CH₂), (A748, Cl, Cl, OMe, 1-n-pentyloxybutyl, CH₂CH₂), (A749, Cl, Cl, OMe, 1-n-pentyloxy-2-methylpropyl, CH₂CH₂), (A750, Cl, Cl, OMe, 1-n-pentyloxypentyl, CH₂CH₂), (A751, Cl, Cl, OMe, 1-n-pentyloxy-3-methylbutyl, CH₂CH₂), (A752, Cl, Cl, OMe, 1-n-pentyloxy-2,2-dimethylpropyl, CH₂CH₂), (A753, Cl, Cl, OMe, 1-n-pentyloxyhexyl, CH₂CH₂), (A754, Cl, Cl, OMe, 1-n-pentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A755, Cl, Cl, OMe, 1-neopentyloxyethyl, CH₂CH₂), (A756, Cl, Cl, OMe, 1-neopentyloxypropyl, CH₂CH₂), (A757, Cl, Cl, OMe, 1-neopentyloxybutyl, CH₂CH₂), (A758, Cl, Cl, OMe, 1-neopentyloxy-2-methylpropyl, CH₂CH₂), (A759, Cl, Cl, OMe, 1-neopentyloxypentyl, CH₂CH₂), (A760, Cl, Cl, OMe, 1-neopentyloxy-3-methylbutyl, CH₂CH₂), (A761, Cl, Cl,

OMe, 1-neopentyloxy-2,2-dimethylpropyl, CH₂CH₂), (A762, Cl, Cl, OMe, 1-neopentyloxyhexyl, CH₂CH₂), (A763, Cl, Cl, OMe, 1-neopentyloxy-3,3-dimethylbutyl, CH₂CH₂), (A764, Cl, Cl, Me, 1-methyloxyethyl, OCH₂), (A765, Cl, Cl, Me, 1-methyloxypropyl, OCH₂), (A766, Cl, Cl, Me, 1-methyloxybutyl, OCH₂), (A767, Cl, Cl, Me, 1-methyloxy-2-methylpropyl, OCH₂), (A768, Cl, Cl, Me, 1-methyloxypentyl, OCH₂), (A769, Cl, Cl, Me, 1-methyloxy-3-methylbutyl, OCH₂), (A770, Cl, Cl, Me, 1-methyloxy-2,2-dimethylpropyl, OCH₂), (A771, Cl, Cl, Me, 1-methyloxyhexyl, OCH₂), (A772, Cl, Cl, Me, 1-methyloxy-3,3-dimethylbutyl, OCH₂), (A773, Cl, Cl, Me, 1-ethyloxyethyl, OCH₂), (A774, Cl, Cl, Me, 1-ethyloxypropyl, OCH₂), (A775, Cl, Cl, Me, 1-ethyloxybutyl, OCH₂), (A776, Cl, Cl, Me, 1-ethyloxy-2-methylpropyl, OCH₂), (A777, Cl, Cl, Me, 1-ethyloxypentyl, OCH₂), (A778, Cl, Cl, Me, 1-ethyloxy-3-methylbutyl, OCH₂), (A779, Cl, Cl, Me, 1-ethyloxy-2,2-dimethylpropyl, OCH₂), (A780, Cl, Cl, Me, 1-ethyloxyhexyl, OCH₂), (A781, Cl, Cl, Me, 1-ethyloxy-3,3-dimethylbutyl, OCH₂), (A782, Cl, Cl, Me, 1-n-propyloxyethyl, OCH₂), (A783, Cl, Cl, Me, 1-n-propyloxypropyl, OCH₂), (A784, Cl, Cl, Me, 1-n-propyloxybutyl, OCH₂), (A785, Cl, Cl, Me, 1-n-propyloxy-2-methylpropyl, OCH₂), (A786, Cl, Cl, Me, 1-n-propyloxypentyl, OCH₂), (A787, Cl, Cl, Me, 1-n-propyloxy-3-methylbutyl, OCH₂), (A788, Cl, Cl, Me, 1-n-propyloxy-2,2-dimethylpropyl, OCH₂), (A789, Cl, Cl, Me, 1-n-propyloxyhexyl, OCH₂), (A790, Cl, Cl, Me, 1-n-propyloxy-3,3-dimethylbutyl, OCH₂), (A791, Cl, Cl, Me, 1-isopropyloxyethyl, OCH₂), (A792, Cl, Cl, Me, 1-isopropyloxypropyl, OCH₂), (A793, Cl, Cl, Me, 1-isopropyloxybutyl, OCH₂), (A794, Cl, Cl, Me, 1-isopropyloxy-2-methylpropyl, OCH₂), (A795, Cl, Cl, Me, 1-isoproxypentyl, OCH₂), (A796, Cl, Cl, Me, 1-isopropyloxy-3-methylbutyl, OCH₂), (A797, Cl, Cl, Me, 1-isopropyloxy-2,2-dimethylpropyl, OCH₂), (A798, Cl, Cl, Me, 1-isopropyloxyhexyl, OCH₂), (A799, Cl, Cl, Me, 1-isopropyloxy-3,3-dimethylbutyl, OCH₂), (A800, Cl, Cl, Me, 1-n-butyloxyethyl, OCH₂), (A801, Cl, Cl, Me, 1-n-butyloxypropyl, OCH₂), (A802, Cl, Cl, Me, 1-n-butyloxybutyl, OCH₂), (A803, Cl, Cl, Me, 1-n-butyloxy-2-methylpropyl, OCH₂), (A804, Cl, Cl, Me, 1-n-butyloxypentyl, OCH₂), (A805, Cl, Cl, Me, 1-n-butyloxy-3-methylbutyl, OCH₂), (A806, Cl, Cl, Me, 1-n-butyloxy-2,2-dimethylpropyl, OCH₂), (A807, Cl, Cl, Me, 1-n-butyloxyhexyl, OCH₂), (A808, Cl, Cl, Me, 1-n-butyloxy-3,3-dimethylbutyl, OCH₂), (A809, Cl, Cl, Me, 1-isobutyloxyethyl, OCH₂), (A810, Cl, Cl,

Me, 1-isobutyloxypropyl, OCH₂), (A811, Cl, Cl, Me, 1-isobutyloxybutyl, OCH₂), (A812, Cl, Cl, Me, 1-isobutyloxy-2-methylpropyl, OCH₂), (A813, Cl, Cl, Me, 1-isobutyloxy-3-methylbutyl, OCH₂), (A814, Cl, Cl, Me, 1-isobutyloxy-2,2-dimethylpropyl, OCH₂), (A815, Cl, Cl, Me, 1-isobutyloxy-3,3-dimethylbutyl, OCH₂), (A816, Cl, Cl, Me, 1-isobutyloxyhexyl, OCH₂), (A817, Cl, Cl, Me, 1-isobutyloxy-3,3-dimethylbutyl, OCH₂), (A818, Cl, Cl, Me, 1-t-butyloxyethyl, OCH₂), (A819, Cl, Cl, Me, 1-t-butyloxypropyl, OCH₂), (A820, Cl, Cl, Me, 1-t-butyloxybutyl, OCH₂), (A821, Cl, Cl, Me, 1-t-butyloxy-2-methylpropyl, OCH₂), (A822, Cl, Cl, Me, 1-t-butyloxy-3-methylbutyl, OCH₂), (A823, Cl, Cl, Me, 1-t-butyloxy-2,2-dimethylpropyl, OCH₂), (A824, Cl, Cl, Me, 1-t-butyloxyhexyl, OCH₂), (A825, Cl, Cl, Me, 1-t-butyloxy-3,3-dimethylbutyl, OCH₂), (A826, Cl, Cl, Me, 1-n-pentyloxyethyl, OCH₂), (A827, Cl, Cl, Me, 1-n-pentyloxypropyl, OCH₂), (A828, Cl, Cl, Me, 1-n-pentyloxybutyl, OCH₂), (A829, Cl, Cl, Me, 1-n-pentyloxy-2-methylpropyl, OCH₂), (A830, Cl, Cl, Me, 1-n-pentyloxy-3-methylbutyl, OCH₂), (A831, Cl, Cl, Me, 1-n-pentyloxy-2,2-dimethylpropyl, OCH₂), (A832, Cl, Cl, Me, 1-n-pentyloxyhexyl, OCH₂), (A833, Cl, Cl, Me, 1-n-pentyloxy-3,3-dimethylbutyl, OCH₂), (A834, Cl, Cl, Me, 1-neopentyloxyethyl, OCH₂), (A835, Cl, Cl, Me, 1-neopentyloxypropyl, OCH₂), (A836, Cl, Cl, Me, 1-neopentyloxybutyl, OCH₂), (A837, Cl, Cl, Me, 1-neopentyloxy-2-methylpropyl, OCH₂), (A838, Cl, Cl, Me, 1-neopentyloxy-3-methylbutyl, OCH₂), (A839, Cl, Cl, Me, 1-neopentyloxy-2,2-dimethylpropyl, OCH₂), (A840, Cl, Cl, Me, 1-neopentyloxyhexyl, OCH₂), (A841, Cl, Cl, Me, 1-neopentyloxy-3,3-dimethylbutyl, OCH₂), (A842, Cl, Cl, Me, 1-methyloxyethyl, OCH₂), (A843, Cl, Cl, OMe, 1-methyloxypropyl, OCH₂), (A844, Cl, Cl, OMe, 1-methyloxybutyl, OCH₂), (A845, Cl, Cl, OMe, 1-methyloxy-2-methylpropyl, OCH₂), (A846, Cl, Cl, OMe, 1-methyloxy-3-methylbutyl, OCH₂), (A847, Cl, Cl, OMe, 1-methyloxy-2,2-dimethylpropyl, OCH₂), (A848, Cl, Cl, OMe, 1-methyloxyhexyl, OCH₂), (A849, Cl, Cl, OMe, 1-methyloxy-3,3-dimethylbutyl, OCH₂), (A850, Cl, Cl, OMe, 1-ethyloxyethyl, OCH₂), (A851, Cl, Cl, OMe, 1-ethyloxypropyl, OCH₂), (A852, Cl, Cl, OMe, 1-ethyloxybutyl, OCH₂), (A853, Cl, Cl, OMe, 1-ethyloxy-2-methylpropyl, OCH₂), (A854, Cl, Cl, OMe, 1-ethyloxy-3-methylbutyl, OCH₂), (A855, Cl, Cl, OMe, 1-ethyloxy-2,2-dimethylpropyl, OCH₂), (A856, Cl, Cl, OMe, 1-ethyloxyhexyl, OCH₂), (A857, Cl, Cl, OMe, 1-ethyloxy-3,3-dimethylbutyl, OCH₂), (A858,

Cl, Cl, OMe, 1-ethyloxypentyl, OCH₂), (A859, Cl, Cl, OMe, 1-ethyloxy-3-methylbutyl, OCH₂), (A860, Cl, Cl, OMe, 1-ethyloxy-2,2-dimethylpropyl, OCH₂), (A861, Cl, Cl, OMe, 1-ethyloxyhexyl, OCH₂), (A862, Cl, Cl, OMe, 1-ethyloxy-3,3-dimethylbutyl, OCH₂), (A863, Cl, Cl, OMe, 1-n-propyloxyethyl, OCH₂), (A864, Cl, Cl, OMe, 1-n-propyloxypropyl, OCH₂), (A865, Cl, Cl, OMe, 1-n-propyloxybutyl, OCH₂), (A866, Cl, Cl, OMe, 1-n-propyloxy-2-methylpropyl, OCH₂), (A867, Cl, Cl, OMe, 1-n-propyloxypentyl, OCH₂), (A868, Cl, Cl, OMe, 1-n-propyloxy-3-methylbutyl, OCH₂), (A869, Cl, Cl, OMe, 1-n-propyloxy-2,2-dimethylpropyl, OCH₂), (A870, Cl, Cl, OMe, 1-n-propyloxyhexyl, OCH₂), (A871, Cl, Cl, OMe, 1-n-propyloxy-3,3-dimethylbutyl, OCH₂), (A872, Cl, Cl, OMe, 1-isopropyloxyethyl, OCH₂), (A873, Cl, Cl, OMe, 1-isopropyloxypropyl, OCH₂), (A874, Cl, Cl, OMe, 1-isopropyloxybutyl, OCH₂), (A875, Cl, Cl, OMe, 1-isopropyloxy-2-methylpropyl, OCH₂), (A876, Cl, Cl, OMe, 1-isopropyloxypentyl, OCH₂), (A877, Cl, Cl, OMe, 1-isopropyloxy-3-methylbutyl, OCH₂), (A878, Cl, Cl, OMe, 1-isopropyloxy-2,2-dimethylpropyl, OCH₂), (A879, Cl, Cl, OMe, 1-isopropyloxyhexyl, OCH₂), (A880, Cl, Cl, OMe, 1-isopropyloxy-3,3-dimethylbutyl, OCH₂), (A881, Cl, Cl, OMe, 1-n-butyloxyethyl, OCH₂), (A882, Cl, Cl, OMe, 1-n-butyloxypropyl, OCH₂), (A883, Cl, Cl, OMe, 1-n-butyloxybutyl, OCH₂), (A884, Cl, Cl, OMe, 1-n-butyloxy-2-methylpropyl, OCH₂), (A885, Cl, Cl, OMe, 1-n-butyloxypentyl, OCH₂), (A886, Cl, Cl, OMe, 1-n-butyloxy-3-methylbutyl, OCH₂), (A887, Cl, Cl, OMe, 1-n-butyloxy-2,2-dimethylpropyl, OCH₂), (A888, Cl, Cl, OMe, 1-n-butyloxyhexyl, OCH₂), (A889, Cl, Cl, OMe, 1-n-butyloxy-3,3-dimethylbutyl, OCH₂), (A890, Cl, Cl, OMe, 1-isobutyloxyethyl, OCH₂), (A891, Cl, Cl, OMe, 1-isobutyloxypropyl, OCH₂), (A892, Cl, Cl, OMe, 1-isobutyloxybutyl, OCH₂), (A893, Cl, Cl, OMe, 1-isobutyloxy-2-methylpropyl, OCH₂), (A894, Cl, Cl, OMe, 1-isobutyloxypentyl, OCH₂), (A895, Cl, Cl, OMe, 1-isobutyloxy-3-methylbutyl, OCH₂), (A896, Cl, Cl, OMe, 1-isobutyloxy-2,2-dimethylpropyl, OCH₂), (A897, Cl, Cl, OMe, 1-isobutyloxyhexyl, OCH₂), (A898, Cl, Cl, OMe, 1-isobutyloxy-3,3-dimethylbutyl, OCH₂), (A899, Cl, Cl, OMe, 1-t-butyloxyethyl, OCH₂), (A900, Cl, Cl, OMe, 1-t-butyloxypropyl, OCH₂), (A901, Cl, Cl, OMe, 1-t-butyloxybutyl, OCH₂), (A902, Cl, Cl, OMe, 1-t-butyloxy-2-methylpropyl, OCH₂), (A903, Cl, Cl, OMe, 1-t-butyloxypentyl, OCH₂), (A904, Cl, Cl, OMe, 1-t-butyloxy-3-methylbutyl, OCH₂), (A905, Cl, Cl, OMe, 1-t-butyloxy-2,2-

dimethylpropyl, OCH₂), (A906, Cl, Cl, OMe, 1-t-butyloxyhexyl, OCH₂), (A907, Cl, Cl, OMe, 1-t-butyloxy-3,3-dimethylbutyl, OCH₂), (A908, Cl, Cl, OMe, 1-n-pentyloxyethyl, OCH₂), (A909, Cl, Cl, OMe, 1-n-pentyloxypropyl, OCH₂), (A910, Cl, Cl, OMe, 1-n-pentyloxybutyl, OCH₂), (A911, Cl, Cl, OMe, 1-n-pentyloxy-2-methylpropyl, OCH₂),
 5 (A912, Cl, Cl, OMe, 1-n-pentyloxypentyl, OCH₂), (A913, Cl, Cl, OMe, 1-n-pentyloxy-3-methylbutyl, OCH₂), (A914, Cl, Cl, OMe, 1-n-pentyloxy-2,2-dimethylpropyl, OCH₂), (A915, Cl, Cl, OMe, 1-n-pentyloxyhexyl, OCH₂), (A916, Cl, Cl, OMe, 1-n-pentyloxy-3,3-dimethylbutyl, OCH₂), (A917, Cl, Cl, OMe, 1-neopentyloxyethyl, OCH₂), (A918, Cl, Cl, OMe, 1-neopentyloxypropyl, OCH₂), (A919, Cl, Cl, OMe, 1-neopentyloxybutyl, OCH₂),
 10 (A920, Cl, Cl, OMe, 1-neopentyloxy-2-methylpropyl, OCH₂), (A921, Cl, Cl, OMe, 1-neopentyloxypentyl, OCH₂), (A922, Cl, Cl, OMe, 1-neopentyloxy-3-methylbutyl, OCH₂), (A923, Cl, Cl, OMe, 1-neopentyloxy-2,2-dimethylpropyl, OCH₂), (A924, Cl, Cl, OMe, 1-neopentyloxyhexyl, OCH₂), (A925, Cl, Cl, OMe, 1-neopentyloxy-3,3-dimethylbutyl, OCH₂), (A926, Cl, Cl, Me, 3-methyloxypropyl, CH₂CH₂), (A927, Cl, Cl, Me, 3-methyloxybutyl, CH₂CH₂), (A929, Cl, Cl, Me, 3-methyloxy-4-methylpentyl, CH₂CH₂),
 15 (A931, Cl, Cl, Me, 3-methyloxy-5-methylhexyl, CH₂CH₂), (A933, Cl, Cl, Me, 3-methyloxyoctyl, CH₂CH₂), (A934, Cl, Cl, Me, 3-methyloxy-5,5-dimethylhexyl, CH₂CH₂), (A935, Cl, Cl, Me, 3-ethyloxybutyl, CH₂CH₂), (A938, Cl, Cl, Me, 3-ethyloxy-4-methylpentyl, CH₂CH₂), (A940, Cl, Cl, Me, 3-ethyloxy-5-methylhexyl, CH₂CH₂),
 20 (A942, Cl, Cl, Me, 3-ethyloxyoctyl, CH₂CH₂), (A943, Cl, Cl, Me, 3-ethyloxy-5,5-dimethylhexyl, CH₂CH₂), (A945, Cl, Cl, Me, 3-n-propyloxybutyl, CH₂CH₂), (A946, Cl, Cl, Me, 3-n-propyloxypentyl, CH₂CH₂), (A947, Cl, Cl, Me, 3-n-propyloxyhexyl, CH₂CH₂), (A948, Cl, Cl, Me, 3-n-propyloxy-4-methylpentyl, CH₂CH₂), (A949, Cl, Cl, Me, 3-n-propyloxyheptyl, CH₂CH₂), (A950, Cl, Cl, Me, 3-n-propyloxy-5-methylhexyl, CH₂CH₂),
 25 (A951, Cl, Cl, Me, 3-n-propyloxy-4,4-dimethylpentyl, CH₂CH₂), (A952, Cl, Cl, Me, 3-n-propyloxyoctyl, CH₂CH₂), (A953, Cl, Cl, Me, 3-n-propyloxy-5,5-dimethylhexyl, CH₂CH₂), (A955, Cl, Cl, Me, 3-isopropyloxybutyl, CH₂CH₂), (A956, Cl, Cl, Me, 3-isopropyloxypentyl, CH₂CH₂), (A957, Cl, Cl, Me, 3-isopropyloxyhexyl, CH₂CH₂), (A958, Cl, Cl, Me, 3-isopropyloxy-4-methylpentyl, CH₂CH₂), (A959, Cl, Cl, Me, 3-isopropyloxyheptyl, CH₂CH₂),
 30 (A960, Cl, Cl, Me, 3-isopropyloxy-5-methylhexyl,

CH₂CH₂), (A961, Cl, Cl, Me, 3-isopropoxy-4,4-dimethylpentyl, CH₂CH₂), (A962, Cl, Cl, Me, 3-isopropoxyoctyl, CH₂CH₂), (A963, Cl, Cl, Me, 3-isopropoxy-5,5-dimethylhexyl, CH₂CH₂), (A964, Cl, Cl, Me, 3-n-butyloxybutyl, CH₂CH₂), (A965, Cl, Cl, Me, 3-n-butyloxypropyl, CH₂CH₂), (A966, Cl, Cl, Me, 3-n-butyloxyhexyl, CH₂CH₂),

5 (A967, Cl, Cl, Me, 3-n-butyloxy-4-methylpentyl, CH₂CH₂), (A968, Cl, Cl, Me, 3-n-butyloxyheptyl, CH₂CH₂), (A969, Cl, Cl, Me, 3-n-butyloxy-5-methylhexyl, CH₂CH₂), (A970, Cl, Cl, Me, 3-n-butyloxy-4,4-dimethylpentyl, CH₂CH₂), (A971, Cl, Cl, Me, 3-n-butyloxyoctyl, CH₂CH₂), (A972, Cl, Cl, Me, 3-n-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A973, Cl, Cl, Me, 3-isobutyloxypropyl, CH₂CH₂), (A974, Cl, Cl, Me, 3-isobutyloxybutyl, CH₂CH₂),

10 (A975, Cl, Cl, Me, 3-isobutyloxypropyl, CH₂CH₂), (A976, Cl, Cl, Me, 3-isobutyloxyhexyl, CH₂CH₂), (A977, Cl, Cl, Me, 3-isobutyloxy-4-methylpentyl, CH₂CH₂), (A978, Cl, Cl, Me, 3-isobutyloxyheptyl, CH₂CH₂), (A979, Cl, Cl, Me, 3-isobutyloxy-5-methylhexyl, CH₂CH₂), (A980, Cl, Cl, Me, 3-isobutyloxy-4,4-dimethylpentyl, CH₂CH₂), (A981, Cl, Cl, Me, 3-isobutyloxyoctyl, CH₂CH₂), (A982, Cl, Cl, Me, 3-isobutyloxy-5,5-dimethylhexyl, CH₂CH₂),

15 (A983, Cl, Cl, Me, 3-t-butyloxypropyl, CH₂CH₂), (A984, Cl, Cl, Me, 3-t-butyloxybutyl, CH₂CH₂), (A985, Cl, Cl, Me, 3-t-butyloxypropyl, CH₂CH₂), (A986, Cl, Cl, Me, 3-t-butyloxyhexyl, CH₂CH₂), (A987, Cl, Cl, Me, 3-t-butyloxy-4-methylpentyl, CH₂CH₂), (A988, Cl, Cl, Me, 3-t-butyloxyheptyl, CH₂CH₂), (A989, Cl, Cl, Me, 3-t-butyloxy-5-methylhexyl, CH₂CH₂), (A990, Cl, Cl, Me, 3-t-butyloxy-4,4-dimethylpentyl, CH₂CH₂),

20 (A991, Cl, Cl, Me, 3-t-butyloxyoctyl, CH₂CH₂), (A992, Cl, Cl, Me, 3-t-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A994, Cl, Cl, Me, 3-n-pentyloxybutyl, CH₂CH₂), (A995, Cl, Cl, Me, 3-n-pentyloxypropyl, CH₂CH₂), (A996, Cl, Cl, Me, 3-n-pentyloxyhexyl, CH₂CH₂), (A997, Cl, Cl, Me, 3-n-pentyloxy-4-methylpentyl, CH₂CH₂), (A998, Cl, Cl, Me, 3-n-pentyloxyheptyl, CH₂CH₂), (A999, Cl, Cl, Me, 3-n-pentyloxy-5-methylhexyl, CH₂CH₂),

25 (A1000, Cl, Cl, Me, 3-n-pentyloxy-4,4-dimethylpentyl, CH₂CH₂), (A1001, Cl, Cl, Me, 3-n-pentyloxyoctyl, CH₂CH₂), (A1002, Cl, Cl, Me, 3-n-pentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1004, Cl, Cl, Me, 3-neopentyloxybutyl, CH₂CH₂), (A1005, Cl, Cl, Me, 3-neopentyloxypropyl, CH₂CH₂), (A1006, Cl, Cl, Me, 3-neopentyloxyhexyl, CH₂CH₂), (A1007, Cl, Cl, Me, 3-neopentyloxy-4-methylpentyl, CH₂CH₂),

30 (A1008, Cl, Cl, Me, 3-neopentyloxyheptyl, CH₂CH₂), (A1009, Cl, Cl, Me, 3-

neopentyloxy-5-methylhexyl, CH₂CH₂), (A1010, Cl, Cl, Me, 3-neopentyloxy-4,4-
 dimethylpentyl, CH₂CH₂), (A1011, Cl, Cl, Me, 3-neopentyloxyoctyl, CH₂CH₂), (A1012,
 Cl, Cl, Me, 3-neopentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1013, Cl, Cl, OMe, 3-
 methyloxypropyl, CH₂CH₂), (A1014, Cl, Cl, OMe, 3-methyloxybutyl, CH₂CH₂), (A1015,
 5 Cl, Cl, OMe, 3-methyloxypentyl, CH₂CH₂), (A1017, Cl, Cl, OMe, 3-methyloxy-4-
 methylpentyl, CH₂CH₂), (A1019, Cl, Cl, OMe, 3-methyloxy-5-methylhexyl, CH₂CH₂),
 (A1020, Cl, Cl, OMe, 3-methoxy-4,4-dimethylpentyl, CH₂CH₂), (A1021, Cl, Cl, OMe, 3-
 methyloxyoctyl, CH₂CH₂), (A1022, Cl, Cl, OMe, 3-methyloxy-5,5-dimethylhexyl,
 CH₂CH₂), (A1023, Cl, Cl, OMe, 3-ethyloxypropyl, CH₂CH₂), (A1024, Cl, Cl, OMe, 3-
 10 ethyloxybutyl, CH₂CH₂), (A1025, Cl, Cl, OMe, 3-ethyloxypentyl, CH₂CH₂), (A1026, Cl,
 Cl, OMe, 3-ethyloxyhexyl, CH₂CH₂), (A1027, Cl, Cl, OMe, 3-ethyloxy-4-methylpentyl,
 CH₂CH₂), (A1028, Cl, Cl, OMe, 3-ethyloxyheptyl, CH₂CH₂), (A1029, Cl, Cl, OMe, 3-
 ethyloxy-5-methylhexyl, CH₂CH₂), (A1030, Cl, Cl, OMe, 3-ethoxy-4,4-dimethylpentyl,
 CH₂CH₂), (A1031, Cl, Cl, OMe, 3-ethyloxyoctyl, CH₂CH₂), (A1032, Cl, Cl, OMe, 3-
 15 ethyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1034, Cl, Cl, OMe, 3-n-propyloxybutyl,
 CH₂CH₂), (A1035, Cl, Cl, OMe, 3-n-propyloxypentyl, CH₂CH₂), (A1036, Cl, Cl, OMe,
 3-n-propyloxyhexyl, CH₂CH₂), (A1037, Cl, Cl, OMe, 3-n-propyloxy-4-methylpentyl,
 CH₂CH₂), (A1038, Cl, Cl, OMe, 3-n-propyloxyheptyl, CH₂CH₂), (A1039, Cl, Cl, OMe,
 3-n-propyloxy-5-methylhexyl, CH₂CH₂), (A1040, Cl, Cl, OMe, 3-n-propyloxy-4,4-
 20 dimethylpentyl, CH₂CH₂), (A1041, Cl, Cl, OMe, 3-n-propyloxyoctyl, CH₂CH₂), (A1042,
 Cl, Cl, OMe, 3-n-propyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1043, Cl, Cl, OMe, 3-
 isopropyloxypropyl, CH₂CH₂), (A1044, Cl, Cl, OMe, 3-isopropyloxybutyl, CH₂CH₂),
 (A1045, Cl, Cl, OMe, 3-isopropyloxypentyl, CH₂CH₂), (A1046, Cl, Cl, OMe, 3-
 isopropyloxyhexyl, CH₂CH₂), (A1047, Cl, Cl, OMe, 3-isopropyloxy-4-methylpentyl,
 25 CH₂CH₂), (A1048, Cl, Cl, OMe, 3-isopropyloxyheptyl, CH₂CH₂), (A1049, Cl, Cl, OMe,
 3-isopropyloxy-5-methylhexyl, CH₂CH₂), (A1050, Cl, Cl, OMe, 3-isopropyloxy-4,4-
 dimethylpentyl, CH₂CH₂), (A1051, Cl, Cl, OMe, 3-isopropyloxyoctyl, CH₂CH₂), (A1052,
 Cl, Cl, OMe, 3-isopropyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1053, Cl, Cl, OMe, 3-n-
 butyloxypropyl, CH₂CH₂), (A1054, Cl, Cl, OMe, 3-n-butyloxybutyl, CH₂CH₂), (A1055,
 30 Cl, Cl, OMe, 3-n-butyloxypentyl, CH₂CH₂), (A1056, Cl, Cl, OMe, 3-n-butyloxyhexyl,

CH₂CH₂), (A1057, Cl, Cl, OMe, 3-n-butyloxy-4-methylpentyl, CH₂CH₂), (A1058, Cl, Cl, OMe, 3-n-butyloxyheptyl, CH₂CH₂), (A1059, Cl, Cl, OMe, 3-n-butyloxy-5-methylhexyl, CH₂CH₂), (A1060, Cl, Cl, OMe, 3-n-butyloxy-4,4-dimethylpentyl, CH₂CH₂), (A1061, Cl, Cl, OMe, 3-n-butyloxyoctyl, CH₂CH₂), (A1062, Cl, Cl, OMe, 3-n-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1063, Cl, Cl, OMe, 3-isobutyloxypropyl, CH₂CH₂), (A1064, Cl, Cl, OMe, 3-isobutyloxybutyl, CH₂CH₂), (A1065, Cl, Cl, OMe, 3-isobutyloxypentyl, CH₂CH₂), (A1066, Cl, Cl, OMe, 3-isobutyloxyhexyl, CH₂CH₂), (A1067, Cl, Cl, OMe, 3-isobutyloxy-4-methylpentyl, CH₂CH₂), (A1068, Cl, Cl, OMe, 3-isobutyloxyheptyl, CH₂CH₂), (A1069, Cl, Cl, OMe, 3-isobutyloxy-5-methylhexyl, CH₂CH₂), (A1070, Cl, Cl, OMe, 3-isobutyloxy-4,4-dimethylpentyl, CH₂CH₂), (A1071, Cl, Cl, OMe, 3-isobutyloxyoctyl, CH₂CH₂), (A1072, Cl, Cl, OMe, 3-isobutyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1073, Cl, Cl, OMe, 3-t-butyloxypropyl, CH₂CH₂), (A1074, Cl, Cl, OMe, 3-t-butyloxybutyl, CH₂CH₂), (A1075, Cl, Cl, OMe, 3-t-butyloxypentyl, CH₂CH₂), (A1076, Cl, Cl, OMe, 3-t-butyloxyhexyl, CH₂CH₂), (A1077, Cl, Cl, OMe, 3-t-butyloxy-4-methylpentyl, CH₂CH₂), (A1078, Cl, Cl, OMe, 3-t-butyloxyheptyl, CH₂CH₂), (A1079, Cl, Cl, OMe, 3-t-butyloxy-5-methylhexyl, CH₂CH₂), (A1080, Cl, Cl, OMe, 3-t-butyloxy-4,4-dimethylpentyl, CH₂CH₂), (A1081, Cl, Cl, OMe, 3-t-butyloxyoctyl, CH₂CH₂), (A1082, Cl, Cl, OMe, 3-t-butyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1083, Cl, Cl, OMe, 3-n-pentyloxypropyl, CH₂CH₂), (A1084, Cl, Cl, OMe, 3-n-pentyloxybutyl, CH₂CH₂), (A1085, Cl, Cl, OMe, 3-n-pentyloxypentyl, CH₂CH₂), (A1086, Cl, Cl, OMe, 3-n-pentyloxyhexyl, CH₂CH₂), (A1087, Cl, Cl, OMe, 3-n-pentyloxy-4-methylpentyl, CH₂CH₂), (A1088, Cl, Cl, OMe, 3-n-pentyloxyheptyl, CH₂CH₂), (A1089, Cl, Cl, OMe, 3-n-pentyloxy-5-methylhexyl, CH₂CH₂), (A1090, Cl, Cl, OMe, 3-n-pentyloxy-4,4-dimethylpentyl, CH₂CH₂), (A1091, Cl, Cl, OMe, 3-n-pentyloxyoctyl, CH₂CH₂), (A1092, Cl, Cl, OMe, 3-n-pentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1093, Cl, Cl, OMe, 3-neopentyloxypropyl, CH₂CH₂), (A1094, Cl, Cl, OMe, 3-neopentyloxybutyl, CH₂CH₂), (A1095, Cl, Cl, OMe, 3-neopentyloxypentyl, CH₂CH₂), (A1096, Cl, Cl, OMe, 3-neopentyloxyhexyl, CH₂CH₂), (A1097, Cl, Cl, OMe, 3-neopentyloxy-4-methylpentyl, CH₂CH₂), (A1098, Cl, Cl, OMe, 3-neopentyloxyheptyl, CH₂CH₂), (A1099, Cl, Cl, OMe, 3-neopentyloxy-5-methylhexyl, CH₂CH₂), (A1100, Cl, Cl, OMe, 3-neopentyloxy-4,4-

dimethylpentyl, CH₂CH₂), (A1101, Cl, Cl, OMe, 3-neopentyloxyoctyl, CH₂CH₂),
 (A1102, Cl, Cl, OMe, 3-neopentyloxy-5,5-dimethylhexyl, CH₂CH₂), (A1103, Cl, Cl, Me,
 3-methyloxypropyl, OCH₂), (A1104, Cl, Cl, Me, 3-methyloxybutyl, OCH₂), (A1105, Cl,
 Cl, Me, 3-methyloxypropyl, OCH₂), (A1106, Cl, Cl, Me, 3-methyloxyhexyl, OCH₂),
 5 (A1107, Cl, Cl, Me, 3-methyloxy-4-methylpentyl, OCH₂), (A1108, Cl, Cl, Me, 3-
 methyloxyheptyl, OCH₂), (A1109, Cl, Cl, Me, 3-methyloxy-5-methylhexyl, OCH₂),
 (A1110, Cl, Cl, Me, 3-methoxy-4,4-dimethylpentyl, OCH₂), (A1111, Cl, Cl, Me, 3-
 methyloxyoctyl, OCH₂), (A1112, Cl, Cl, Me, 3-methyloxy-5,5-dimethylhexyl, OCH₂),
 (A1113, Cl, Cl, Me, 3-ethyloxypropyl, OCH₂), (A1114, Cl, Cl, Me, 3-ethyloxybutyl,
 10 OCH₂), (A1115, Cl, Cl, Me, 3-ethyloxypropyl, OCH₂), (A1116, Cl, Cl, Me, 3-
 ethyloxyhexyl, OCH₂), (A1117, Cl, Cl, Me, 3-ethyloxy-4-methylpentyl, OCH₂), (A1118,
 Cl, Cl, Me, 3-ethyloxyheptyl, OCH₂), (A1119, Cl, Cl, Me, 3-ethyloxy-5-methylhexyl,
 OCH₂), (A1120, Cl, Cl, Me, 3-ethoxy-4,4-dimethylpentyl, OCH₂), (A1121, Cl, Cl, Me, 3-
 ethyloxyoctyl, OCH₂), (A1122, Cl, Cl, Me, 3-ethyloxy-5,5-dimethylhexyl, OCH₂), (A1124,
 15 Cl, Cl, Me, 3-n-propyloxybutyl, OCH₂), (A1125, Cl, Cl, Me, 3-n-propyloxypropyl, OCH₂),
 (A1126, Cl, Cl, Me, 3-n-propyloxyhexyl, OCH₂), (A1127, Cl, Cl, Me, 3-n-propyloxy-4-
 methylpentyl, OCH₂), (A1128, Cl, Cl, Me, 3-n-propyloxyheptyl, OCH₂), (A1129, Cl, Cl,
 Me, 3-n-propyloxy-5-methylhexyl, OCH₂), (A1130, Cl, Cl, Me, 3-n-propyloxy-4,4-
 dimethylpentyl, OCH₂), (A1131, Cl, Cl, Me, 3-n-propyloxyoctyl, OCH₂), (A1132, Cl, Cl,
 20 Me, 3-n-propyloxy-5,5-dimethylhexyl, OCH₂), (A1133, Cl, Cl, Me, 3-isopropyloxypropyl,
 OCH₂), (A1134, Cl, Cl, Me, 3-isopropyloxybutyl, OCH₂), (A1135, Cl, Cl, Me, 3-
 isopropyloxypropyl, OCH₂), (A1136, Cl, Cl, Me, 3-isopropyloxyhexyl, OCH₂), (A1137, Cl,
 Cl, Me, 3-isopropyloxy-4-methylpentyl, OCH₂), (A1138, Cl, Cl, Me, 3-
 isopropyloxyheptyl, OCH₂), (A1139, Cl, Cl, Me, 3-isopropyloxy-5-methylhexyl, OCH₂),
 25 (A1140, Cl, Cl, Me, 3-isopropyloxy-4,4-dimethylpentyl, OCH₂), (A1141, Cl, Cl, Me, 3-
 isopropyloxyoctyl, OCH₂), (A1142, Cl, Cl, Me, 3-isopropyloxy-5,5-dimethylhexyl, OCH₂),
 (A1143, Cl, Cl, Me, 3-n-butyloxypropyl, OCH₂), (A1144, Cl, Cl, Me, 3-n-butyloxybutyl,
 OCH₂), (A1145, Cl, Cl, Me, 3-n-butyloxypropyl, OCH₂), (A1146, Cl, Cl, Me, 3-n-
 butyloxyhexyl, OCH₂), (A1147, Cl, Cl, Me, 3-n-butyloxy-4-methylpentyl, OCH₂),
 30 (A1148, Cl, Cl, Me, 3-n-butyloxyheptyl, OCH₂), (A1149, Cl, Cl, Me, 3-n-butyloxy-5-


methylhexyl, OCH₂), (A1150, Cl, Cl, Me, 3-n-butyloxy-4,4-dimethylpentyl, OCH₂),
 (A1151, Cl, Cl, Me, 3-n-butyloxyoctyl, OCH₂), (A1152, Cl, Cl, Me, 3-n-butyloxy-5,5-
 dimethylhexyl, OCH₂), (A1153, Cl, Cl, Me, 3-isobutyloxypropyl, OCH₂), (A1154, Cl, Cl,
 Me, 3-isobutyloxybutyl, OCH₂), (A1155, Cl, Cl, Me, 3-isobutyloxypentyl, OCH₂), (A1156,
 5 Cl, Cl, Me, 3-isobutyloxyhexyl, OCH₂), (A1157, Cl, Cl, Me, 3-isobutyloxy-4-
 methylpentyl, OCH₂), (A1158, Cl, Cl, Me, 3-isobutyloxyheptyl, OCH₂), (A1159, Cl, Cl,
 Me, 3-isobutyloxy-5-methylhexyl, OCH₂), (A1160, Cl, Cl, Me, 3-isobutyloxy-4,4-
 dimethylpentyl, OCH₂), (A1161, Cl, Cl, Me, 3-isobutyloxyoctyl, OCH₂), (A1162, Cl, Cl,
 Me, 3-isobutyloxy-5,5-dimethylhexyl, OCH₂), (A1163, Cl, Cl, Me, 3-t-butyloxypropyl,
 10 OCH₂), (A1164, Cl, Cl, Me, 3-t-butyloxybutyl, OCH₂), (A1165, Cl, Cl, Me, 3-t-
 butyloxypentyl, OCH₂), (A1166, Cl, Cl, Me, 3-t-butyloxyhexyl, OCH₂), (A1167, Cl, Cl,
 Me, 3-t-butyloxy-4-methylpentyl, OCH₂), (A1168, Cl, Cl, Me, 3-t-butyloxyheptyl,
 OCH₂), (A1169, Cl, Cl, Me, 3-t-butyloxy-5-methylhexyl, OCH₂), (A1170, Cl, Cl, Me, 3-t-
 butyloxy-4,4-dimethylpentyl, OCH₂), (A1171, Cl, Cl, Me, 3-t-butyloxyoctyl, OCH₂),
 15 (A1172, Cl, Cl, Me, 3-t-butyloxy-5,5-dimethylhexyl, OCH₂), (A1173, Cl, Cl, Me, 3-n-
 pentyloxypropyl, OCH₂), (A1174, Cl, Cl, Me, 3-n-pentyloxybutyl, OCH₂), (A1175, Cl, Cl,
 Me, 3-n-pentyloxypentyl, OCH₂), (A1176, Cl, Cl, Me, 3-n-pentyloxyhexyl, OCH₂),
 (A1177, Cl, Cl, Me, 3-n-pentyloxy-4-methylpentyl, OCH₂), (A1178, Cl, Cl, Me, 3-n-
 pentyloxyheptyl, OCH₂), (A1179, Cl, Cl, Me, 3-n-pentyloxy-5-methylhexyl, OCH₂),
 20 (A1180, Cl, Cl, Me, 3-n-pentyloxy-4,4-dimethylpentyl, OCH₂), (A1181, Cl, Cl, Me, 3-n-
 pentyloxyoctyl, OCH₂), (A1182, Cl, Cl, Me, 3-n-pentyloxy-5,5-dimethylhexyl, OCH₂),
 (A1183, Cl, Cl, Me, 3-neopentyloxypropyl, OCH₂), (A1184, Cl, Cl, Me, 3-
 neopentyloxybutyl, OCH₂), (A1185, Cl, Cl, Me, 3-neopentyloxypentyl, OCH₂), (A1186,
 Cl, Cl, Me, 3-neopentyloxyhexyl, OCH₂), (A1187, Cl, Cl, Me, 3-neopentyloxy-4-
 25 methylpentyl, OCH₂), (A1188, Cl, Cl, Me, 3-neopentyloxyheptyl, OCH₂), (A1189, Cl, Cl,
 Me, 3-neopentyloxy-5-methylhexyl, OCH₂), (A1190, Cl, Cl, Me, 3-neopentyloxy-4,4-
 dimethylpentyl, OCH₂), (A1191, Cl, Cl, Me, 3-neopentyloxyoctyl, OCH₂), (A1192, Cl, Cl,
 Me, 3-neopentyloxy-5,5-dimethylhexyl, OCH₂), (A1193, Cl, Cl, OMe, 3-methyloxypropyl,
 OCH₂), (A1194, Cl, Cl, OMe, 3-methyloxybutyl, OCH₂), (A1195, Cl, Cl, OMe, 3-
 30 methyloxypentyl, OCH₂), (A1196, Cl, Cl, OMe, 3-methyloxyhexyl, OCH₂), (A1197, Cl,

Cl, OMe, 3-methyloxy-4-methylpentyl, OCH₂), (A1198, Cl, Cl, OMe, 3-methyloxyheptyl, OCH₂), (A1199, Cl, Cl, OMe, 3-methyloxy-5-methylhexyl, OCH₂), (A1200, Cl, Cl, OMe, 3-methoxy-4,4-dimethylpentyl, OCH₂), (A1201, Cl, Cl, OMe, 3-methyloxyoctyl, OCH₂), (A1202, Cl, Cl, OMe, 3-methyloxy-5,5-dimethylhexyl, OCH₂), (A1203, Cl, Cl, OMe, 3-ethyloxypropyl, OCH₂), (A1204, Cl, Cl, OMe, 3-ethyloxybutyl, OCH₂), (A1205, Cl, Cl, OMe, 3-ethyloxypentyl, OCH₂), (A1206, Cl, Cl, OMe, 3-ethyloxyhexyl, OCH₂), (A1207, Cl, Cl, OMe, 3-ethyloxy-4-methylpentyl, OCH₂), (A1208, Cl, Cl, OMe, 3-ethyloxyheptyl, OCH₂), (A1209, Cl, Cl, OMe, 3-ethyloxy-5-methylhexyl, OCH₂), (A1210, Cl, Cl, OMe, 3-ethoxy-4,4-dimethylpentyl, OCH₂), (A1211, Cl, Cl, OMe, 3-ethyloxyoctyl, OCH₂), (A1212, Cl, Cl, OMe, 3-ethyloxy-5,5-dimethylhexyl, OCH₂), (A1213, Cl, Cl, OMe, 3-n-propyloxypropyl, OCH₂), (A1214, Cl, Cl, OMe, 3-n-propyloxybutyl, OCH₂), (A1215, Cl, Cl, OMe, 3-n-propyloxypentyl, OCH₂), (A1216, Cl, Cl, OMe, 3-n-propyloxyhexyl, OCH₂), (A1217, Cl, Cl, OMe, 3-n-propyloxy-4-methylpentyl, OCH₂), (A1218, Cl, Cl, OMe, 3-n-propyloxyheptyl, OCH₂), (A1219, Cl, Cl, OMe, 3-n-propyloxy-5-methylhexyl, OCH₂), (A1220, Cl, Cl, OMe, 3-n-propyloxy-4,4-dimethylpentyl, OCH₂), (A1221, Cl, Cl, OMe, 3-n-propyloxyoctyl, OCH₂), (A1222, Cl, Cl, OMe, 3-n-propyloxy-5,5-dimethylhexyl, OCH₂), (A1223, Cl, Cl, OMe, 3-isopropyloxypropyl, OCH₂), (A1224, Cl, Cl, OMe, 3-isopropyloxybutyl, OCH₂), (A1225, Cl, Cl, OMe, 3-isopropyloxypentyl, OCH₂), (A1226, Cl, Cl, OMe, 3-isopropyloxyhexyl, OCH₂), (A1227, Cl, Cl, OMe, 3-isopropyloxy-4-methylpentyl, OCH₂), (A1228, Cl, Cl, OMe, 3-isopropyloxyheptyl, OCH₂), (A1229, Cl, Cl, OMe, 3-isopropyloxy-5-methylhexyl, OCH₂), (A1230, Cl, Cl, OMe, 3-isopropyloxy-4,4-dimethylpentyl, OCH₂), (A1231, Cl, Cl, OMe, 3-isopropyloxyoctyl, OCH₂), (A1232, Cl, Cl, OMe, 3-isopropyloxy-5,5-dimethylhexyl, OCH₂), (A1233, Cl, Cl, OMe, 3-n-butyloxypropyl, OCH₂), (A1234, Cl, Cl, OMe, 3-n-butyloxybutyl, OCH₂), (A1235, Cl, Cl, OMe, 3-n-butyloxypentyl, OCH₂), (A1236, Cl, Cl, OMe, 3-n-butyloxyhexyl, OCH₂), (A1237, Cl, Cl, OMe, 3-n-butyloxy-4-methylpentyl, OCH₂), (A1238, Cl, Cl, OMe, 3-n-butyloxyheptyl, OCH₂), (A1239, Cl, Cl, OMe, 3-n-butyloxy-5-methylhexyl, OCH₂), (A1240, Cl, Cl, OMe, 3-n-butyloxy-4,4-dimethylpentyl, OCH₂), (A1241, Cl, Cl, OMe, 3-n-butyloxyoctyl, OCH₂), (A1242, Cl, Cl, OMe, 3-n-butyloxy-5,5-dimethylhexyl, OCH₂), (A1243, Cl, Cl, OMe, 3-isobutyloxypropyl, OCH₂), (A1244, Cl, Cl, OMe, 3-

isobutyloxybutyl, OCH₂), (A1245, Cl, Cl, OMe, 3-isobutyloxypropyl, OCH₂), (A1246, Cl, Cl, OMe, 3-isobutyloxyhexyl, OCH₂), (A1247, Cl, Cl, OMe, 3-isobutyloxy-4-methylpentyl, OCH₂), (A1248, Cl, Cl, OMe, 3-isobutyloxyheptyl, OCH₂), (A1249, Cl, Cl, OMe, 3-isobutyloxy-5-methylhexyl, OCH₂), (A1250, Cl, Cl, OMe, 3-isobutyloxy-4,4-dimethylpentyl, OCH₂), (A1251, Cl, Cl, OMe, 3-isobutyloxyoctyl, OCH₂), (A1252, Cl, Cl, OMe, 3-isobutyloxy-5,5-dimethylhexyl, OCH₂), (A1253, Cl, Cl, OMe, 3-t-butyloxypropyl, OCH₂), (A1254, Cl, Cl, OMe, 3-t-butyloxybutyl, OCH₂), (A1255, Cl, Cl, OMe, 3-t-butyloxypropyl, OCH₂), (A1256, Cl, Cl, OMe, 3-t-butyloxyhexyl, OCH₂), (A1257, Cl, Cl, OMe, 3-t-butyloxy-4-methylpentyl, OCH₂), (A1258, Cl, Cl, OMe, 3-t-butyloxyheptyl, OCH₂), (A1259, Cl, Cl, OMe, 3-t-butyloxy-5-methylhexyl, OCH₂), (A1260, Cl, Cl, OMe, 3-t-butyloxy-4,4-dimethylpentyl, OCH₂), (A1261, Cl, Cl, OMe, 3-t-butyloxyoctyl, OCH₂), (A1262, Cl, Cl, OMe, 3-t-butyloxy-5,5-dimethylhexyl, OCH₂), (A1263, Cl, Cl, OMe, 3-n-pentyloxypropyl, OCH₂), (A1264, Cl, Cl, OMe, 3-n-pentyloxybutyl, OCH₂), (A1265, Cl, Cl, OMe, 3-n-pentyloxypropyl, OCH₂), (A1266, Cl, Cl, OMe, 3-n-pentyloxyhexyl, OCH₂), (A1267, Cl, Cl, OMe, 3-n-pentyloxy-4-methylpentyl, OCH₂), (A1268, Cl, Cl, OMe, 3-n-pentyloxyheptyl, OCH₂), (A1269, Cl, Cl, OMe, 3-n-pentyloxy-5-methylhexyl, OCH₂), (A1270, Cl, Cl, OMe, 3-n-pentyloxy-4,4-dimethylpentyl, OCH₂), (A1271, Cl, Cl, OMe, 3-n-pentyloxyoctyl, OCH₂), (A1272, Cl, Cl, OMe, 3-n-pentyloxy-5,5-dimethylhexyl, OCH₂), (A1273, Cl, Cl, OMe, 3-neopentyloxypropyl, OCH₂), (A1274, Cl, Cl, OMe, 3-neopentyloxybutyl, OCH₂), (A1275, Cl, Cl, OMe, 3-neopentyloxypropyl, OCH₂), (A1276, Cl, Cl, OMe, 3-neopentyloxyhexyl, OCH₂), (A1277, Cl, Cl, OMe, 3-neopentyloxy-4-methylpentyl, OCH₂), (A1278, Cl, Cl, OMe, 3-neopentyloxyheptyl, OCH₂), (A1279, Cl, Cl, OMe, 3-neopentyloxy-5-methylhexyl, OCH₂), (A1280, Cl, Cl, OMe, 3-neopentyloxy-4,4-dimethylpentyl, OCH₂), (A1281, Cl, Cl, OMe, 3-neopentyloxyoctyl, OCH₂), (A1282, Cl, Cl, OMe, 3-neopentyloxy-5,5-dimethylhexyl, OCH₂), (A1283, F, F, F, 3-neopentyloxypropyl, CH₂CH₂), (A1284, F, F, Cl, 3-neopentyloxypropyl, CH₂CH₂), (A1285, Cl, Cl, F, 3-methyloxyhexyl, CH₂CH₂), (A1286, Cl, Cl, Cl, 3-methyloxyhexyl, CH₂CH₂), (A1287, Cl, Cl, F, 3-ethyloxypropyl, CH₂CH₂), (A1288, Cl, Cl, Cl, 3-ethyloxypropyl, CH₂CH₂), (A1289, Cl, Cl, F, 3-n-butyloxypropyl, CH₂CH₂), (A1290, Cl, Cl, Cl, 3-n-butyloxypropyl, CH₂CH₂), (A1291, Me, Me, Me, 3-methyloxyhexyl,

CH₂CH₂), (A1292, Me, Me, Me, 3-ethoxypropyl, CH₂CH₂), (A1293, Me, Me, Me, 3-n-butylpropyl, CH₂CH₂), (A1294, Me, Me, Me, 3-neopentylpropyl, CH₂CH₂)

Example 79 Synthesis of Compound (B1)



1) Synthesis of 2-[2-fluoro-3-(1-hydroxyhexyl)phenyl]-2-methyl-1,3-dioxolane (16)

To a THF (48 mL) solution of 2-(2-fluorophenyl)-2-methyl-1,3-dioxolane (6.0 g) and N,N,N',N'',N'''-pentamethyldiethylenetriamine (8.0 mL) was added 1.58 M hexane solution of n-butyl lithium (25.3 mL) dropwise at -78 °C. After the reaction mixture was stirred for 1 h, n-hexylaldehyde (5.88 mL) was added into the reaction mixture. After the reaction mixture was stirred for additional 1 h at -78 °C, a saturated ammonium chloride aqueous solution was added into the reaction mixture. The reaction mixture was extracted with ethyl acetate, and the organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (16) 6.9 g.

10

15

¹H-NMR(CDCl₃) 7.39-7.46 (m, 2H), 7.11 (t, 1H, J = 7.6 Hz), 5.02-5.07 (m, 1H), 4.02-4.11 (m, 2H), 3.82-3.91 (m, 2H), 1.73-1.81 (m, 5H), 1.24-1.70 (m, 6H), 0.86-0.89 (m, 3H).

20 2) Synthesis of 2-[2-fluoro-3-(1-methoxyhexyl)phenyl]-2-methyl-1,3-dioxolane (17)

To a DMF (35 mL) solution of 2-[2-fluoro-3-(1-hydroxyhexyl)phenyl]-2-methyl-1,3-dioxolane (6.9 g) and methyl iodide (6.1 mL) was added sodium hydride (1.96 g) under ice-cooling. After the reaction mixture was stirred at room temperature for 1 h, a saturated ammonium chloride aqueous solution was added into the reaction mixture.

5 The reaction mixture was extracted with ethyl acetate, and the organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 20 : 1) to obtain the compound (17) 6.99 g.

¹H-NMR(CDCl₃) 7.33-7.44 (m, 2H), 7.12 (t, 1H, J = 7.6 Hz), 4.56 (dd, 1H, J = 7.6 Hz, 2.1
10 Hz), 4.02-4.14 (m, 2H), 3.85-3.92 (m, 2H), 3.25 (s, 3H), 1.58-1.77 (m, 5H), 1.21-1.46 (m, 6H), 0.86 (t, 3H, J = 6.7 Hz).

3) Synthesis of 2-fluoro-3-(1-methoxyhexyl)acetophenone (18)

To a methanol (10 mL) solution of 2-[2-fluoro-3-(1-methoxyhexyl)phenyl]-2-methyl-
15 1,3-dioxolane (6.98 g) was added 35% hydrochloric acid (0.5 mL) at room temperature. A saturated sodium hydrogencarbonate aqueous solution was added into the reaction mixture. The reaction mixture was extracted with ethyl acetate, and the organic layer was dried over magnesium sulfate, and evaporated to obtain the compound (18).

¹H-NMR(CDCl₃) 7.40-7.80 (m, 1H), 7.56-7.62 (m, 1H), 7.21-7.26 (t, 1H, J = 7.6 Hz),
20 4.54-4.58 (m, 1H), 3.26 (s, 3H), 2.66 (d, 3H, J = 4.9 Hz), 1.62-1.77 (m, 2H), 1.29-1.44 (m, 6H), 0.85 - 0.90 (m, 3H).

4) Synthesis of 4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylamine (19)

To a 10% methanol-chloroform (60 mL) solution of 2-fluoro-3-(1-
25 methoxyhexyl)acetophenone was added bromine (1.21 mL), and the reaction mixture was stirred for 1 h. After the solvent was evaporated, the residue was dissolved in ethanol (60 mL), and thiourea (1.8 g) was added into the reaction mixture. The reaction mixture was heated at reflux for 7 h, and evaporated. A saturated sodium hydrogencarbonate aqueous solution was added into the residue, and the mixture was
30 extracted with ethyl acetate, dried over magnesium sulfate, and evaporated. The

obtained residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (19) 5.0 g.

¹H-NMR(CDCl₃) 7.92 (dt, 1H, J = 7.6 Hz, 1.8 Hz), 7.28-7.34 (m, 1H), 7.20 (t, 1H, J = 7.6 Hz), 7.02 (d, 1H, J = 2.4 Hz), 4.56-4.60 (m, 1H), 3.25 (s, 3H), 1.63-1.83 (m, 2H), 1.24-1.47 (m, 6H), 0.81-0.89 (m, 3H).

5) Synthesis of ethyl 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylate (20)


To a DMF (6 mL) solution of 4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylamine (318 mg), 3-(4-bromo-2,6-difluorophenyl)-2-methylacrylic acid ethyl ester (300 mg), and dichlorobis(triphenylphosphine)palladium (36 mg) was added triethylamine (0.43 mL). The reaction mixture was stirred under carbon monoxide atmosphere at 85 °C for 16 h. Water was poured into the reaction mixture, and the reaction mixture extracted with ethyl acetate, and the organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 4 : 1) to obtain the compound (20) 500 mg.

6) Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1)

To a mixture of THF (2 mL), methanol (2 mL), and 2N sodium hydroxide aqueous solution of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid ethyl ester (500 mg) was stirred at room temperature for 3 h. The reaction mixture was acidified with hydrochloric acid, and extracted with ethyl acetate. The organic layer was washed with water, and brine, dried over magnesium sulfate, and evaporated. The residue was recrystallized from ethyl acetate to obtain the compound (B1) 370 mg.

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 7.94-8.08 (m, 3H), 7.66 (d, 1H, J = 2.1 Hz), 7.30-7.42 (m, 3H), 4.57 (t, 1H, J = 6.4 Hz), 3.18 (s, 3H), 1.81 (s, 3H), 1.60-1.81 (m, 2H), 1.20-1.50 (m, 6H), 0.80-0.90 (m, 3H).

Example 80 Synthesis of compound (B533)



1) Synthesis of (methyloxymethyloxycarbonylmethyl)triphenylphosphonium chloride

(22)

Methyl dimethoxyacetate (15 g) was dissolved in acetyl chloride (9.7 g), and iodine (0.09 g) was added into the mixture. The reaction mixture was stirred for 3 h, and evaporated. The residue was dissolved again in dichloromethane (200 mL), and triphenylphosphine (29.5 g) was added into the reaction mixture. The reaction mixture was stirred for 3 h, and evaporated to obtain the compound (22) 44 g.

$^1\text{H-NMR}(\text{CDCl}_3)$ 7.96 - 8.03 (m, 6H), 7.63 - 7.78 (m, 9H), 3.90 (s, 3H), 3.60 (s, 3H), 3.43 (s, 1H).

2) Synthesis of methyl (Z)-3-(4-bromo-2,6-difluorophenyl)-2-methoxyacrylate (23)

4-Bromo-2,6-difluorobenzaldehyde (31.2 g) was dissolved in dichloromethane (300 mL), and (methyloxymethyloxycarbonylmethyl)triphenylphosphonium chloride (113.3 g) was added into the mixture. To the reaction mixture was added triethylamine (59 mL) dropwise, and the reaction mixture was stirred for 3 h. To the reaction mixture

were added ice-water and 2N hydrochloric acid, and the reaction mixture was extracted with ethyl acetate. The organic layer was washed with water, and brine, dried over magnesium sulfate, evaporated. The obtained residue was purified by column chromatography (hexane : ethyl acetate = 10 :1) to obtain the compound (23) 32.1 g.

5 ¹H-NMR(CDCl₃) 7.08 - 7.14 (m, 2H), 6.67 - 6.68 (m, 1H), 3.87 (s, 3H), 3.76 (s, 3H).

3) Synthesis of methyl (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylate (24)

4-[2-Fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylamine (460 mg) and methyl (Z)-
10 3-(4-bromo-2,6-difluorophenyl)-2-methoxyacrylate (462 mg), and
dichlorobis(triphenylphosphine)palladium (150 mg) were dissolved in DMF (6 mL).
Triethylamine (0.84 mL) was added into the mixture, and the reaction mixture was
stirred under carbon monoxide atmosphere at 85 °C for 16 h. Water added into the
reaction mixture, and the reaction mixture was extracted with ethyl acetate. The
15 organic layer was washed with water, and brine, dried over magnesium sulfate,
evaporated. The obtained residue was purified by column chromatography (hexane :
ethyl acetate = 4 :1) to obtain the compound (24) 630 mg.

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 8.01 - 8.05 (m, 1H), 7.89 - 7.95 (m, 2H), 7.65 (d, 1H,
J = 2.4 Hz), 7.31 - 7.39 (m, 2H), 6.66 (s, 1H), 4.55 - 4.60 (m, 1H), 3.80 (s, 3H), 3.72 (s, 3H),
20 3.18 (s, 3H), 1.64 - 1.76 (m, 2H), 1.26 - 1.41 (m, 6H), 0.81 - 0.86 (m, 3H).

4) Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B533)

Methyl (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylate (630 mg) was dissolved in a mixture of THF
25 (2 mL), methanol (2 mL), and 2N sodium hydroxide aqueous solution (2 mL), and the
mixture was stirred at room temperature for 3 h. The reaction mixture was acidified
with hydrochloric acid, and the reaction mixture was extracted with ethyl acetate.
The organic layer was washed with water, and brine, dried over magnesium sulfate,
30 evaporated. The obtained residue was recrystallized from ethyl acetate to obtain the

compound (B533) 590mg.

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 8.00 - 8.05 (m, 1H), 7.89 - 7.95 (m, 2H), 7.65 (d, 1H, J = 2.4 Hz), 7.31 - 7.39 (m, 2H), 6.67 (s, 1H), 4.55 - 4.59 (m, 1H), 3.72 (s, 3H), 3.18 (s, 3H), 1.64 - 1.76 (m, 2H), 1.26 - 1.41 (m, 6H), 0.81 - 0.86 (m, 3H).

5

B2 to B101, B121, B122, B134, B169, B170, B195, B216, B233, B255, B264, B347 to B349, B354, B355, B380, B397, B418, B419, B425, B488, B505, B519, B521, B790, B896, B897, B899, B905, B927, B936, B958, B967, B1053, B1054, B1059, B1060, B1102, B1122, B1124, B1238, B1250, B1429, B1432, B1438, B1728 to B1739, B1742, B1744, B1746 to B1757, B1762 to B2047, B2049, B2051 to B2090, and B2097 to B2100 were synthesized by similar method mentioned above.

Example 81 Synthesis of 3-(2,6-difluoro-4-{4-[3-(3,3-dimethylbutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2)

15 ¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 7.88-8.02 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.34 (s, 1H), 7.28 (dt, 1H, J = 7.0 Hz, 1.5 Hz), 7.22 (t, 1H, J = 7.6 Hz), 2.60-2.70 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.42-1.55 (m, 2H), 0.97 (s, 9H).

Example 82 Synthesis of 3-(4-{4-[3-(1-cyclohexyl-1-methyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B3)

20 ¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 7.93-8.08 (m, 3H), 7.65 (d, 1H, J = 2.4 Hz), 7.28-7.48 (m, 3H), 4.32 (d, 1H, J = 7.0 Hz), 3.15 (s, 3H), 1.90 (m, 1H), 1.81 (d, 3H, J = 1.5 Hz), 0.90-1.80 (m, 10H).

25 Example 83 Synthesis of 3-{2,6-difluoro-4-[4-(2-fluoro-3-pentylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B4)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.90-8.02 (m, 3H), 7.64 (d, 1H J = 2.1 Hz), 7.34 (s, 1H), 7.18-7.32 (m, 2H), 2.68 (t, 2H, J = 7.6 Hz), 1.81 (s, 3H), 1.61 (t, 2H, J = 6.9 Hz), 1.20-1.40 (m, 4H), 0.88 (t, 3H, J = 6.0 Hz).

30

Example 84 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B5)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 7.90-8.02 (m, 3H), 7.64 (s, 1H), 7.34 (s, 1H), 7.18-7.33 (m, 2H), 2.67 (t, 2H, J = 7.2 Hz), 1.81 (s, 3H), 1.50-1.70 (m, 3H), 1.19-1.36 (m, 2H),
5 0.86 (d, 6H, J = 6.7 Hz).

Example 85 Syntehsis of 3-(4-{4-[3-(1-cyclohexyl-1-ethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B6)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.00-8.06 (m, 2H), 7.97 (d, 1H, J = 8.5 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.30-7.38 (m, 3H), 4.41 (d, 1H, J = 7.3 Hz), 3.23-3.40 (m, 2H), 1.94 (m, 1H), 1.81(d, 3H, J = 1.5 Hz), 0.90-1.75 (m, 10H), 1.10 (t, 3H, J = 7.0 Hz).

Example 86 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(2,4-dimethyl-3-methyloxy-3-pentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B7)

15 1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.91-8.08 (m, 3H), 7.57 (d, 1H, J = 3.1 Hz), 7.30-7.42 (m, 3H), 3.32 (s, 3H), 2.50-2.70 (m, 2H), 1.81 (s, 3H), 0.90 (d, 12H, J = 6.7 Hz).

Example 87 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methyloxy-4-pentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B8)

20 1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.93-8.04 (m, 3H), 7.62 (d, 1H, J = 2.7 Hz), 7.51 (dt, 1H, J = 1.8, 7.8 Hz), 7.35 (s, 1H), 7.27 (t, 1H, J = 7.8 Hz), 3.17 (s, 3H), 1.82-2.02 (m, 4H), 1.81 (d, 3H, J = 1.5 Hz), 0.75-1.35 (m, 10H).

Example 88 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B9)

25 1H-NMR(DMSO-d6) 13.01 (bs, 2H), 7.92-8.08 (m, 3H), 7.65 (d, 1H, J = 2.4 Hz), 7.30-7.41 (m, 3H), 4.57 (t, 1H, J = 6.4 Hz), 3.18 (s, 3H), 1.81 (d, 3H, J = 1.8 Hz), 1.60-1.80 (m, 2H), 1.15-1.40 (m, 14H), 0.84 (t, 3H, J = 6.5 Hz).

30 Example 89 Syntehsis of 3-(2,6-difluoro-4-{4-[3-(1-ethyloxy-2,2-dimethylpropyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B10)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.93-8.08 (m, 3H), 7.62 (d, 1H, J = 2.7 Hz), 7.30-7.40 (m, 3H), 4.42 (s, 1H), 3.20-3.40 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.11 (t, 3H, J = 7.0 Hz), 0.91 (s, 9H).

5

Example 90 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxy-4-methylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B11)

¹H-NMR(DMSO-d₆) 13.03 (bs, 2H), 7.93-8.08 (m, 3H), 7.66 (d, 1H, J = 2.7 Hz), 7.30-7.43 (m, 3H), 4.55 (t, 1H, J = 6.6 Hz), 3.18 (s, 3H), 1.81 (s, 3H), 1.10-1.85 (m, 5H), 0.84 (d, 6H, J = 6.7 Hz).

10

Example 91 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methyloxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B12)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.93-7.98 (m, 3H), 7.64 (d, 1H, J = 2.3 Hz), 7.20-7.34 (m, 3H), 3.20 (s, 3H), 3.10 (qint, 1H, J = 5.6 Hz), 2.69 (t, 2H, J = 7.7 Hz), 3.18 (s, 3H), 1.81 (d, 3H, J = 1.6 Hz), 1.57-1.67 (m, 2H), 1.39- 1.50 (m, 4H), 0.81 (t, 3H, J = 7.5 Hz).

15

Example 92 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxy-2,2-dimethylpropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B13)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.94-8.06 (m, 3H), 7.63 (d, 1H, J = 2.7 Hz), 7.28-8.38 (m, 3H), 4.32 (s, 1H), 3.14 (s, 3H), 1.81 (d, 3H, J = 1.6 Hz), 0.91 (2, 9H).

20

Example 93 Syntehsis of 3-(4-{4-[3-(1-cyclohexyl-1-n-pentyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B14)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.99 (m, 1H), 7.98 (s, 1H), 7.95 (s, 1H), 7.64 (d, 1H, J = 2.4 Hz), 7.28-7.36 (m, 3H), 4.39 (d, 1H, J = 6.9 Hz), 3.24 (t, 2H, J= 5.7 Hz), 1.93 (m, 1H), 1.81 (d, 3H, J= 1.8 Hz), 0.94-1.76 (m, 16H), 0.84 (t, 3H, J= 7.2 Hz).

25

30 Example 94 Syntehsis of 3-(2,6-difluoro-4-{4-[3-(2,2-dimethyl-1-n-pentyloxypropyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B15)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 7.96-8.05 (m, 3H), 7.62 (s, 1H), 7.26-7.37 (m, 3H), 4.39 (s, 1H), 3.22 (t, 2H, J= 6.6 Hz), 1.81 (s, 3H), 1.44-1.57 (m, 2H), 1.19-1.38 (m, 4H), 0.91 (2, 9H), 0.84-0.88 (m, 3H).

5

Example 95 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methylthio-1-n-pentyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B16)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.94-8.05 (m, 3H), 7.66 (d, 1H, J = 2.4 Hz), 7.32-7.42 (m, 3H), 4.82 (m, 1H), 3.28-3.50 (m, 2H), 2.58 (t, 2H, J= 7.8 Hz), 2.06 (s, 3H), 1.87-10 2.02 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.44-1.58 (m, 2H), 1.20-1.35 (m, 4H), 0.85 (t, 3H, J= 6.9Hz).

Example 96 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methyloxy-3-methylbutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B17)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.90-8.00 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.12-15 7.34 (m, 3H), 3.14 (s, 3H), 2.64-2.70 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.69-1.75 (m, 2H), 1.17 (s, 6H).

Example 97 Syntehsis of 3-[2,6-difluoro-4-(4-{2-fluoro-3-{1-(3-methylbutyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B18)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 7.95-8.04 (m, 3H), 7.64 (d, 1H, J = 2.7 Hz), 7.31-7.40 (m, 3H), 4.59 (t, 1H, J = 6.6 Hz), 3.08-3.50 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.65-1.76 (m, 3H), 1.41 (q, 2H, J= 6.6 Hz), 0.81-0.91 (m, 9H).

25 Example 98 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-pentyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B19)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.91-8.06 (m, 3H), 7.65 (d, 1H, J = 2.4 Hz), 7.31-7.41 (m, 3H), 4.59 (t, 1H, J = 6.6 Hz), 3.25-3.38 (m, 2H), 1.81 (d, 3H, J = 1.8 Hz), 1.64-1.77 (m, 2H), 1.46-1.57 (m, 2H), 1.20-1.35 (m, 4H), 0.89 (t, 3H, J= 7.2 Hz), 0.85 (t, 3H, 30 J=7.2 Hz).

Example 99 Synthesis of 3-[4-(4-{3-(2,2-dimethylpropyloxy)propyl}-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B20)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.92-8.02 (m, 3H), 7.63 (s, 1H), 7.34 (s, 1H), 7.22-7.30 (m, 2H), 3.42 (t, 2H, J = 6.0 Hz), 3.04 (s, 2H), 2.76 (t, 2H, J = 7.8 Hz), 1.81-1.89 (m, 5H), 0.89 (s, 9H).

Example 100 Synthesis of 3-[4-(4-{3-[1-cyclohexyl-1-(4-ethoxybutyloxy)methyl]-2-fluorophenyl]thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B21)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 7.95-8.04 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.33 (d, 3H, J = 7.2 Hz), 4.39 (d, 1H, J = 6.9 Hz), 3.25-3.39 (m, 6H), 1.95 (m, 1H), 1.81 (d, 3H, J = 1.8 Hz), 1.45-1.76 (m, 9H), 1.36 (m, 1H), 0.98-1.23 (m, 4H), 1.07 (t, 3H, J = 6.6 Hz).

Example 101 Synthesis of 3-[2,6-difluoro-4-(4-{3-[1-(4-ethoxybutyloxy)propyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B22)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.95-8.04 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.31-7.40 (m, 3H), 4.60 (t, 1H, J = 5.7 Hz), 3.33-3.37 (m, 6H), 1.81 (d, 3H, J = 1.5 Hz), 1.64-1.77 (m, 2H), 1.54 (s, 4H), 1.07 (t, 3H, J = 6.9 Hz), 0.89 (t, 3H, J = 7.2 Hz).

Example 102 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyheptyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B23)

1H-NMR(DMSO-d6) 13.00 (bs, 1H), 7.95-8.05 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.23-7.33 (m, 3H), 4.54 (t, 1H, J = 6.5 Hz), 3.18 (s, 3H), 1.81 (d, 3H, J = 1.3 Hz), 1.60-1.80 (m, 4H), 1.20-1.30 (m, 6H), 0.81-0.85 (m, 3H).

Example 103 Synthesis of 3-(2,6-difluoro-4-{4-[3-(1-ethoxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B24)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.94-8.04 (m, 3H), 7.65 (d, 1H, J = 2.4 Hz), 7.31-7.42 (m, 3H), 4.67-4.71 (m, 1H), 3.36 (t, 2H, J = 7.0 Hz), 1.81 (d, 3H, J = 1.5 Hz), 1.60-1.78 (m, 2H), 1.27-1.44 (m, 2H), 1.12 (t, 3H, J = 7.0 Hz), 0.89 (t, 3H, J = 7.3 Hz).

Example 104 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxyoctyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B25)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 7.95-8.05(m, 3H), 7.65(d, 1H, J = 2.7 Hz), 7.31-8.38 (m, 3H), 4.56(t, 1H, J = 6.5 Hz), 3.18(s, 3H), 1.81(d, 3H, J = 1.4 Hz), 1.60-1.81 (m, 2H), 1.20-1.37 (m, 10H), 0.81-0.86 (m, 3H).

Example 105 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-pentyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B26)

1H-NMR(DMSO-d6) 13.01(bs, 2H), 7.94-8.04 (m, 3H), 7.65 (d, 1H, J = 2.0 Hz), 7.30-7.40 (m, 3H), 4.62-4.66 (m, 1H), 3.28 (t, 2H, J = 6.4 Hz), 1.80 (s, 3H), 1.60-1.75 (m, 2H), 1.45-1.54 (m, 2H), 1.22-1.33 (m, 8H), 0.83-0.87 (m, 6H).

Example 106 Synthesis of 3-(2,6-difluoro-4-{4-[3-(1-ethyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B27)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 7.95-8.04 (m, 3H), 7.64-7.65 (m, 1H), 7.30-7.41 (m, 3H), 4.67 (t, 1H, J = 6.9 Hz), 3.35 (q, 2H, J = 6.9 Hz), 1.81 (d, 3H, J = 1.3 Hz), 1.60-1.81 (m, 2H), 1.23-1.41 (m, 4H), 1.12 (t, 3H, J = 6.9Hz), 0.83-0.87 (m, 3H).

Example 107 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxynonyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B28)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 7.95-8.05 (m, 3H), 7.65 (d, 1H, J = 2.7 Hz), 7.31-7.39 (m, 3H), 4.56 (t, 1H, J = 7.2 Hz), 3.18 (s, 3H), 1.81 (s, 3H), 1.55-1.85 (m, 2H), 1.17-1.45(m, 12H), 0.83 (t, 3H, J= 6.3 Hz).

Example 108 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B29)

1H-NMR(DMSO-d6) 13.00 (bs, 1H), 7.90-7.98(m, 3H), 7.64(d, 1H, J = 2.4 Hz), 7.23-7.33 (m, 3H), 3.33 (s, 3H), 3.20-3.28 (m, 1H), 2.65-2.70 (m, 2H), 1.81 (d, 3H, J = 1.4 Hz), 1.70-1.80 (m, 2H), 1.32-1.40 (m, 2H), 1.20-1.30 (m, 6H), 0.81-0.85 (m, 3H).

Example 109 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-octyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B30)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.95-8.03 (m, 5H), 7.64 (d, 1H, J = 2.3 Hz), 7.30-
5 7.42 (m, 5H), 4.81 (q, 1H, J = 6.4 Hz), 3.23-3.40 (m, 2H), 1.81 (s, 3H), 1.48-1.52 (m, 2H),
1.40 (d, 3H, J = 6.4 Hz), 1.22-1.29 (m, 10H), 0.82-0.86 (m, 3H).

Example 110 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-pentyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B31)

10 1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.95-8.04 (m, 3H), 7.65 (d, 1H, J = 2.3 Hz), 7.30-
8.43 (m, 3H), 4.80 (q, 1H, J = 6.3 Hz), 3.23-3.34 (m, 2H), 1.48-1.55 (m, 2H), 1.41 (d, 3H, J
= 6.4 Hz), 1.22-1.30 (m, 4H), 0.83-0.88 (m, 3H).

Example 111 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(n-decyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B32)

15 1H-NMR(DMSO-d6) 13.00 (bs, 2H), 8.04 (dt, 1H, J = 7.7 Hz, 1.8 Hz), 7.94-7.99 (m,
2H), 7.65 (d, 1H, J = 2.5 Hz), 7.42 (t, 1H, J = 7.0 Hz), 7.28-7.33 (m, 2H), 4.57 (s, 2H), 3.48
(t, 2H, 6.6 Hz), 1.81 (d, 3H, J = 1.3 Hz), 1.51-1.58 (m, 2H), 1.22-1.35 (m, 14H), 0.81-0.86
(m, 3H).

20

Example 112 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(n-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B33)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.04 (dt, 1H, J = 7.5 Hz, 1.9 Hz), 7.39-7.99 (m,
2H), 7.65 (d, 1H, J = 2.7 Hz), 7.40-7.44 (m, 1H), 7.28-7.34 (m, 2H), 4.58 (s, 2H), 3.49 (t,
25 2H, 6.4 Hz), 1.81 (d, 3H, J = 1.4 Hz), 1.51-1.60 (m, 2H), 1.28-1.32 (m, 4H), 0.84-0.89 (m,
3H).

Example 113 Syntehsis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-propyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B34)

30 1H-NMR(DMSO-d6) 13.00 (bs, 1H), 7.95-8.05(m, 3H), 7.65(d, 1H, J = 2.4 Hz), 7.30-

7.38 (m, 3H), 4.67 (t, 1H, J = 6.4 Hz), 3.22 (t, 2H, J=6.5), 1.81 (d, 3H, J = 1.3 Hz), 1.30-1.84 (m, 6H), 0.81-0.85 (m, 6H).

Example 114 Synthesis of 3-(4-{4-[3-(1-n-butyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B35)

¹H-NMR(DMSO-d₆) 13.00 (bs, 1H), 7.95-8.04(m, 3H), 7.64(d, 1H, J = 2.4 Hz), 7.30-7.38 (m, 3H), 4.67 (t, 1H, J = 6.4 Hz), 3.22 (t, 2H, J=6.5), 1.81 (d, 3H, J = 1.4 Hz), 1.30-1.84 (m, 8H), 0.81-0.85 (m, 6H).

Example 115 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-pentyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B36)

¹H-NMR(DMSO-d₆) 13.00 (bs, 1H), 7.94-8.04(m, 3H), 7.64(d, 1H, J = 2.3 Hz), 7.30-7.38 (m, 3H), 4.66 (t, 1H, J = 6.5 Hz), 3.22 (t, 2H, J=6.5), 1.81 (d, 3H, J = 1.4 Hz), 1.26-1.70 (m, 10H), 0.81-0.85 (m, 6H).

15

Example 116 Synthesis of 3-(4-{4-[3-(1-n-butyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B37)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.94-8.03 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.31-7.40 (m, 3H), 4.59 (t, 1H, J = 6.6 Hz), 3.25-3.33 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.64-1.76 (m, 2H), 1.44-1.55 (m, 2H), 1.28-1.40 (m, 2H), 0.89 (t, 3H, J= 7.2 Hz), 0.86 (t, 3H, J= 7.2 Hz).

20

Example 117 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-hexyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B38)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.95-8.03 (m, 3H), 7.65 (s, 1H), 7.30-7.39 (m, 3H), 4.58 (t, 1H, J = 6.0 Hz), 3.18-3.47 (m, 2H), 1.81 (d, 3H, J = 1.5 Hz), 1.64-1.79 (m, 2H), 1.44-1.56 (m, 2H), 1.16-1.37 (m, 6H), 0.89 (t, 3H, J= 7.5 Hz), 0.84 (t, 3H, J= 6.6 Hz).

25

Example 118 Synthesis of 3-[2,6-difluoro-4-(4-{2-fluoro-3-[3-(4-methylpentyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid

30

(B39)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.91-7.95 (m, 3H), 7.63 (d, 1H, J = 2.4 Hz), 7.34 (s, 1H), 7.21-7.30 (m, 2H), 3.20-3.44 (m, 4H), 2.73 (t, 2H, J = 7.2 Hz), 1.76-1.90 (m, 2H), 1.80 (s, 3H), 1.44-1.56 (m, 4H), 1.14-1.25 (m, 2H), 0.86 (d, 6H, J = 6.6 Hz).

5

Example 119 Synthesis of 3-[2,6-difluoro-4-(4-{3-[3-(3,3-dimethylbutyloxy)propyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B40)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 7.91-7.98 (m, 3H), 7.63 (d, 1H, J = 2.4 Hz), 7.34 (s, 1H), 7.21-7.30 (m, 2H), 3.37-3.41 (m, 4H), 2.74 (t, 2H, J = 7.2 Hz), 1.81 (d, 3H, J = 1.8 Hz),
10 1.78-1.87 (m, 2H), 1.44 (t, 2H, J = 7.5 Hz), 0.90 (s, 9H).

Example 120 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-n-propyloxypentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B41)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.93-8.04 (m, 3H), 7.65 (d, 1H, J = 2.0 Hz), 7.31-
15 7.41 (m, 3H), 4.63-4.67 (m, 1H), 3.25 (t, 2H, J = 6.6 Hz), 1.64-1.81 (m, 5H), 1.52 (q, 2H, J = 6.9 Hz), 1.26-1.40 (m, 4H), 0.82-0.90 (m, 6H).

Example 121 Synthesis of 3-(4-{4-[3-(1-n-butyloxypentyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B42)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.94-8.03 (m, 3H), 7.65 (d, 1H, J = 2.3 Hz), 7.31-
20 7.41 (m, 3H), 4.63-4.67 (m, 1H), 3.29 (t, 2H, J = 6.4 Hz), 1.81 (s, 3H), 1.60-1.78 (m, 2H), 1.44-1.53 (m, 2H), 1.28-1.40 (m, 6H), 0.86 (t, 6H, J = 7.2 Hz).

Example 122 Synthesis of 3-[2,6-difluoro-4-(4-{3-[3-(2-ethylbutyloxy)propyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B43)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.91-7.99 (m, 3H), 7.63 (d, 1H, J = 2.4 Hz), 7.34 (s, 1H), 7.21-7.30 (m, 2H), 3.25-3.42 (m, 4H), 2.74 (t, 2H, J = 7.8 Hz), 1.80-1.88 (m, 2H), 1.81 (d, 3H, J = 2.1 Hz), 1.25-1.42 (m, 5H), 0.85 (t, 6H, J = 7.5 Hz).

30 Example 123 Synthesis of 3-[4-(4-{3-[3-(2-cyclopentylethyloxy)propyl]-2-

fluorophenyl}thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B44)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.91-7.98 (m, 3H), 7.63 (d, 1H, J= 2.7 Hz), 7.34 (s, 1H), 7.20-7.30 (m, 2H), 3.24-3.44 (m, 4H), 2.74 (t, 2H, J = 7.2 Hz), 1.81 (d, 3H, J= 1.8 Hz), 1.66-1.89 (m, 4H), 1.40-1.64 (m, 5H), 1.00-1.14 (m, 4H).

5

Example 124 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-n-pentyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B45)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.91-7.98 (m, 3H), 7.64 (d, 1H, J= 2.4 Hz), 7.34 (s, 1H), 7.21-7.30 (m, 2H), 3.24-3.41 (m, 4H), 2.74 (t, 2H, J = 7.8 Hz), 1.77-1.90 (m, 2H), 1.81 (d, 3H, J= 1.8 Hz), 1.44-1.55 (m, 2H), 1.23-1.36 (m, 4H), 0.84-0.89 (m, 3H).

10

Example 125 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-n-hexyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B46)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.91-7.99 (m, 3H), 7.64 (d, 1H, J= 2.7 Hz), 7.34 (s, 1H), 7.21-7.30 (m, 2H), 3.20-3.42 (m, 4H), 2.74 (t, 2H, J = 7.2 Hz), 1.77-1.87 (m, 2H), 1.81 (d, 3H, J= 1.8 Hz), 1.45-1.51 (m, 2H), 1.20-1.36 (m, 6H), 0.86 (t, 3H, J= 6.9 Hz).

15

Example 126 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxyundecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B47)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.94-8.05 (m, 3H), 7.65 (d, 1H, J = 2.7 Hz), 7.31-7.39 (m, 3H), 4.54-4.58 (m, 1H), 3.18 (s, 3H), 1.81 (s, 3H), 1.60-1.80 (m, 2H), 1.21-1.36 (m, 16H), 0.81-0.86 (m, 3H).

20

Example 127 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxydodecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B48)

25

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.94-8.05 (m, 3H), 7.64 (d, 1H, J = 2.5 Hz), 7.30-7.38 (m, 3H), 4.54-4.58 (m, 1H), 3.17 (s, 3H), 1.81 (d, 3H, J = 1.4 Hz), 1.61-1.81 (m, 2H), 1.21-1.36 (m, 18H), 0.81-0.85 (m, 3H).

30 Example 128 Synthesis of 3-(4-{4-[3-(3-n-butyloxypropyl)-2-fluorophenyl]thiazol-2-

ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B49)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 7.91-8.00 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.34 (s, 1H), 7.21-7.30 (m, 2H), 3.34-3.42 (m, 4H), 2.74 (t, 2H, J = 7.2 Hz), 1.78-1.88 (m, 5H), 1.44-1.53 (m, 2H), 1.25-1.39 (m, 2H), 0.88 (t, 3H, J = 7.2 Hz).

5

Example 129 Synthesis of 3-(4-{4-[3-(1-n-butyloxyethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B50)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.94-8.03 (m, 3H), 7.65 (d, 1H, J = 2.7 Hz), 7.31-7.43 (m, 3H), 4.77-4.84 (m, 1H), 3.24-3.41 (m, 2H), 1.81 (s, 3H), 1.45-1.55 (m, 2H), 1.41(d, 3H, J = 6.3 Hz), 1.29-1.37 (m, 2H), 0.83-0.88 (m, 3H).

10

Example 130 Synthesis of 3-(4-{4-[3-(1,4--dibutyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B51)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.00-8.04 (m, 3H), 7.64 (d, 1H, J = 2.4 Hz), 7.31-7.41 (m, 3H), 4.68 (t, 1H, J = 6.2 Hz), 3.28-3.33 (m, 6H), 1.81 (d, 3H, J = 1.8 Hz), 1.60-1.76 (m, 4H), 1.40-1.52 (m, 4H), 1.23-1.37 (m, 4H), 0.86 (t, 3H, J = 7.2 Hz).

15

Example 131 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-n-hexyloxy-1-methyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B52)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.01-8.06 (m, 2H), 7.97 (d, 1H, J = 8.7 Hz), 7.65 (d, 1H, J = 2.4 Hz), 7.31-7.40 (m, 3H), 4.71 (t, 1H, J = 6.6 Hz), 3.26-3.36 (m, 4H), 3.18 (s, 3H), 1.87-2.00 (m, 2H), 1.81 (s, 3H), 1.39-1.54 (m, 2H), 1.20-1.32 (m, 6H), 0.85 (t, 3H, J = 6.6 Hz).

20

Example 132 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxy-4-n-pentyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B53)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.00-8.06 (m, 2H), 7.97 (d, 1H, J = 8.4 Hz), 7.65 (d, 1H, J = 2.1 Hz), 7.34-7.38 (m, 3H), 4.60 (t, 1H, J = 5.7 Hz), 3.22-3.40 (m, 4H), 3.19 (s, 3H), 1.81(d, 3H, J = 1.5 Hz), 1.66-1.85 (m, 2H), 1.38-1.64 (m, 4H), 1.21-1.29 (m, 4H), 0.84 (t, 3H, J = 6.6 Hz).

30

Example 133 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxy-3,3-dimethylbutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B54)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 7.94-8.03 (m, 3H), 7.66 (d, 1H, J = 2.5 Hz), 7.30-7.41 (m, 3H), 4.65 (dd, 1H, J = 8.8 Hz, 3.0 Hz), 3.15 (s, 3H), 1.81 (d, 3H, J = 1.6 Hz), 1.73 (dd, 1H, J = 14.4 Hz, 8.6 Hz), 1.45 (dd, 1H, J = 14.4 Hz, 2.8 Hz), 0.97 (s, 9H).

Example 134 Synthesis of 3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxy-3-n-butyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B55)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 7.94-8.06 (m, 3H), 7.66 (d, 1H, J = 2.7 Hz), 7.35-7.41 (m, 3H), 4.68-4.73 (m, 1H), 3.34-3.54 (m, 4H), 3.19 (s, 3H), 1.85-2.01 (m, 2H), 1.81 (d, 3H, J = 1.6 Hz), 1.41-1.50 (m, 2H), 1.25-1.37 (m, 2H), 0.86 (t, 3H, J = 7.2 Hz).

Example 135 Synthesis of 3-(2,6-dichloro-4-{4-[3-(1-ethoxy-2,2-dimethylpropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B56)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.02 (m, 1H), 7.62 (d, 1H, J = 2.3 Hz), 7.41 (s, 1H), 7.30-7.40 (m, 2H), 4.42 (s, 1H), 3.20-3.40 (m, 2H), 1.69 (s, 3H), 1.11 (t, 3H, J = 7.0 Hz), 0.91 (s, 9H).

Example 136 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(4-methoxy-4-heptyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B57)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 7.98 (t, 1H, J = 7.3 Hz), 7.62 (d, 1H, J = 2.4 Hz), 7.51 (t, 1H, J = 7.0 Hz), 7.40 (d, 1H, J = 1.2 Hz), 7.27 (t, 1H, J = 7.8 Hz), 3.17 (s, 3H), 1.80-2.00 (m, 4H), 1.69 (d, 3H, J = 1.2 Hz), 0.75-1.35 (m, 10H).

Example 137 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B58)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.02 (m, 1H), 7.65 (d, 1H, J = 2.5 Hz), 7.30-7.44 (m, 3H), 4.57 (t, 1H, J = 6.8 Hz), 3.18 (s, 3H), 1.69 (d, 3H, J = 1.1 Hz), 1.20-1.83 (m, 8H), 0.84 (t, 3H, J = 6.1 Hz).

Example 138 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methoxy-2,4-dimethylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B59)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 8.30 (s, 2H), 8.03 (m, 1H), 7.56 (d, 1H, J = 3.1 Hz),
5 7.30-7.44 (m, 3H), 3.33 (s, 3H), 2.50-2.70 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 0.90 (d, 12H,
J = 6.7 Hz).

Example 139 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-4-methylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B60)

10 1H-NMR(DMSO-d6) 13.03 (bs, 2H), 8.29 (d, 2H, J = 1.2 Hz), 8.03 (m, 1H), 7.66 (d, 1H,
J = 0.9 Hz), 7.31-7.45 (m, 3H), 4.55 (t, 1H, J = 6.3 Hz), 3.18 (d, 3H, J = 1.2 Hz), 1.69 (s,
3H), 1.10-1.85 (m, 5H), 0.85 (d, 6H, J = 6.7 Hz).

Example 140 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B61)

15 1H-NMR(DMSO-d6) 13.03 (bs, 2H), 8.29 (s, 2H), 8.02 (m, 1H), 7.64 (d, 1H, J = 1.5 Hz),
7.29-7.45 (m, 3H), 4.56 (t, 1H, J = 6.4 Hz), 3.18 (s, 3H), 1.69 (s, 3H), 1.15-1.85 (m, 16H),
0.83 (t, 3H, J = 6.6 Hz).

20 Example 141 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-ethoxy-3,3-dimethylbutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B62)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.00 (dt, 1H, J = 1.8, 7.6 Hz), 7.65 (d,
1H, J = 2.4 Hz), 7.29-7.45 (m, 3H), 4.77 (dd, 1H, J = 2.4, 8.8 Hz), 3.25-3.40 (m, 2H), 1.69
(s, 3H), 1.68 (m, 1H), 1.43 (dd, 1H, J = 2.4, 14.3 Hz), 1.12 (t, 3H, J = 6.9 Hz), 0.99 (s, 9H).

25

Example 142 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methoxy-1-n-pentyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B63)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.35 (s, 1H), 8.16 (d, 1H, J = 9.9 Hz), 8.00-8.08 (m,
3H), 7.65 (d, 1H, J = 2.4 Hz), 7.31-7.42 (m, 2H), 4.82 (q, 1H, J = 4.2 Hz), 3.10-3.50 (m, 2H),
30 2.58 (t, 2H, J = 7.5 Hz), 2.06 (s, 3H), 1.82-2.02 (m, 2H), 1.46-1.58 (m, 2H), 1.20-1.36 (m,

4H), 0.85 (t, 3H, J= 6.9Hz).

Example 143 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-2,2-dimethylpropyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B64)

5 ¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.29 (s, 2H), 8.03 (dt, 1H, J = 7.0 Hz, 2.2 Hz), 7.62 (d, 1H, J = 2.5 Hz), 7.28-7.41 (m, 3H), 4.32 (s, 1H), 3.15 (s, 3H), 1.69 (d, 3H, J = 1.3 Hz), 0.91 (s, 9H).

Example 144 Synthesis of 3-[2,6-dichloro-4-(4-{3-[1-(4-ethoxybutyloxy)propyl]-2-fluorophenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B65)

¹H-NMR(DMSO-d₆) 13.03 (bs, 2H), 8.29 (s, 2H), 8.01 (t, 1H, J= 6.0 Hz), 7.64 (d, 1H, J = 2.1 Hz), 7.40 (s, 1H), 7.30-7.37 (m, 2H), 4.59 (t, 1H, J = 6.0 Hz), 3.00-3.70 (m, 6H), 1.60-1.86 (m, 2H), 1.69 (s, 3H), 1.41-1.63 (m, 4H), 1.07 (t, 3H, J= 6.9 Hz), 0.89 (t, 3H, J= 6.9 Hz).

15

Example 145 Synthesis of 3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]-2-fluorophenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B66)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J= 2.4 Hz, 7.2 Hz), 7.63 (d, 1H, J = 2.7 Hz), 7.40 (d, 1H, J= 1.5 Hz), 7.21-7.32 (m, 2H), 3.42 (t, 2H, J = 6.0 Hz), 3.04 (s, 2H), 2.76 (t, 2H, J= 7.2 Hz), 1.80-1.91 (m, 2H), 1.69 (d, 3H, J= 1.2 Hz), 0.89 (s, 9H).

20

Example 146 Synthesis of 3-[2,6-dichloro-4-(4-{3-[1-n-pentyloxypropyl]-2-fluorophenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B67)

25 ¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J= 2.4 Hz, 6.9 Hz), 7.64 (d, 1H, J = 2.4 Hz), 7.31 - 7.40 (m, 3H), 4.59 (t, 1H, J = 6.9 Hz), 3.20 - 3.42 (m, 2H), 1.69 (d, 3H, J = 1.5 Hz), 1.64 - 1.81 (m, 2H), 1.46 - 1.56 (m, 2H), 1.23 - 1.34 (m, 4H), 0.89 (t, 3H, J= 7.2 Hz), 0.85 (t, 3H, J= 7.2 Hz).

30 Example 147 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-

methoxyheptyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B68)

¹H-NMR(DMSO-d₆) 13.01 (bs, 1H), 8.29(d, 2H, J = 0.9 Hz), 8.03 (t, 1H, J=7.3), 7.64 (d, 1H, J = 2.3 Hz), 7.31 - 7.40 (m, 3H), 4.56 (t, 1H, J = 6.5 Hz), 3.18 (s, 3H), 1.60-1.80 (m, 4H), 1.70 (d, 3H, J = 1.3 Hz), 1.20 - 1.30 (m, 6H), 0.81 - 0.85 (m, 3H).

5

Example 148 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyoctyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B69)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.29 (d, 2H, J = 0.9 Hz), 7.99 - 8.10 (m, 1H), 7.64 (d, 1H, J = 1.3 Hz), 7.31 - 7.40 (m, 3H), 4.56 (t, 1H, J = 6.5 Hz), 3.18 (s, 3H), 1.69 (d, 3H, J = 1.3 Hz), 1.58 - 1.84 (m, 2H), 1.16 - 1.40 (m, 10H), 0.81 - 0.85 (m, 3H).

10

Example 149 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-pentyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B70)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.29 (s, 2H), 8.00 (dt, 1H, J = 7.4 Hz, 2.2 Hz), 7.64 (d, 1H, J = 2.5 Hz), 7.30 - 7.40 (m, 3H), 4.64 (dt, 1H, J = 1.6 Hz, 5.5 Hz), 3.28 (t, 2H, J = 6.6 Hz), 1.69 (d, 3H, J = 1.3 Hz), 1.62 - 1.73 (m, 2H), 1.45 - 1.52 (m, 2H), 1.22 - 1.33 (m, 8H), 0.82 - 0.87 (m, 6H).

15

Example 150 Synthesis of 3-(2,6-dichloro-4-{4-[3-(1-ethoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B71)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.29 (s, 1H), 8.00 (dt, 1H, J = 7.3 Hz, 2.0 Hz), 7.64 (d, 1H, J = 2.5 Hz), 7.30 - 7.40 (m, 3H), 4.67 (t, 1H, J = 6.6 Hz), 3.35 (q, 2H, J = 6.9 Hz), 1.63 - 1.73 (m, 5H), 1.27 - 1.33 (m, 4H), 1.12 (t, 3H, J = 6.9 Hz), 0.83 - 0.87 (m, 3H).

20

Example 151 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxynonyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B72)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 8.01 (m, 1H), 7.65 (d, 1H, J = 2.4 Hz), 7.41 (d, 1H, J = 1.2 Hz), 7.32 - 7.38 (m, 2H), 4.52 (t, 1H, J = 6.6 Hz), 3.20 (s, 3H), 1.68 - 1.84 (m, 5H), 1.18-1.40 (m, 12H), 0.87 (t, 3H, J= 7.2 Hz).

25

30

Example 152 Syntehsis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methoxyoctyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B73)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 7.93 (dt, 1H, J = 1.8 Hz, 7.5 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.40 (d, 1H, J = 1.2 Hz), 7.20 - 7.31 (m, 2H), 3.25 (s, 3H), 3.19 (m, 1H),
5 2.62 - 2.80 (m, 2H), 1.72 - 1.77 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.40 - 1.54 (m, 2H), 1.20 - 1.38 (m, 6H), 0.86 (t, 3H, J = 6.6 Hz).

Example 153 Syntehsis of 3-[2,6-dichloro-4-(4-{2-fluoro-3-[1-(3-methylbutoxy)propyl]phenyl}thiazol-2-ylcarbonyl)phenyl]-2-methylacrylic acid
10 (B74)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J = 2.4 Hz, 6.9 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.40 (t, 1H, J = 1.5 Hz), 7.31 - 7.38 (m, 2H), 4.59 (t, 1H, J = 6.0 Hz), 3.12 - 3.43 (m, 2H), 1.63 - 1.81 (m, 3H), 1.37 - 1.44 (m, 2H), 0.89 (t, 3H, J = 7.2 Hz), 0.86 (t, 3H, J = 6.6 Hz), 0.82 (t, 3H, J = 6.6 Hz).

Example 154 Syntehsis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-octyloxyethyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B75)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J = 7.5 Hz, 2.0 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.38 - 7.42 (m, 1H), 7.32 (t, 2H, J = 7.7 Hz), 4.79 (q, 1H, J = 6.7 Hz),
20 3.23 - 3.40 (m, 2H), 1.69 (s, 3H), 1.45 - 1.40 (m, 2H), 1.41 (d, 3H, 6.4 Hz), 1.22 - 1.30 (m, 8H), 0.81 - 0.86 (m, 3H).

Example 155 Syntehsis of 3-{2,6-dichloro-4-[4-(3-n-decyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbonyl]phenyl}-2-methylacrylic acid (B76)

1H-NMR(DMSO-d6) 13.03 (bs, 2H), 8.29 (s, 2H), 8.04 (dt, 1H, J = 7.7 Hz, 1.3 Hz), 7.64 (d, 1H, J = 2.5 Hz), 7.38 - 7.45 (m, 2H), 7.31 (t, 1H, J = 7.7 Hz), 4.58 (s, 2H), 3.48 (t, 2H, 6.5 Hz), 1.69 (s, 3H), 1.49 - 1.58 (m, 2H), 1.22 - 1.33 (m, 14H), 0.82 - 0.86 (m, 3H).

Example 156 Syntehsis of 3-{2,6-dichloro-4-[4-(2-fluoro-3-{n-pentyloxymethyl}phenyl)thiazol-2-ylcarbonyl]phenyl}-2-methylacrylic acid (B77)
30

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 8.04 (dt, 1H, J = 7.5 Hz, 1.8 Hz), 7.66 (d, 1H, J = 2.4 Hz), 7.40 - 7.46 (m, 2H), 7.31 (t, 1H, J = 7.6 Hz), 4.58 (s, 2H), 3.49 (t, 2H, 6.4 Hz), 1.69 (d, 3H, J = 1.5 Hz), 1.52 - 1.60 (m, 2H), 1.28 - 1.33 (m, 4H), 0.84 - 0.89 (m, 3H).

5

Example 157 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-propyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B78)

¹H-NMR(DMSO-d₆) 13.01 (bs, 1H), 8.29 (d, 2H, J = 0.9 Hz), 8.03 (t, 1H, J=7.3), 7.64 (d, 1H, J = 2.3 Hz), 7.31 - 7.40 (m, 3H), 4.67 (t, 1H, J = 6.5 Hz), 3.21 (t, 2H, J=6.5), 1.66 (d, 3H, J = 1.3 Hz), 1.30 - 1.84 (m, 6H), 0.81 - 0.85 (m, 6H).

10

Example 158 Synthesis of 3-(4-{4-[3-(1-n-butyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B79)

¹H-NMR(DMSO-d₆) 13.00 (bs, 1H), 8.27 (d, 2H, J = 0.9 Hz), 8.00 (t, 1H, J=7.4), 7.63 (d, 1H, J = 2.3 Hz), 7.31 - 7.38 (m, 3H), 4.67 (t, 1H, J = 6.4 Hz), 3.21 (t, 2H, J=6.5), 1.69 (d, 3H, J = 1.3 Hz), 1.20 - 1.84 (m, 8H), 0.81 - 0.85 (m, 6H).

15

Example 159 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-pentyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B80)

¹H-NMR(DMSO-d₆) 13.00 (bs, 1H), 8.28 (d, 2H, J = 0.9 Hz), 8.00 (t, 1H, J=7.4), 7.63 (d, 1H, J = 2.3 Hz), 7.31 - 7.38 (m, 3H), 4.65 (t, 1H, J = 6.4 Hz), 3.21 (t, 2H, J=6.5), 1.70 (d, 3H, J = 1.3 Hz), 1.20 - 1.70 (m, 10H), 0.81 - 0.85 (m, 6H).

20

Example 160 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B81)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J= 2.1 Hz, 7.2 Hz), 7.64 (d, 1H, J = 2.4 Hz), 7.31 - 7.43 (m, 3H), 4.60 (t, 1H, J = 6.3 Hz), 3.21 - 3.40 (m, 3H), 1.69 (d, 3H, J = 1.2 Hz), 1.64 - 1.82 (m, 2H), 1.47 - 1.59 (m, 2H), 0.89 (t, 3H, J= 7.5 Hz), 0.88 (t, 3H, J= 7.2 Hz).

25

30

Example 161 Synthesis of 3-(4-{4-[3-(1-n-butyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B82)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J = 2.1 Hz, 7.2 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.40 (d, 1H, J = 1.5 Hz), 7.31 - 7.38 (m, 2H), 4.59 (t, 1H, J = 6.6 Hz),
5 3.24 - 3.37 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.45 - 1.55 (m, 2H), 1.28 - 1.40 (m, 4H), 0.89 (t, 3H, J = 7.5 Hz), 0.86 (t, 3H, J = 7.2 Hz).

Example 162 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-hexyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B83)

10 1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J = 2.7 Hz, 6.9 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.30 - 7.40 (m, 3H), 4.59 (t, 1H, J = 6.6 Hz), 3.25 - 3.39 (m, 2H), 1.64 - 1.81 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.49 - 1.56 (m, 2H), 1.16 - 1.36 (m, 6H), 0.89 (t, 3H, J = 7.2 Hz), 0.84 (t, 3H, J = 6.6 Hz).

15 Example 163 Synthesis of 3-[2,6-dichloro-4-(4-[2-fluoro-3-[3-(4-methylpentyloxy)propyl]phenyl]thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B84)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 2.4 Hz, 7.2 Hz), 7.63 (d, 1H, J = 2.4 Hz), 7.40 (d, 1H, J = 1.2 Hz), 7.21 - 7.30 (m, 2H), 3.32 - 3.41 (m, 4H), 2.74 (t, 2H, J = 7.8 Hz), 1.78 - 1.88 (m, 2H), 1.69 (d, 3H, J = 1.5 Hz), 1.45 - 1.56 (m, 3H), 1.14 - 1.22 (m, 2H), 0.86 (d, 6H, J = 6.6 Hz).

Example 164 Synthesis of 3-[2,6-dichloro-4-(4-[3-[3-(3,3-dimethylbutyloxy)propyl]-2-fluorophenyl]thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B85)

25 1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 1.8 Hz, 7.8 Hz), 7.63 (d, 1H, J = 2.4 Hz), 7.41 (s, 1H), 7.21 - 7.30 (m, 2H), 3.25 - 3.48 (m, 4H), 2.74 (t, 2H, J = 7.5 Hz), 1.78 - 1.87 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.44 (t, 2H, J = 7.5 Hz), 0.90 (s, 9H).

Example 165 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-propyloxy)pentyl]phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B86)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 8.00 (dt, 1H, J = 7.5 Hz, 2.0 Hz), 7.64 (d, 1H, J = 2.5 Hz), 7.30 - 7.41 (m, 3H), 4.63 - 4.67 (m, 1H), 3.25 (t, 2H, 6.4 Hz), 1.64 - 1.78 (m, 5H), 1.52 (q, 2H, J = 6.9 Hz), 1.28 - 1.33 (m, 4H), 0.84 - 0.90 (m, 6H).

5 Example 166 Synthesis of 3-(4-{4-[3-(1-n-butyloxy)pentyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)-2,6-dichlorophenyl)-2-methylacrylic acid (B87)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 8.00 (dt, 1H, J = 7.5 Hz, 2.2 Hz), 7.64 - 7.65 (m, 1H), 7.30 - 7.41 (m, 3H), 4.62 - 4.67 (m, 1H), 3.29 (t, 2H, 6.4 Hz), 1.60 - 1.80 (m, 5H), 1.45 - 1.54 (m, 2H), 1.28 - 1.40 (m, 6H), 0.82 - 0.88 (m, 6H).

10

Example 167 Synthesis of 3-[2,6-dichloro-4-(4-[3-[3-(2-ethylbutyloxy)propyl]-2-fluorophenyl]thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B88)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 2.4 Hz, 7.5 Hz), 7.63 (d, 1H, J = 2.7 Hz), 7.40 (d, 1H, J = 1.5 Hz), 7.21 - 7.30 (m, 2H), 3.40 (t, 2H, J = 6.3 Hz),
15 3.26 (d, 2H, J = 5.4 Hz), 2.74 (t, 2H, J = 7.2 Hz), 1.74 - 1.91 (m, 2H), 1.69 (d, 3H, J = 1.5 Hz), 1.20 - 1.42 (m, 5H), 0.85 (t, 6H, J = 7.8 Hz).

Example 168 Synthesis of 3-[2,6-dichloro-4-(4-[3-[3-(2-cyclopentylethyloxy)propyl]-2-fluorophenyl]thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B89)

20 ¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 2.4 Hz, 7.2 Hz), 7.63 (d, 1H, J = 2.7 Hz), 7.40 (d, 1H, J = 1.5 Hz), 7.20 - 7.30 (m, 2H), 3.20 - 3.46 (m, 4H), 2.74 (t, 2H, J = 7.8 Hz), 1.60 - 1.90 (m, 4H), 1.69 (d, 3H, J = 1.5 Hz), , 1.44 - 1.59 (m, 5H), 1.02 - 1.15 (m, 4H).

25 Example 169 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-n-pentyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B90)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 2.1 Hz, 6.6 Hz), 7.63 (d, 1H, J = 2.4 Hz), 7.40 (s, 1H), 7.21 - 7.30 (m, 2H), 3.33 - 3.42 (m, 4H), 2.74 (t, 2H, J = 7.5 Hz), 1.78 - 1.88 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.44 - 1.57 (m, 2H), 1.26 - 1.31 (m,
30 4H), 0.87 (t, 3H, J = 7.2 Hz).

Example 170 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyundecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B91)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.29 (s, 2H), 7.99 - 8.05 (m, 1H), 7.64 (s, 1H), 7.30
5 - 7.40 (m, 3H), 4.56 (t, 1H, J = 6.5 Hz), 3.18 (s, 3H), 1.60 - 1.80 (m, 5H), 1.14 - 1.36 (m, 16H), 0.81 - 0.85 (m, 3H).

Example 171 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxydodecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B92)

10 1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.29 (s, 2H), 8.00 - 8.05 (m, 1H), 7.64 (d, 1H, J = 2.7 Hz), 7.31 - 7.41 (m, 3H), 4.56 (t, 1H, J = 6.4 Hz), 3.18 (s, 3H), 1.60 - 1.80 (m, 5H), 1.20 - 1.36 (m, 18H), 0.81 - 0.85 (m, 3H).

Example 172 Synthesis of 3-(4-{4-[3-(3-n-butyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B93)

15 1H-NMR(DMSO-d6) 13.04 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 2.4 Hz, 7.2 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.40 (d, 1H, J = 1.2 Hz), 7.21 - 7.32 (m, 2H), 3.20 - 3.42 (m, 4H), 2.74 (t, 2H, J = 8.1 Hz), 1.78 - 1.88 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.44 - 1.53 (m, 2H), 1.27 - 1.39 (m, 2H), 0.88 (t, 3H, J = 6.9 Hz).

20

Example 173 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-isopropoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B94)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 2.4 Hz, 7.2 Hz), 7.64 (d, 1H, J = 2.7 Hz), 7.41 (d, 1H, J = 1.2 Hz), 7.21 - 7.31 (m, 2H), 3.52 (m, 1H), 3.35 - 3.41 (m, 2H), 2.74 (t, 2H, J = 8.1 Hz), 1.76 - 1.85 (m, 2H), 1.69 (d, 3H, J = 1.8 Hz), 1.09 (d, 6H, J = 6.3 Hz).

25

Example 174 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-n-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B95)

30 1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 7.94 (dt, 1H, J = 1.8 Hz, 7.2 Hz), 7.64

(d, 1H, J = 2.4 Hz), 7.41 (1, 1H), 7.21 - 7.31 (m, 2H), 3.30 - 3.42 (m, 4H), 2.74 (t, 2H, J = 7.8 Hz), 1.78 - 1.88 (m, 2H), 1.69 (s, 3H), 1.49- 1.58 (m, 2H), 0.88 (t, 3H, J= 7.5 Hz).

Example 175 Syntehsis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-n-hexyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B96)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 7.93 (dt, 1H, J= 2.7 Hz, 7.8 Hz), 7.63 (d, 1H, J = 2.4 Hz), 7.41 (d, 1H, J= 1.5 Hz), 7.21 -7.31 (m, 2H), 3.20 - 3.45 (m, 4H), 2.74 (t, 2H, J = 7.5 Hz), 1.78 - 1.87 (m, 2H), 1.69 (d, 3H, J= 1.8 Hz), 1.44 - 1.53 (m, 2H), 1.21 - 1.36 (m, 6H), 0.86 (t, 3H, J= 6.9 Hz).

10

Example 176 Syntehsis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-propyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B97)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J = 7.6 Hz, 1.8 Hz), 7.65 (d, 1H, J = 2.4 Hz), 7.31 - 7.45 (m, 3H), 4.80 (t, 1H, J = 6.4 Hz), 3.20 - 3.39 (m, 2H), 1.69 (d, 3H, J = 1.5 Hz), 1.52 (qint, 2H, J = 7.0 Hz), 1.41(d, 3H, J = 6.4 Hz), 0.87 (t, 3H, J = 7.3 Hz).

15

Example 177 Syntehsis of 3-(4-{4-[3-(1-n-butyloxyethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B98)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J = 7.3 Hz, 1.8 Hz), 7.65 (d, 1H, J = 2.4 Hz), 7.39 - 7.44 (m, 1H), 7.34 (t, 2H, J = 7.6 Hz), 4.80 (q, 1H, J = 6.4 Hz), 3.25 - 3.41 (m, 2H), 1.69 (d, 3H, J = 1.2 Hz), 1.45 - 1.55 (m, 2H), 1.41(d, 3H, J = 6.4 Hz), 1.29 - 1.37 (m, 2H), 0.86 (t, 3H, J = 7.3 Hz).

20

Example 178 Syntehsis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-n-hexyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B99)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 8.00 (dt, 1H, J = 7.5 Hz, 1.9 Hz), 7.64 (d, 1H, J = 2.5 Hz), 7.31 - 7.43 (m, 3H), 4.80 (q, 1H, J = 6.4 Hz), 3.23 - 3.40 (m, 2H), 1.69 (d, 3H, J = 1.4 Hz), 1.46 - 1.53 (m, 2H), 1.41(d, 3H, J = 6.4 Hz), 1.20 - 1.35 (m, 6H), 0.82 - 0.87 (m, 3H).

30

Example 179 Synthesis of 3-(4-{4-[3-(1,4-dibutyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B100)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.01 (dt, 1H, J= 2.1 Hz, 6.8 Hz), 7.64 (d, 1H, J = 2.4 Hz), 7.41 (d, 1H, J= 1.5 Hz), 7.31 - 7.38 (m, 2H), 4.68 (t, 3H, J= 6.2 Hz), 3.16 - 3.20 (m, 6H), 1.69 (d, 3H, J= 1.5 Hz), 1.55 - 1.75 (m, 4H), 1.40 - 1.54 (m, 4H), 1.25 - 1.37 (m, 4H), 0.85 (dt, 6H, J= 1.2 Hz, 6.9 Hz).

Example 180 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-n-hexyloxy-1-methyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B101)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.29 (s, 2H), 8.03 (dt, 1H, J= 2.1 Hz, 6.6 Hz), 7.65 (d, 1H, J = 2.7 Hz), 7.32 - 7.41 (m, 3H), 4.71 (m, 1H), 3.25 - 3.40 (m, 4H), 3.18 (s, 3H), 1.83 - 2.01 (m, 2H), 1.69 (s, 3H), 1.40-1.50 (m, 2H), 1.18 - 1.32 (m, 6H), 0.85 (t, 3H, J= 6.9 Hz).

15

Example 181 Synthesis of (Z)-3-(4-{4-[3-(4-methylpentyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B121)

1H-NMR(DMSO-d6) 13.56 (bs, 1H), 12.96 (bs, 1H), 7.89 - 7.96 (m, 3H), 7.63 (d, 1H, J = 2.6 Hz), 7.20- 7.31 (m, 2H), 6.66 (s, 1H), 3.71 (s, 3H), 2.67 (t, 2H, J = 7.6Hz), 1.53 - 1.62 (m, 3H), 1.20 - 1.27 (m, 2H), 0.88 (d, 6H, J = 6.6Hz).

20

Example 182 Synthesis of (Z)-3-(4-{4-[3-(3,3-dimethylbutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B122)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.29 (s, 2H), 8.00 - 8.06 (m, 1H), 7.65 (d, 1H, J = 2.6 Hz), 7.31- 7.41 (m, 3H), 4.69 - 4.74 (m, 1H), 3.48 - 3.55 (m, 1H), 3.25 - 3.40 (m, 3H), 1.86 - 2.03 (m, 2H), 1.69(s,3H), 1.43 - 1.54 (m, 2H), 0.83 - 0.88 (m, 3H).

25

Example 183 Synthesis of (E)-3-(4-{4-[3-(3,3-dimethylbutyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B134)

30

¹H-NMR(DMSO-d₆) 12.98(bs, 2H), 7.92-8.00(m, 2H), 7.84(dd, 1H, J = 1.8, 6.9 Hz), 7.72(s, 1H), 7.33(s, 1H), 7.12-7.23(m, 2H), 3.62(s, 3H), 2.60-2.65(m, 2H), 1.81(s, 3H), 1.45-1.51(m, 2H), 0.98(s, 9H).

5 Example 184 Syntehsis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(4-methylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl]-2-methoxyacrylic acid (B169)

¹H-NMR(DMSO-d₆) 13.20 (bs, 1H), 12.99 (bs, 1H), 8.25 (s, 2H), 7.90 - 7.96 (m, 1H), 7.62 - 7.63 (m, 1H), 7.20- 7.30 (m, 2H), 6.73 (s, 1H), 3.61 (s, 3H), 2.67 (t, 2H, J = 7.6Hz), 1.53 - 1.66 (m, 3H), 1.20 - 1.27 (m, 2H), 0.88 (d, 6H, J = 6.6Hz).

10

Example 185 Syntehsis of (Z)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl]-2-methoxyacrylic acid (B170)

¹H-NMR(DMSO-d₆) 13.51 (bs, 1H), 13.00 (bs, 1H), 8.25 (s, 2H), 7.89 - 7.95 (m, 1H), 7.63 (d, 1H, J = 2.6 Hz), 7.19- 7.31 (m, 2H), 6.73 (s, 1H), 3.62 (s, 3H), 2.62 - 2.68 (m, 2H),
15 1.45 - 1.50 (m, 2H), 0.97 (s, 9H).

Example 186 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl]-2-methylacrylic acid (B195)

¹H-NMR(DMSO-d₆) 12.98(bs, 2H), 7.92-8.08(m, 3H), 7.65(d, 1H, J = 2.7 Hz), 7.30-
20 7.41(m, 3H), 4.52(t, 1H, J = 6.3 Hz), 3.20(s, 3H), 1.65-1.85(m, 5H), 0.87(t, 3H, J = 7.2 Hz).

Example 187 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl]-2-methylacrylic acid (B216)

25 ¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.92-8.05(m, 3H), 7.64(d, 1H, J = 2.7 Hz), 7.30-7.42(m, 3H), 4.60(t, 1H, J = 6.6 Hz), 3.10-3.42(m, 2H), 1.65-1.86(m, 5H), 1.47-1.59(m, 2H), 0.85-0.92(m, 6H).

Example 188 Syntehsis of (E)-3-(4-{4-[3-(cyclohexylpropyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B233)
30

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.95 - 8.04 (m, 3H), 7.64 (d, 1H, J = 2.6 Hz), 7.32 - 7.35 (m, 3H), 4.40 (d, 1H, J = 7.0 Hz), 3.17 - 3.23 (m, 2H), 1.93 - 1.97 (m, 1H), 1.04 - 1.64 (m, 12H), 0.86 (t, 3H, J = 7.5 Hz).

5 Example 189 Syntehsis of (E)-3-(4-{4-[3-(1-butyloxy-2,2-dimethylpropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B255)

¹H-NMR(DMSO-d₆) 12.99 (bs, 2H), 7.95 - 8.05 (m, 3H), 7.61 - 7.62 (m, 1H), 7.32 - 7.34 (m, 3H), 4.39 (s, 1H), 3.22 (t, 2H, J = 6.3 Hz), 1.81 (s, 3H), 1.33 - 1.51 (m, 4H), 0.84 - 0.91 (m, 12H).

10

Example 190 Syntehsis of (E)-3-(4-{4-[3-(butyloxycyclohexylmethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B264)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 7.94 - 8.04 (m, 3H), 7.64 (d, 1H, J = 2.6 Hz), 7.32 - 7.34 (m, 3H), 4.39 (d, 1H, J = 7.0 Hz), 3.22 - 3.27 (m, 2H), 1.93 - 1.97 (m, 1H), 1.04 - 1.64 (m, 14H), 0.86 (t, 3H, J = 7.5 Hz).

15

Example 191 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-methyloxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B347)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.90-8.00(m, 3H), 7.72(s, 1H), 7.24-7.45(m, 3H), 4.56-4.60(m, 1H), 3.62(s, 3H), 3.16(s, 3H), 1.81(s, 3H), 1.20-1.78(m, 8H), 0.83-0.88(m, 3H).

20

Example 192 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-methyloxy-5-methylhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B348)

¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 7.89 - 7.97 (m, 3H), 7.72 (s, 1H), 7.24 - 7.34 (m, 3H), 4.53 - 4.57 (m, 1H), 3.61 (s, 3H), 3.16 (s, 3H), 1.81 (s, 3H), 0.87 - 1.72 (m, 13H).

25

Example 193 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-methyloxy-3,3-dimethylbutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B349)

¹H-NMR(DMSO-d₆) 12.98(bs, 2H), 7.92-8.00(m, 2H), 7.89(dd, 1H, J = 1.8, 7.5 Hz),

30

7.71(s, 1H), 7.31-7.36(m, 2H), 7.25(t, 1H, J = 7.8 Hz), 4.69(d, 1H, J = 7.8 Hz), 3.63(s, 3H), 3.13(s, 3H), 1.81(s, 3H), 1.63-1.71(m, 1H), 1.40(d, 1H, J = 14.4 Hz), 1.00(s, 9H).

Example 194 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-
5 methyloxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B354)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.90-8.00(m, 3H), 7.72(s, 1H), 7.24-7.36(m, 3H), 4.55-4.59(m, 1H), 3.61(s, 3H), 3.16(s, 3H), 1.81(s, 3H), 1.50-1.78(m, 2H), 1.16-1.50(m, 14H), 0.82-0.87(m, 3H).

10 Example 195 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-
methyloxyundecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B355)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.90-8.00(m, 3H), 7.73(s, 1H), 7.24-7.36(m, 3H), 4.56-4.59(m, 1H), 3.61(s, 3H), 3.15(s, 3H), 1.81(s, 3H), 1.50-1.78(m, 2H), 1.16-1.50(m, 16H), 0.82-0.87(m, 3H).

15

Example 196 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(3-
propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B380)

¹H-NMR(CDCl₃-d₆) 7.90(s, 1H), 7.87(s, 1H), 7.58(s, 1H), 7.48-7.52(m, 1H), 7.46(s, 1H), 7.25-7.30(m, 1H), 7.18(t, 1H, J = 7.5 Hz), 3.58(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 3.41(t, 2H, J = 6.6 Hz), 2.80(t, 2H, J = 8.4 Hz), 1.91-2.02(m, 5H), 1.63(q, 2H, J = 7.2 Hz), 0.95 (t, 3H, J = 7.5 Hz).

20

Example 197 Syntehsis of (E)-3-(4-{4-[3-(cyclohexylpropyloxymethyl-2-
methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid
25 (B397)

¹H-NMR(DMSO-d₆) 12.98(bs, 2H), 7.92-8.00(m, 2H), 7.89(dd, 1H, J = 1.8, 6.9 Hz), 7.71(s, 1H), 7.34(s, 1H), 7.22-7.31(m, 2H), 4.40(d, 1H, J = 6.9 Hz), 3.59(s, 3H), 3.06-3.25(m, 2H), 1.90-2.00(m, 1H), 1.81(s, 3H), 1.44-1.76(m, 6H), 1.36-1.28(m, 1H), 1.00-1.20(m, 5H), 0.87(t, 3H, J = 7.2 Hz).

30

Example 198 Synthesis of (E)-3-(4-{4-[3-(1-butyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid (B418)

1H-NMR(DMSO-d₆) 12.99(bs, 2H), 7.89-8.05(m, 3H), 7.72(s, 1H), 7.31-7.36(m, 2H),
5 7.26(t, 1H, J = 7.8 Hz), 4.55-4.63(m, 1H), 3.61(s, 3H), 1.81(s, 3H), 1.62-1.76(m, 2H),
1.43-1.55(m, 2H), 1.28-1.41(m, 2H), 0.84-0.95(m, 6H).

Example 199 Synthesis of (E)-3-(4-{4-[3-(3-butyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid
10 (B419)

1H-NMR(CDCl₃-d₆) 7.91(s, 1H), 7.88(s, 1H), 7.58(s, 1H), 7.49(d, 1H, J = 7.5 Hz),
7.46(s, 1H), 7.25-7.29(m, 1H), 7.17(t, 1H, J = 7.8 Hz), 3.58(s, 3H), 3.50(t, 1H, J = 6.6 Hz),
3.45(t, 1H, J = 6.9 Hz), 2.80(t, 2H, J = 8.4 Hz), 1.90-2.02(m, 5H), 1.53-1.64(m, 2H),
1.34-1.48(m, 2H), 0.94(t, 3H, J = 7.2 Hz).

15

Example 200 Synthesis of (E)-3-(4-{4-[3-(1-butyloxy-2,2-dimethylpropyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid (B425)

1H-NMR(DMSO-d₆) 12.96(bs, 2H), 7.88-8.10(m, 3H), 7.70(s, 1H), 7.34(s, 1H), 7.22-
20 7.31(m, 2H), 4.40(s, 1H), 3.57(s, 3H), 1.81(s, 3H), 1.32-1.55(m, 4H), 0.85-0.92(m, 12H).

Example 201 Synthesis of (E)-3-(4-{4-[3-(cyclohexylpentyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid (B484)

1H-NMR(DMSO-d₆) 12.98(bs, 2H), 7.92-8.00(m, 2H), 7.86-7.95(m, 1H), 7.70(s, 1H),
25 7.34(s, 1H), 7.22-7.30(m, 2H), 4.39(d, 1H, J = 7.2 Hz), 3.59(s, 3H), 3.21-3.28(m, 2H),
1.88-2.00(m, 1H), 1.81(s, 3H), 1.44-1.78(m, 6H), 1.00-1.36(m, 10H), 0.83-0.87(m, 3H).

Example 202 Synthesis of (E)-3-(4-{4-[3-(2,2-dimethylpropyloxy)propyl]-2-methoxyphenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid
30

(B488)

¹H-NMR(DMSO-d₆) 12.97(bs, 2H), 7.92-8.00(m, 2H), 7.84-7.90(m, 1H), 7.73(s, 1H), 7.34(s, 1H), 7.14-7.25(m, 2H), 3.62(s, 3H), 3.45(t, 2H, J = 6.3 Hz), 3.06(s, 2H), 2.74(t, 2H, J = 6.3 Hz), 1.81-1.90(m, 5H), 1.90(s, 9H).

5

Example 203 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[3-(3-hexyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B505)

¹H-NMR(DMSO-d₆) 12.97(bs, 2H), 7.92-8.00(m, 2H), 7.86(dd, 1H, J = 1.5, 7.5 Hz), 7.72(s, 1H), 7.34(s, 1H), 7.23(dd, 2H, J = 1.5, 7.5 Hz), 7.16(t, 1H, J = 7.5 Hz), 3.61(s, 3H),
10 3.20-3.46(m, 4H), 2.69-2.74(m, 2H), 1.76-1.88(m, 5H), 1.46-1.56(m, 2H), 1.20-1.38(m, 6H), 1.84-0.89(m, 3H).

Example 204 Syntehsis of (E)-3-(4-{4-[3-(cyclohexylhexyloxymethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid
15 (B519)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.92-8.00(m, 2H), 7.89(dd, 1H, J = 2.7, 7.5 Hz), 7.70(s, 1H), 7.34(s, 1H), 7.22-7.29(m, 2H), 4.39(d, 1H, J = 7.2 Hz), 3.59(s, 3H), 1.90-2.00(m, 1H), 1.81(s, 3H), 1.02-1.76(m, 16H), 1.32-1.55(m, 4H), 0.85(t, 3H, J = 6.9 Hz).

20 Example 205 Syntehsis of (E)-3-[4-(4-{3-[3-(3,3-dimethylbutyloxy)propyl]-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B521)

¹H-NMR(CDCl₃-d₆) 7.91(s, 1H), 7.88(s, 1H), 7.58(s, 1H), 7.43-7.54(m, 2H), 7.25-7.30(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 3.58(s, 3H), 3.46-3.52(m, 4H), 2.80(t, 2H, J = 8.1 Hz),
25 1.90-2.30(m, 5H), 1.54(t, 2H, J = 7.5 Hz), 0.94(s, 9H).

Example 206 Syntehsis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B533)

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 8.00 - 8.05 (m, 1H), 7.89 - 7.95 (m, 2H), 7.65 (d, 1H, J = 2.4 Hz), 7.31 - 7.39 (m, 2H), 6.67 (s, 1H), 4.55 - 4.59 (m, 1H), 3.72 (s, 3H), 3.18 (s,
30

3H), 1.64 - 1.76 (m, 2H), 1.26 - 1.41 (m, 6H), 0.81 - 0.86 (m, 3H).

Example 207 Synthesis of (Z)-3-(4-{4-[3-(3-butyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B790)

¹H-NMR(CDCl₃-d₆) 7.83(s, 1H), 7.80(s, 1H), 7.48(d, 1H, J = 7.8 Hz), 7.44(s, 1H), 7.26-7.30(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 6.91(s, 1H), 3.90(s, 3H), 3.58(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 3.44(t, 2H, J = 6.3 Hz), 2.80(t, 2H, J = 8.1 Hz), 1.91-2.05(m, 2H), 1.53-1.63(m, 2H), 1.34-1.46(m, 2H), 0.94(t, 3H, J = 7.5 Hz).

Example 208 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B896)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 7.95-8.06(m, 1H), 7.65(d, 1H, J = 2.4 Hz), 7.32-7.42(m, 3H), 4.52(t, 1H, J = 6.3 Hz), 3.20(s, 3H), 1.66-1.84(m, 5H), 0.87(t, 1H, J = 7.5 Hz).

Example 209 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-3-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B897)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.29 (s, 2H), 8.00 - 8.06 (m, 1H), 7.65 (d, 1H, J = 2.6 Hz), 7.31- 7.41 (m, 3H), 4.69 - 4.74 (m, 1H), 3.48 - 3.55 (m, 1H), 3.25 - 3.40 (m, 3H), 1.86 - 2.03 (m, 2H), 1.69(s, 3H), 1.43 - 1.54 (m, 2H), 0.83 - 0.88 (m, 3H).

Example 210 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-4-pentyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B899)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.29(s, 2H), 7.97-8.06(m, 1H), 7.64(d, 1H, J = 2.4 Hz), 7.31-7.40(m, 3H), 4.60(t, 1H, J = 6.0 Hz), 3.19(s, 3H), 1.66-1.82(m, 5H), 1.41-1.65(m, 4H), 1.22-1.30(m, 4H), 0.81-0.86(m, 3H).

Example 211 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-3,3-dimethylbutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B905)

¹H-NMR(DMSO-d₆) 13.02 (bs, 2H), 8.29 (s, 2H), 7.97 - 8.03 (m, 1H), 7.65 (d, 1H, J = 2.5 Hz), 7.30 - 7.40 (m, 3H), 4.64 - 4.68 (m, 1H), 3.25 (s, 3H), 1.69 - 1.77 (m, 4H), 1.42 - 1.48 (m, 1H), 0.97 (s, 9H).

5 Example 208 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2,2-dimethyl-1-propyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B927)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.30 (s, 2H), 7.99 - 8.04 (m, 1H), 7.61 - 7.62 (m, 1H), 7.32 - 7.41 (m, 3H), 4.40 (s, 1H), 3.16 - 3.33 (m, 2H), 1.69 (s, 3H), 1.47 - 1.55 (m, 2H),
10 0.84 - 0.91 (m, 12H).

Example 213 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(cyclohexylpropyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B936)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.30 (s, 1H), 7.98 - 8.03 (m, 1H), 7.63 (d, 1H, J =
15 2.3 Hz), 7.32 - 7.40 (m, 3H), 4.40 (d, 1H, J = 7.0 Hz), 3.18 - 3.23 (m, 2H), 1.93 - 1.97 (m, 1H), 1.04 - 1.64 (m, 12H), 0.86 (t, 3H, J = 7.5 Hz).

Example 214 Synthesis of (E)-3-(4-{4-[3-(1-butyloxy-2,2-dimethylpropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B958)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.29 (s, 2H), 7.99 - 8.04 (m, 1H), 7.61 - 7.62 (m, 1H), 7.32 - 7.41 (m, 3H), 4.40 (s, 1H), 3.32 (t, 2H, J = 6.3 Hz), 1.69 (s, 3H), 1.29 - 1.53 (m, 4H), 0.84 - 0.91 (m, 12H).

Example 215 Synthesis of (E)-3-(4-{4-[3-(butyloxycyclohexylmethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B967)

¹H-NMR(DMSO-d₆) 13.00 (bs, 2H), 8.29 (s, 1H), 7.98 - 8.03 (m, 1H), 7.63 (d, 1H, J = 2.3 Hz), 7.32 - 7.40 (m, 3H), 4.40 (d, 1H, J = 7.0 Hz), 3.18 - 3.23 (m, 2H), 1.93 - 1.97 (m, 1H), 1.04 - 1.64 (m, 14H), 0.86 (t, 3H, J = 7.5 Hz).

30 Example 216 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(1-methyloxy-5-

methylhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1053)

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 9.29 (s, 1H), 7.89 - 7.92 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.24 - 7.37 (m, 3H), 4.53 - 4.57 (m, 1H), 3.61 (s, 3H), 3.16 (s, 3H), 0.87 - 1.72 (m, 16H).

5

Example 217 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(1-methoxy-3,3-dimethylbutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1054)

¹H-NMR(DMSO-d₆) 12.99(bs, 2H), 8.29(s, 2H), 7.89(dd, 1H, J = 1.6, 7.5 Hz), 7.71(s, 1H), 7.40(d, 1H, J = 1.5 Hz), 7.34(dd, 1H, J = 2.1, 7.8 Hz), 7.25(t, 1H, J = 7.8 Hz), 4.69(d, 1H, J = 7.5 Hz), 3.63(s, 3H), 3.13(s, 3H), 1.63-1.71(m, 4H), 1.36-1.44(m, 1H), 1.00(s, 9H).

10

Example 218 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(1-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1059)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.29(s, 2H), 7.92(dd, 1H, J = 2.4, 7.2 Hz), 7.72(s, 1H), 7.41(d, 1H, J = 1.2 Hz), 7.24-7.38(m, 2H), 4.55-4.59(m, 1H), 3.62(s, 3H), 3.15(s, 3H), 1.50-1.78(m, 4H), 1.18-1.50(m, 15H), 0.82-0.87(m, 3H).

15

Example 219 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(1-methoxyundecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1060)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.29(s, 2H), 7.92(dd, 1H, J = 2.4, 7.5 Hz), 7.72(s, 1H), 7.41(d, 1H, J = 1.5 Hz), 7.24-7.33(m, 2H), 4.55-4.59(m, 1H), 3.62(s, 3H), 3.16(s, 3H), 1.50-1.78(m, 4H), 1.18-1.50(m, 17H), 0.82-0.87(m, 3H).

20

Example 220 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(cyclohexylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1102)

25

¹H-NMR(DMSO-d₆) 12.99(bs, 2H), 8.29(s, 2H), 7.89(dd, 1H, J = 2.1, 7.5 Hz), 7.70(s, 1H), 7.41(d, 1H, J = 1.5 Hz), 7.30(dd, 1H, J = 2.1, 7.5 Hz), 7.25(t, 1H, J = 7.5 Hz), 4.40(d, 1H, J = 6.9 Hz), 3.59(s, 3H), 3.17-3.24(m, 2H), 1.88-2.00(m, 1H), 1.69(s, 3H), 1.44-1.70(m, 4H), 1.00-1.38(m, 6H), 0.87(t, 3H, J = 7.2 Hz).

30

Example 221 Synthesis of (E)-3-(4-{4-[3-(1-butyloxyethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B1122)

1H-NMR(DMSO-d6) 12.99(bs, 2H), 8.29(s, 2H), 7.91(dd, 1H, J = 1.8, 7.8 Hz), 7.72(s, 1H), 7.40(d, 1H, J = 1.2 Hz), 7.37(dd, 1H, J = 1.5, 7.5 Hz), 7.27(t, 1H, J = 7.8 Hz), 4.80-4.86(m, 1H), 3.62(s, 3H), 1.69(s, 3H), 1.23-1.55(m, 7H), 0.85(t, 3H, J = 7.2 Hz).

Example 222 Synthesis of (E)-3-(4-{4-[3-(3-butyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B1124)

1H-NMR(CDCl3-d6) 8.32(s, 2H), 7.65(s, 1H), 7.49(d, 1H, J = 9.0 Hz), 7.46(s, 1H), 7.24-7.28(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 3.58(s, 3H), 3.49(t, 2H, J = 6.6 Hz), 3.44(t, 2H, J = 6.6 Hz), 2.79(t, 2H, J = 7.8 Hz), 1.90-2.05(m, 2H), 1.86(bs, 3H), 1.53-1.63(m, 2H), 1.33-1.46(m, 2H), 0.93(t, 3H, J = 7.5 Hz).

Example 223 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1238)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.25 (s, 2H), 7.99 - 8.05 (m, 1H), 7.65 (d, 1H, J = 2.6 Hz), 7.31 - 7.39 (m, 2H), 6.73 (s, 1H), 4.55 - 4.59 (m, 1H), 3.62 (s, 3H), 3.18 (s, 3H), 1.61 - 1.79 (m, 2H), 1.26 - 1.41 (m, 6H), 0.80 - 0.86 (m, 3H).

Example 224 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1250)

1H-NMR(DMSO-d6) 12.97(bs, 1H), 8.25(s, 2H), 8.05(t, 1H, J = 7.6 Hz), 7.64(s, 1H), 7.33-7.35(m, 2H), 6.73(s, 1H), 4.56(t, 1H, J = 7.6 Hz), 3.61(s, 3H), 3.17(s, 3H), 1.70-1.80(m, 2H), 1.22-1.38(m, 14H), 0.87-0.90(m, 3H).

Example 225 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(1-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1437)

1H-NMR(DMSO-d6) 12.99(bs, 1H), 8.25(s, 2H), 7.89-7.94(m, 1H), 7.72(s, 1H), 7.24-7.34(m, 2H), 6.73(s, 1H), 4.55-4.59(m, 1H), 3.62(s, 6H), 3.15(s, 3H), 1.18-1.80(m, 16H),

0.82-0.87(m, 3H).

Example 226 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(1-methoxyundecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1438)

¹H-NMR(DMSO-d₆) 12.99(bs, 1H), 8.25(s, 2H), 7.89-7.94(m, 1H), 7.72(s, 1H), 7.24-7.34(m, 2H), 6.73(s, 1H), 4.55-4.59(m, 1H), 3.62(s, 6H), 3.15(s, 3H), 1.18-1.80(m, 18H), 0.82-0.87(m, 3H).

Example 227 Synthesis of (E)-3-(4-{4-[3-(2-ethoxy-1-methoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1728)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.66(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.47(q, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.79(s, 3H), 1.10(t, 3H, J = 7.0 Hz).

15

Example 228 Synthesis of (Z)-3-(4-{4-[3-(2-ethoxy-1-methoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1729)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.92(s, 1H), 7.90(s, 1H), 7.66(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.71(s, 3H), 3.55-3.68(m, 2H), 3.47(q, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.10(t, 3H, J = 7.0 Hz).

Example 229 Synthesis of (E)-3-(4-{4-[3-(2-butyloxy-1-methoxyethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1730)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.66(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.79(s, 3H), 1.40-1.50(m, 2H), 1.22-1.34(m, 2H), 0.80(t, 3H, J = 7.0 Hz).

Example 230 Synthesis of (Z)-3-(4-{4-[3-(2-butyloxy-1-methoxyethyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid
(B1731)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.92(s, 1H), 7.90(s, 1H),
7.66(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.71(s, 3H), 3.55-
5 3.68(m, 2H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.40-1.50(m, 2H), 1.22-1.34(m, 2H),
0.80(t, 3H, J = 7.0 Hz).

Example 231 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[1-methoxy-2-(3-
methylbutoxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid
10 (B1732)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H),
7.66(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.42(t, 2H, J =
7.0 Hz), 3.25(s, 3H), 1.79(s, 3H), 1.50-1.60(m, 1H), 1.22-1.34(m, 2H), 0.85(d, 6H, J = 6.0
Hz).

15 Example 232 Synthesis of (Z)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[1-methoxy-2-(3-
methylbutoxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid
(B1733)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.92(s, 1H), 7.90(s, 1H),
20 7.66(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.68(s, 3H), 3.55-
3.68(m, 2H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.50-1.60(m, 1H), 1.22-1.34(m, 2H),
0.85(d, 6H, J = 6.0 Hz).

Example 233 Synthesis of (E)-3-(2,6-difluoro-4-{4-[3-(2-ethoxy-1-methoxyethyl)-2-
25 fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1734)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H),
7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.47(q, 2H, J = 7.0 Hz),
3.25(s, 3H), 1.69(s, 3H), 1.10(t, 3H, J = 7.0 Hz).

30 Example 234 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-ethoxy-1-methoxyethyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1735)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.71(s, 3H), 3.55-3.68(m, 2H), 3.47(q, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.10(t, 3H, J = 7.0 Hz).

5

Example 235 Synthesis of (E)-3-(4-{4-[3-(2-butoxy-1-methoxyethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B1736)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.69(s, 3H), 1.40-1.50(m, 2H), 1.22-1.34(m, 2H), 0.80(t, 3H, J = 7.0 Hz).

10

Example 236 Synthesis of (Z)-3-(4-{4-[3-(2-butoxy-1-methoxyethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methoxyacrylic acid (B1737)

15 ¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.61(s, 3H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.40-1.50(m, 2H), 1.22-1.34(m, 2H), 0.80(t, 3H, J = 7.0 Hz).

20 Example 237 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[1-methoxy-2-(3-methylbutoxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1738)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.79(s, 3H), 1.50-1.60(m, 1H), 1.22-1.34(m, 2H), 0.85(d, 6H, J = 6.0 Hz).

25

Example 238 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[1-methoxy-2-(3-methylbutoxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid (B1739)

30 ¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H),

7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.55-3.68(m, 2H), 3.61(s, 3H), 3.42(t, 2H, J = 7.0 Hz), 3.25(s, 3H), 1.50-1.60(m, 1H), 1.22-1.34(m, 2H), 0.85(d, 6H, J = 6.0 Hz).

5 Example 239 Synthesis of (E)-3-{2,6-difluoro-4-[6-(3-methoxy-3-methylbutyl)-4,5-dihydronaphthino[1,2-d]thiazol-2-ylcarbonyl]phenyl}-2-methylacrylic acid (B1742)

1H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.99(s, 1H), 7.96(s, 1H), 7.93(t, 1H, J = 7.5 Hz), 7.62(d, 1H, J = 2.3 Hz), 7.33(s, 1H), 7.19-7.28(m, 2H), 3.62(t, 2H, J = 6.7 Hz), 2.69(t, 2H, J = 6.7 Hz), 1.79(s, 3H), 1.70-1.79(m, 2H), 1.58-1.69(m, 2H), 1.30-1.49(m, 2H).

Example 240 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxy-3-methylsufanylpropyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1744)

15 1H-NMR(DMSO-d₆) 13.02(bs, 2H), 7.92-8.08(m, 3H), 7.67(d, 1H, J = 2.7 Hz), 7.30-7.44(m, 3H), 4.71-4.75(m, 1H), 3.20(s, 3H), 2.56(t, 2H, J = 7.5 Hz), 1.76-2.10(m, 8H).

Example 241 Synthesis of (E)-3-(4-{4-[3-(3-t-butyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1746)

20 1H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.90-8.00(m, 3H), 7.64(d, 1H, J = 2.7 Hz), 7.20-7.34(m, 3H), 3.66-3.71(m, 1H), 2.64-2.77(m, 2H), 1.81(s, 3H), 1.62-1.70(m, 2H), 1.07-1.15(m, 12H).

Example 242 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methoxyheptyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1747)

25 1H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.93(t, 1H, J = 7.5 Hz), 7.64(s, 3H), 7.33(s, 1H), 7.20-7.30(m, 2H), 3.25(s, 3H), 3.17-3.22(m, 1H), 2.65-2.72(m, 2H), 1.78(s, 3H), 1.70-1.78(m, 2H), 1.45-1.53(m, 2H), 1.22-1.38(m, 4H), 0.87-0.90(m, 3H).

30

Example 243 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[3-(2-methoxyethoxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1748)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.96(s, 1H), 7.93(s, 1H), 7.93(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.33(s, 1H), 7.20-7.30(m, 2H), 3.40-3.50(m, 6H), 3.25(s, 3H), 2.74(t, 2H, J = 7.4 Hz), 1.80-1.88(m, 2H), 1.80(s, 3H).

Example 244 Synthesis of (E)-3-{4-[4-(3-{1-[2-(2-ethoxyethoxy)ethoxy]propyl}-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B1749)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 7.92-8.07(m, 3H), 7.65(d, 1H, J = 2.4 Hz), 7.31-7.44(m, 3H), 4.67(t, 1H, J = 6.3 Hz), 3.20-3.56(m, 10H), 1.67-1.82(m, 5H), 1.09(t, 3H, J = 7.2 Hz), 0.89(t, 3H, J = 7.2 Hz).

Example 245 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[3-(tetrahydrofuran-2-ylmethoxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1750)

1H-NMR(DMSO-d6) 13.01(bs, 2H), 7.90-7.95(m, 3H), 7.64(d, 1H, J = 2.4 Hz), 7.20-7.36(m, 3H), 3.89-3.97(m, 1H), 3.69-3.76(m, 1H), 3.58-3.65(m, 1H), 3.45(t, 4H, J = 6.3 Hz), 2.74(t, 2H, J = 7.5 Hz), 1.70-1.94(m, 8H), 1.50-1.60(m, 1H).

Example 246 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methoxyheptyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1751)

1H-NMR(DMSO-d6) 12.97(bs, 1H), 8.29(s, 2H), 7.85(t, 1H, J = 7.6 Hz), 7.64(s, 1H), 7.40(s, 1H), 7.20-7.31(m, 2H), 3.25(s, 3H), 3.17-3.22(m, 1H), 2.65-2.72(m, 2H), 1.70-1.80(m, 2H), 1.68(s, 3H), 1.45-1.53(m, 2H), 1.22-1.38(m, 4H), 0.87-0.90(m, 3H).

Example 247 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1752)

1H-NMR(DMSO-d6) 12.97(bs, 1H), 8.28(s, 2H), 7.94(t, 1H, J = 7.6 Hz), 7.64(s, 1H), 7.40(s, 1H), 7.20-7.31(m, 2H), 3.20(s, 3H), 3.17-3.22(m, 1H), 2.65-2.72(m, 2H), 1.70-1.80(m, 2H), 1.68(s, 3H), 1.45-1.53(m, 2H), 1.22-1.38(m, 8H), 0.87-

0.90(m, 3H).

Example 248 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[3-(2-methoxyethoxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1753)

¹H-NMR(DMSO-d₆) 12.97(bs, 1H), 8.28(s, 2H), 7.94(t, 1H, J = 7.6 Hz), 7.64(s, 1H), 7.40(s, 1H), 7.20-7.31(m, 2H), 3.40-3.50(m, 6H), 3.25(s, 3H), 2.73(t, 2H, J = 7.4 Hz), 1.80-1.88(m, 2H), 1.68(s, 3H).

10 Example 249 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-{1-[2-(2-ethoxyethoxy)ethoxy]propyl}-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1754)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.29(s, 2H), 8.02(dt, 1H, J = 1.8, 7.5 Hz), 7.64(d, 1H, J = 2.4 Hz), 7.38-7.44(m, 2H), 7.33(t, 1H, J = 7.5 Hz), 4.67(t, 1H, J = 6.0 Hz), 3.39-3.56(m, 10H), 1.67-1.78(m, 5H), 1.09(t, 3H, J = 7.2 Hz), 0.89(t, 3H, J = 6.9 Hz),

Example 250 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[3-(tetrahydrofuran-2-ylmethoxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1755)

20 ¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 7.94(dt, 1H, J = 2.1, 7.2 Hz), 7.64(d, 1H, J = 2.7 Hz), 7.40(d, 1H, J = 1.2 Hz), 7.20-7.32(m, 2H), 3.89-3.97(m, 1H), 3.69-3.76(m, 1H), 3.58-3.65(m, 1H), 3.45(t, 2H, J = 6.6 Hz), 2.74(t, 2H, J = 7.2 Hz), 1.73-1.94(m, 4H), 1.69(d, 3H, J = 1.8 Hz), 1.50-1.59(m, 1H)

25 Example 251 Synthesis of (E)-3-(4-{4-[3-(3-ethoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B1756)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 7.90-8.10(m, 3H), 7.64(d, 1H, J = 2.4 Hz), 7.20-7.38(m, 3H), 3.20-3.45(m, 4H), 2.73(t, 2H, J = 7.8 Hz), 1.76-1.88(m, 5H), 1.12(d, 3H, J = 6.9 Hz).

30 Example 252 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3-ethoxypropyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl]phenyl)-2-methylacrylic acid (B1757)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 7.94(dt, 1H, J = 1.8, 6.9 Hz), 7.64(d, 1H, J = 2.7 Hz), 7.20-7.33(m, 3H), 3.30-3.45(m, 2H), 2.70-2.78(m, 2H), 1.78-1.85(m, 2H), 1.69(d, 3H, J = 1.5 Hz), 1.12(t, 3H, J = 7.2 Hz).

5

Example 253 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[2-(2-ethyloxyethyloxy)ethyloxymethyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1762)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 8.05(dt, 1H, J = 1.8, 7.8 Hz), 7.40-7.48(m, 2H), 7.32(d, 1H, J = 7.8 Hz), 4.64(s, 2H), 3.56-3.66(m, 4H), 3.50-3.55(m, 2H), 3.39-3.48(m, 4H), 1.09(d, 3H, J = 7.2 Hz).

10

Example 254 Synthesis of (E)-3-{4-[4-(3-ethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl]-2-methylacrylic acid (B1763)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 7.92-8.00(m, 3H), 7.66(d, 1H, J = 2.7 Hz), 7.40-7.47(m, 1H), 7.28-7.37(m, 3H), 4.59(s, 2H), 3.52-3.59(m, 2H), 1.81(d, 3H, J = 1.8 Hz), 1.14-1.20(m, 3H).

15

Example 255 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-ethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1764)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(d, 2H, J = 1.2 Hz), 8.00-8.10(m, 1H), 7.66(d, 1H, J = 2.4 Hz), 7.38-7.47(m, 2H), 7.31(t, 1H, J = 7.5 Hz), 4.59(s, 2H), 3.52-3.59(m, 2H), 1.69(d, 3H, J = 0.9 Hz), 1.14-1.20(m, 3H).

20

Example 256 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-propyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1765)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 7.92-8.08(m, 3H), 7.66(d, 1H, J = 2.4 Hz), 7.40-7.47(m, 1H), 7.28-7.38(m, 3H), 4.59(s, 2H), 3.46(t, 2H, J = 6.6 Hz), 1.81(s, 3H), 1.51-1.64(m, 2H), 0.90(t, 3H, J = 7.5 Hz).

25

30

Example 257 Syntehsis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-propyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1766)

1H-NMR(DMSO-d6) 13.01(bs, 2H), 8.29(s, 2H), 8.04(dt, 1H, J = 2.1, 7.8 Hz), 7.65(d, 1H, J = 2.4 Hz), 7.38-7.47(m, 2H), 7.31(t, 1H, J = 6.6 Hz), 4.59(s, 2H), 3.46(t, 2H, J = 6.6 Hz), 1.69(d, 3H, J = 1.2 Hz), 1.52-1.63 (m, 4H), 0.90(t, 3H, J = 7.5 Hz).

Example 258 Syntehsis of (E)-3-(4-{4-[3-(4-ethyloxybutyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dfluorophenyl)-2-methylacrylic acid (B1767)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 7.92-8.08(m, 3H), 7.66(d, 1H, J = 2.7 Hz), 7.40-7.46(m, 1H), 7.28-7.36(m, 3H), 4.59(s, 2H), 3.51(t, 2H, J = 6.0 Hz), 3.25-3.42(m, 4H), 1.69(d, 3H, J = 1.2 Hz), 1.81(d, 3H, J = 1.8 Hz), 1.50-1.65 (m, 4H), 1.09(t, 3H, J = 6.9 Hz).

Example 259 Syntehsis of (E)-3-(2,6-dichloro-4-{4-[3-(4-ethyloxybutyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1768)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 8.29(s, 2H), 8.05(dt, 1H, J = 1.8, 8.1 Hz), 7.66(d, 1H, J = 2.4 Hz), 7.39-7.46(m, 2H), 7.32(t, 1H, J = 7.8 Hz), 4.59(s, 2H), 3.50(t, 2H, J = 6.3 Hz), 3.25-3.41(m, 4H), 1.69(d, 3H, J = 1.2 Hz), 1.50-1.62 (m, 4H), 1.08(t, 3H, J = 6.9 Hz).

Example 260 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methylbutyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1769)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 7.92-8.08(m, 3H), 7.66(d, 1H, J = 2.4 Hz), 7.39-7.46(m, 1H), 7.29-7.36(m, 3H), 4.86(s, 2H), 3.52(t, 2H, J = 6.9 Hz), 1.63-1.81(d, 3H, J = 1.8 Hz), 1.65-1.75(m, 1H), 1.42-1.49 (m, 2H), 0.87(d, 6H, J = 6.3 Hz).

Example 261 Syntehsis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methylbutyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1770)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 8.29(s, 2H), 8.01-8.08(m, 1H), 7.65(d, 1H, J = 2.7

Hz), 7.39-7.46(m, 2H), 7.31(t, 1H, J = 7.8 Hz), 4.59(s, 2H), 3.52(t, 2H, J = 6.9 Hz), 1.63-1.76(m, 4H), 1.42-1.49 (m, 2H), 0.87(d, 6H, J = 6.6 Hz).

Example 262 Synthesis of (E)-3-(4-{4-[3-(1,4-dimethoxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1771)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 7.92-8.08(m, 3H), 7.66(d, 1H, J = 2.7 Hz), 7.29-7.40(m, 3H), 4.55-4.62(m, 1H), 3.19(s, 6H), 1.48-1.90(m, 7H).

Example 263 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(1,4-dimethoxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1772)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 7.97-8.06(m, 1H), 7.65(d, 1H, J = 2.7 Hz), 7.32-7.42(m, 3H), 4.50-4.62(m, 1H), 3.19(s, 6H), 1.40-1.85(m, 7H).

Example 264 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{3-[3-(2-ethoxybutyloxy)propyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1773)

¹H-NMR(DMSO-d₆) 12.97(bs, 1H), 8.28(s, 2H), 7.95(t, 1H, J = 7.6 Hz), 7.61(s, 1H), 7.25-7.35(m, 2H), 6.73(s, 1H), 3.61(s, 3H), 3.39(s, 3H), 3.25(t, 2H, J = 6.0 Hz), 2.74(t, 2H, J = 7.4 Hz), 1.80-1.90(m, 2H), 1.22-1.38(m, 5H), 0.87(t, 6H, J = 7.4 Hz).

Example 265 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[3-(2,2,2-trifluoroethoxy)propyl]phenyl}thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1774)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 7.91-8.00(m, 3H), 7.64(d, 1H, J = 2.4 Hz), 7.22-7.35(m, 3H), 4.01-4.11(m, 2H), 3.64(t, 2H, J = 6.0 Hz), 2.75(t, 2H, J = 7.5 Hz), 1.84-1.93(m, 2H), 1.69(d, 3H, J = 1.5 Hz).

Example 266 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[3-(2,2,2-trifluoroethoxy)propyl]phenyl}thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1775)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 7.95(dt, 1H, J = 2.1, 7.2 Hz), 7.64(d,

1H, J = 2.4 Hz), 7.41(d, 1H, J = 1.5 Hz), 7.22-7.33(m, 2H), 4.01-4.11(m, 2H), 3.64(t, 2H, J = 6.3 Hz), 2.75(t, 2H, J = 7.5 Hz), 1.84-1.93(m, 2H), 1.81(d, 3H, J = 1.5 Hz).

Example 267 Syntehsis of (E)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[3-(3-methoxybutyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1776)

1H-NMR(DMSO-d6) 13.01(bs, 2H), 7.91-8.02(m, 3H), 7.67(d, 1H, J = 2.7 Hz), 7.20-7.37(m, 3H), 3.24-3.45(m, 5H), 3.20(s, 3H), 2.70-2.78(m, 2H), 1.77-1.88(m, 5H), 1.55-1.75(m, 2H), 1.08(d, 3H, J = 6.3 Hz).

Example 268 Syntehsis of (E)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[3-(3-methoxybutyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1777)

1H-NMR(DMSO-d6) 13.01(bs, 2H), 8.29(s, 2H), 7.90-8.08(m, 1H), 7.63(d, 1H, J = 2.7 Hz), 7.41(s, 1H), 7.21-7.32(m, 2H), 3.36-3.45(m, 5H), 3.20(s, 3H), 2.71-2.77(m, 2H), 1.78-1.88(m, 2H), 1.55-1.75(m, 5H), 1.08(d, 3H, J = 6.3 Hz).

Example 269 Syntehsis of (Z)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[3-(3-methoxybutyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid (B1778)

1H-NMR(DMSO-d6) 12.99(bs, 1H), 8.25(s, 2H), 7.94(dt, 1H, J = 1.5, 6.6 Hz), 7.62(d, 1H, J = 2.7 Hz), 7.21-7.32(m, 2H), 6.73(s, 1H), 3.61(s, 3H), 3.37-3.44(m, 5H), 3.20(s, 3H), 1.76-1.84(m, 2H), 1.52-1.75(m, 2H), 1.08(d, 3H, J = 6.0 Hz).

Example 270 Syntehsis of (E)-3-(4-{4-[3-(ethoxyphenylmethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1779)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.93 - 8.02 (m, 3H), 7.62 (d, 1H, J = 2.6 Hz), 7.49 - 7.53 (m, 1H), 7.25-7.41(m, 7H), 5.78 (s, 1H), 3.51 (q, 2H, J = 7.0Hz), 1.83 (s, 3H), 1.20 (t, 3H, J = 7.0Hz).

Example 271 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(ethoxyphenyl)methyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1780)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 8.30 (s, 2H), 7.98 - 8.02 (m, 1H), 7.61 (d, 1H, J = 2.6 Hz), 7.49 - 7.53 (m, 1H), 7.25-7.41(m, 7H), 5.78 (s, 1H), 3.51 (q, 2H, J = 7.0Hz), 1.66 (s, 3H), 1.20 (t, 3H, J = 7.0Hz).

Example 272 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxy-3-phenylpropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1781)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.94 - 8.06 (m, 3H), 7.65 (d, 1H, J = 2.6 Hz), 7.15 - 7.44 (m, 8H), 4.54-4.58 (m, 1H), 3.20 (s, 3H), 2.61-2.73 (m, 2H), 1.94-2.09 (m, 2H), 1.81(s, 3H).

Example 273 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-3-phenylpropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1782)

1H-NMR(DMSO-d6) 13.02 (bs, 2H), 8.30(s, 2H), 8.00 - 8.06 (m, 1H), 7.65 (d, 1H, J = 2.6 Hz), 7.16 - 7.44 (m, 8H), 4.54-4.58 (m, 1H), 3.21 (s, 3H), 2.64-2.74 (m, 2H), 1.96-2.08 (m, 2H), 1.69(s,3H).

Example 274 Synthesis of (E)-3-(4-{4-[3-(2-ethyl-1-methoxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1783)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.95 - 8.05 (m, 3H), 7.65 (d, 1H, J = 2.6 Hz), 7.33 - 7.36 (m, 3H), 4.51 (d, 1H, 6.4Hz), 3.16 (s, 3H), 1.81(d, 3H, J = 1.4Hz), 1.35 - 1.60 (m, 3H), 1.24 - 1.36 (m, 2H), 0.81 - 0.86 (m, 6H).

Example 275 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-ethoxy-1-methoxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1784)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.29 (s, 2H), 7.99 - 8.05 (m, 1H), 7.65 (d, 1H, J = 2.6 Hz), 7.40 (s, 1H), 7.34 - 7.36 (m, 2H), 4.521 (d, 1H, 6.1Hz), 3.16 (s, 3H), 1.39(s, 3H), 1.38 - 1.60 (m, 3H), 1.18 - 1.38 (m, 2H), 0.81 - 0.86 (m, 6H).

Example 275 Syntehsis of (E)-3-(4-{4-[3-(3-butyloxy-1-methyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1785)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 9.4 - 8.06 (m, 3H), 7.66 (d, 1H, J = 2.5 Hz), 7.32 - 7.42 (m, 3H), 4.68 - 4.70 (m, 1H), 3.47 - 3.55 (m, 1H), 3.30 - 3.38 (m, 3H), 1.85 - 2.01 (m, 2H), 1.81(s, 3H), 1.42 - 1.50 (m, 2H), 1.27 - 1.37 (m, 2H), 0.84 - 0.89 (m, 3H).

Example 277 Syntehsis of (E)-3-(4-{4-[3-(3-butyloxy-1-methyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B1786)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.29 (s, 2H), 8.00 - 8.06 (m, 1H), 7.65 (d, 1H, J = 2.6 Hz), 7.31 - 7.41 (m, 3H), 4.68 - 4.73 (m, 1H), 3.47 - 3.55 (m, 1H), 3.28 - 3.39 (m, 3H), 1.85 - 2.01 (m, 2H), 1.69(s, 3H), 1.43 - 1.50 (m, 2H), 1.29 - 1.34 (m, 2H), 0.84 - 0.89 (m, 3H).

Example 278 Syntehsis of (E)-3-{4-[4-(4'-t-butyl-2-methyloxybiphenyl-3-yl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B1787)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 8.04 - 8.07 (m, 1H), 7.96 - 7.98 (m, 2H), 7.79 (s, 1H), 7.48 - 7.55 (m, 4H), 7.27 - 7.34 (m, 3H), 3.31 (s, 3H), 1.81 (s, 3H), 1.34 (s, 9H).

Example 279 Syntehsis of (E)-3-{4-[4-(4'-t-butyl-2-methyloxybiphenyl-3-yl)thiazol-2-ylcarbamoyl]-2,6-dichlorophenyl)-2-methylacrylic acid (B1788)

1H-NMR(DMSO-d6) 12.98 (bs, 2H), 8.30 (s, 2H), 8.03 - 8.06 (m, 1H), 7.79 (s, 1H), 7.48 - 7.55 (m, 4H), 7.40 (s, 1H), 7.27 - 7.35 (m, 2H), 3.31 (s, 3H), 1.69 (s, 3H), 1.34 (s, 9H).

Example 280 Syntehsis of (E)-3-{4-[4-(4'-t-butyl-2-fluorobiphenyl-3-yl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B1789)

1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.06 - 8.11 (m, 1H), 7.95 - 8.00 (m, 2H), 7.69 (d, 1H, J = 2.6 Hz), 7.34 - 7.53 (m, 7H), 1.81 (s, 3H), 1.34 (s, 9H).

Example 281 Syntehsis of (E)-3-{4-[4-(4'-t-butyl-2-fluorobiphenyl-3-yl)thiazol-2-ylcarbamoyl]-2,6-dichlorophenyl)-2-methylacrylic acid (B1790)

¹H-NMR(DMSO-d₆) 13.05 (bs, 2H), 8.30 (s, 2H), 8.06 - 8.10 (m, 1H), 7.69 (d, 1H, J = 2.6 Hz), 7.37 - 7.53 (m, 7H), 1.69 (s, 3H), 1.34 (s, 9H).

Example 282 Synthesis of (E)-3-(4-{4-[3-(4-butyloxy-1-methyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1791)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.93-8.06(m, 3H), 7.65(d, 1H, J = 2.7 Hz), 7.32-7.39(m, 3H), 4.58-4.62(m, 1H), 3.20-3.44(m, 4H), 3.19(s, 3H), 1.22-1.88(m, 11H), 0.85(t, 3H, J = 7.2 Hz).

Example 283 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxy-4-propyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1792)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.93-8.06(m, 3H), 7.65(d, 1H, J = 2.7 Hz), 7.32-7.40(m, 3H), 4.58-4.62(m, 1H), 3.25-3.37(m, 4H), 3.19(s, 3H), 1.41-1.85(m, 9H), 0.83(t, 3H, J = 7.2 Hz).

15

Example 284 Synthesis of (E)-3-(4-{4-[3-(4-ethyloxy-1-methyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1793)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 7.94-8.07(m, 3H), 7.65(d, 1H, J = 2.4 Hz), 7.32-7.40(m, 3H), 4.58-4.63(m, 1H), 3.28-3.40(m, 4H), 3.19(s, 3H), 1.43-1.83(m, 7H), 1.08(t, 3H, J = 7.2 Hz).

20

Example 285 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(4-ethyloxy-1-methyloxybutyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1794)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 8.00-8.05(m, 1H), 7.65(d, 1H, J = 2.7 Hz), 7.32-7.41(m, 3H), 4.58-4.31(m, 1H), 3.26-3.40(m, 4H), 3.19(s, 3H), 1.40-1.88(m, 7H), 1.08(t, 3H, J = 7.2 Hz).

25

Example 286 Synthesis of (E)-3-(4-{4-[3-(3,3-dimethylbut-1-ynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1795)

¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 8.03 - 8.08 (m, 1H), 7.95 - 7.98 (m, 2H), 7.72 (d,

30

1H, J = 2.7 Hz), 7.26 - 7.45 (m, 3H), 1.81 (s, 3H), 1.33 (s, 9H).

Example 287 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbut-1-ynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1796)

5 1H-NMR(DMSO-d6) 13.01 (bs, 2H), 8.30 (s, 2H), 8.02 - 8.08 (m, 1H), 7.72 (d, 1H, J = 2.6 Hz), 7.40 - 7.44 (m, 2H), 7.27 - 7.32 (m, 1H), 1.69 (s, 3H), 1.37 (s, 9H).

Example 288 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-octyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methylacrylic acid (B1797)

10 1H-NMR(DMSO-d6) 12.91(bs, 2H), 7.92-8.00(m, 2H), 7.38-7.51(m, 3H), 7.30-7.37(m, 2H), 7.27(s, 1H), 4.13(t, 2H, J = 6.6Hz), 1.80-1.92(m, 5H), 1.20-1.52(m, 10H), 0.83-0.88(m, 3H).

Example 289 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-octyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methylacrylic acid (B1798)

15 1H-NMR(DMSO-d6) 12.97(bs, 2H), 8.28(s, 2H), 7.30-7.50(m, 5H), 7.27(s, 1H), 4.13(t, 2H, J = 6.6Hz), 1.80-1.90(m, 2H), 1.69(d, 3H, J = 1.5 Hz), 1.18-1.52(m, 10H), 0.83-0.88(m, 3H).

20 Example 290 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-methyloxy-4-propyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1799)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 7.90-8.10(m, 3H), 7.73(s, 1H), 7.25-7.34(m, 3H), 4.59-4.63(m, 1H), 3.62(s, 3H), 3.16(s, 3H), 1.81(s, 3H), 1.42-1.76(m, 6H), 0.84(t, 3H, J = 7.5 Hz).

25

Example 291 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(1-methyloxy-4-propyloxybutyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1800)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 8.29(s, 2H), 7.86(dd, 1H, J = 1.6, 7.5 Hz), 7.70(s, 1H), 7.41(d, 1H, J = 0.9 Hz), 7.31(dd, 1H, J = 1.8, 7.8 Hz), 7.25(t, 1H, J = 7.5 Hz), 4.53-4.58(m, 1H), 3.67-3.74(m, 2H), 3.15(s, 3H), 1.69(s, 3H), 1.20-1.40(m, 19H), 0.83-0.87(m,

30

3H).

Example 292 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-pent-1-ynylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1801)

5 ¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.05(dt, 1H, J = 1.8, 7.8 Hz), 7.92-8.00(m, 2H), 7.71(d, 1H, J = 2.7 Hz), 7.43-7.48(m, 1H), 7.34(s, 1H), 7.30(t, 1H, J = 7.8Hz), 1.81(s, 3H), 1.54-1.66(m, 2H), 1.03(d, 3H, J = 7.5 Hz).

Example 293 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-pent-1-ynylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1802)

10 ¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.28(s, 2H), 8.05(dt, 1H, J = 2.1, 7.8 Hz), 7.66-1.70(m, 1H), 7.38-7.48(m, 2H), 7.30(t, 1H, J = 7.8 Hz), 1.69(s, 3H), 1.57-1.64(m, 2H), 1.03(d, 3H, J = 7.5 Hz).

15 Example 294 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-hert-1-ynylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1803)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.02-8.10(m, 1H), 7.90-8.00(m, 2H), 7.68(d, 1H, J = 3.0 Hz), 7.41-7.48(m, 1H), 7.35(s, 1H), 7.30(t, 1H, J = 7.8Hz), 1.81(s, 3H), 1.56-1.65(m, 2H), 1.30-1.48(m, 4H), 0.91(t, 3H, J = 7.2 Hz).

20

Example 295 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-hert-1-ynylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1804)

25 ¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.28(s, 2H), 8.05(dt, 1H, J = 1.8, 7.8 Hz), 7.69(d, 1H, J = 2.7 Hz), 7.38-7.48(m, 2H), 7.30(t, 1H, J = 7.8 Hz), 1.69(s, 3H), 1.54-1.63(m, 2H), 1.31-1.48(m, 4H), 0.91(d, 3H, J = 7.2 Hz).

Example 296 Synthesis of (E)-3-{4-[4-(3-dec-1-ynyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B1805)

30 ¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.05(dt, 1H, J = 1.8, 7.8 Hz), 7.92-8.00(m, 2H), 7.68(d, 1H, J = 2.7 Hz), 7.42-7.47(m, 1H), 7.34(s, 1H), 7.30(t, 1H, J = 7.8Hz), 1.80(s, 1H),

1.52-1.65(m, 2H), 1.37-1.50(m, 2H), 1.23-1.34(m, 8H), 0.84-0.89(m, 3H).

Example 297 Syntehsis of (E)-3-{2,6-dichloro-4-[4-(3-dec-1-ynyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1806)

5 ¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.28(s, 2H), 8.02-8.09(m, 1H), 7.68(d, 1H, J = 2.4 Hz), 7.38-7.47(m, 2H), 7.29(t, 1H, J = 7.8 Hz), 1.69(s, 3H), 1.20-1.62(m, 12H), 0.82-0.90(m, 3H).

Example 296 Syntehsis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methylpent-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1807)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.05(dt, 1H, J = 2.1, 7.8 Hz), 7.92-8.00(m, 2H), 7.70(d, 1H, J = 2.7 Hz), 7.42-7.49(m, 1H), 7.34(s, 1H), 7.30(t, 1H, J = 7.5 Hz), 2.41(d, 2H, J = 6.3 Hz), 1.86-1.94(m, 1H), 1.80(s, 3H), 1.04(d, 6H, J = 6.9 Hz).

15 Example 299 Syntehsis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(4-methylpent-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1808)

¹H-NMR(DMSO-d₆) 13.04(bs, 2H), 8.29(s, 2H), 8.05(dt, 1H, J = 1.5, 7.8 Hz), 7.70(d, 1H, J = 2.7 Hz), 7.38-7.59(m, 2H), 7.30(t, 1H, J = 7.8 Hz), 2.42(d, 2H, J = 6.3 Hz), 1.83-1.96(m, 1H), 1.69(s, 3H), 1.04(d, 6H, J = 6.6 Hz).

20

Example 300 Syntehsis of (E)-3-{4-[4-(3-cyclohexy-1-enylethynyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B1809)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.04-8.12(m, 1H), 7.92-8.02(m, 2H), 7.72(d, 1H, J = 3.0 Hz), 7.44-7.51(m, 1H), 7.27-7.35(m, 2H), 6.26-6.30(m, 1H), 2.10-2.24(m, 4H), 1.81(s, 3H), 1.46-1.69(m, 4H).

25

Example 301 Syntehsis of (E)-3-{4-[4-(3-cyclohexy-1-enylethynyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methoxyacrylic acid (B1810)

30 ¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.12(dt, 1H, J = 1.8, 7.8 Hz), 7.92-8.00(m, 2H),

7.72(d, 1H, J = 2.4 Hz), 7.51-7.57(m, 1H), 7.33-7.38(m, 2H), 4.41(s, 2H), 3.71(s, 3H), 1.81(s, 1H).

Example 302 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-propyloxyprop-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1811)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.13(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.72(s, 1H), 7.52(t, 1H, J = 7.5 Hz), 7.40(s, 1H), 7.38(t, 1H, J = 7.5 Hz), 4.43(s, 2H), 3.50(t, 2H, J = 7.0 Hz), 1.80(s, 3H), 1.50-1.6 (m, 2H), 0.93(t, 3H, J = 7.0 Hz).

Example 303 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-isopropyloxyprop-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1812)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.11(t, 1H, J = 7.5 Hz), 7.99(s, 1H), 7.96(s, 1H), 7.72(s, 1H), 7.52(t, 1H, J = 7.5 Hz), 7.34(s, 1H), 7.32(t, 1H, J = 7.5 Hz), 4.43(s, 2H), 3.70-3.75(m, 1H), 1.80(s, 3H), 1.13 (d, 6H, J = 6.0 Hz).

15

Example 304 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-pentyloxyprop-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1813)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.10(t, 1H, J = 7.5 Hz), 7.99(s, 1H), 7.96(s, 1H), 7.72(s, 1H), 7.52(t, 1H, J = 7.5 Hz), 7.34(s, 1H), 7.32(t, 1H, J = 7.5 Hz), 4.40(s, 2H), 3.50(t, 2H, J = 7.0 Hz), 1.80(s, 3H), 1.50-1.61(m, 2H), 1.20-1.31(m, 4H), 0.88-0.92(m, 3H).

20

Example 305 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-propyloxyprop-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1814)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.28(s, 2H), 8.10(t, 1H, J = 7.5 Hz), 7.72(s, 1H), 7.52(t, 1H, J = 7.5 Hz), 7.40(s, 1H), 7.34(t, 1H, J = 7.5 Hz), 4.40(s, 2H), 3.48(t, 2H, J = 7.0 Hz), 1.69(s, 3H), 1.50-1.61(m, 2H), 0.93(t, 3H, J = 7.0 Hz).

25

Example 306 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-isopropyloxyprop-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1815)

30

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.28(s, 2H), 8.10(t, 1H, J = 7.5 Hz), 7.72(s, 1H), 7.52(t, 1H, J = 7.5 Hz), 7.40(s, 1H), 7.34(t, 1H, J = 7.5 Hz), 4.40(s, 2H), 3.70-3.75(m, 1H), 1.69(s, 3H), 1.13(d, 6H, J = 6.0 Hz).

5 Example 307 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-pentyloxyprop-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1816)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.28(s, 2H), 8.10(t, 1H, J = 7.5 Hz), 7.72(s, 1H), 7.44(t, 1H, J = 7.5 Hz), 7.40(s, 1H), 7.34(t, 1H, J = 7.5 Hz), 4.44(s, 2H), 3.51(t, 2H, J = 7.0 Hz), 1.69(s, 3H), 1.50-1.61(m, 2H), 1.20-1.31(m, 4H), 0.93(t, 3H, J =
10 7.0 Hz).

Example 308 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)prop-1-ynyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1817)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.28(s, 2H), 8.10(t, 1H, J = 7.5 Hz), 7.71(s, 1H), 7.50(t, 1H, J = 7.5 Hz), 7.40(s, 1H), 7.34(t, 1H, J = 7.5 Hz), 4.46(s, 2H), 3.23(s, 2H), 1.69(s, 3H), 0.91(s, 9H).

Example 309 Synthesis of (E)-3-(4-{4-[3-(5-chloro-pent-1-ynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1818)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.07(t, 1H, J = 7.5 Hz), 7.92-8.00(m, 2H), 7.71(d, 1H, J = 3.0 Hz), 7.49(t, 1H, J = 7.2 Hz), 7.29-7.34(m, 2H), 3.81(t, 2H, J = 6.6 Hz), 2.67(t, 2H, J = 7.2 Hz), 1.99-2.08(m, 2H), 1.81(s, 3H).

Example 310 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(5-chloro-pent-1-ynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1819)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.28(s, 2H), 8.06(t, 1H, J = 6.9 Hz), 7.70(d, 1H, J = 2.4 Hz), 7.48(t, 1H, J = 6.3 Hz), 7.40(s, 1H), 7.31(t, 1H, J = 7.8 Hz), 3.81(t, 2H, J = 6.3 Hz), 2.67(t, 2H, J = 6.3 Hz), 1.99-2.08(m, 2H), 1.69(s, 3H).

30 Example 311 Synthesis of (E)-3-(4-{4-[3-(5-cyano-pent-1-ynyl)-2-fluorophenyl]thiazol-

2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1820)

¹H-NMR(DMSO-d₆) 8.07(dt, 1H, J = 1.5, 7.8 Hz), 7.91-8.00(m, 2H), 7.70(d, 1H, J = 2.7 Hz), 7.50(dt, 1H, J = 1.5, 6.8 Hz), 7.29-7.34(m, 2H), 2.61-2.69(m, 4H), 1.85-1.94(m, 2H), 1.81(s, 3H).

5

Example 312 Synthesis of (Z)-3-{4-[4-(3-dec-1-ynyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methoxyacrylic acid (B1821)

¹H-NMR(DMSO-d₆) 12.99(bs, 1H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.88-7.95(m, 2H), 7.69(d, 1H, J = 2.7 Hz), 7.44(dt, 1H, J = 1.8, 6.6 Hz), 7.29(t, 1H, J = 7.8 Hz), 6.64(s, 1H), 3.71(s, 3H), 1.16-1.64(m, 14H), 0.84-0.88(m, 3H).

10

Example 313 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-pyridin-3-ylethynylphenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methylacrylic acid (B1822)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.81(s, 1H), 8.64(d, 1H, J = 3.9 Hz), 8.17(t, 1H, J = 7.2 Hz), 8.04(d, 1H, J = 7.8 Hz), 7.92-8.10(m, 2H), 7.77(d, 1H, J = 2.1 Hz), 7.67(t, 1H, J = 6.6 Hz), 7.49-7.53(m, 1H), 7.42(t, 1H, J = 7.2 Hz), 7.34(s, 1H), 1.81(s, 3H).

15

Example 314 Synthesis of (E)-3-{4-[4-(3-ethynyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B1823)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.12(dt, 1H, J = 1.8, 7.5 Hz), 7.92-8.00(m, 2H), 7.72(d, 1H, J = 2.7 Hz), 7.55(dt, 1H, J = 1.5, 6.9 Hz), 7.32-7.37(m, 2H), 4.57(s, 1H), 1.81(s, 1H).

20

Example 315 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methylpent-1-ynyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1824)

¹H-NMR(DMSO-d₆) 12.99(bs, 1H), 8.04(dt, 1H, J = 1.5, 7.5 Hz), 7.87-7.95(m, 2H), 7.71(d, 1H, J = 2.7 Hz), 7.46(dt, 1H, J = 1.8, 7.0 Hz), 7.29(t, 1H, J = 7.8 Hz), 6.65(s, 1H), 3.71(s, 3H), 2.41(d, 2H, J = 6.6 Hz), 1.85-1.94(m, 1H), 1.04(d, 6H, J = 6.6 Hz).

25

Example 316 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methylhexyn-1-

30

ynyl}phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1825)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.92-8.00(m, 2H),
7.71(d, 1H, J = 2.7 Hz), 7.43(dt, 1H, J = 1.8, 7.0 Hz), 7.34(s, 1H), 7.29(t, 1H, J = 7.8 Hz),
2.68-2.82(m, 1H), 1.81(s, 1H), 1.42-1.64(m, 4H), 1.24(d, 3H, J = 6.9 Hz), 0.91-0.96(m,
5 3H).

Example 317 Synthesis of (E)-3-(4-{4-[3-(3-cyclopentylprop-1-ynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1826)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 8.04(dt, 1H, J = 1.8, 6.9 Hz), 7.92-8.00(m, 2H),
10 7.70(d, 1H, J = 2.7 Hz), 7.44(dt, 1H, J = 1.8, 7.0 Hz), 7.33(s, 1H), 7.30(t, 1H, J = 7.8 Hz),
2.05-2.17(m, 1H), 1.76-1.87(m, 5H), 1.48-1.70(m, 4H), 1.29-1.40(m, 2H).

Example 318 Synthesis of (Z)-3-{4-[4-(3-cyclohexyl-1-enylethynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid
15 (B1827)

1H-NMR(DMSO-d6) 12.99(bs, 1H), 8.07(dt, 1H, J = 1.5, 7.5 Hz), 7.87-7.95(m, 2H),
7.72(d, 1H, J = 2.7 Hz), 7.48(dt, 1H, J = 1.8, 6.0 Hz), 7.32(t, 1H, J = 7.8 Hz), 6.65(s, 1H),
6.25-6.30(m, 1H), 3.71(s, 3H), 2.10-2.24(m, 4H), 1.54-1.70(m, 4H).

20 Example 319 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyl)-2-fluorophenyl]-5-morpholin-4-ylthiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid
(B1828)

1H-NMR(DMSO-d6) 12.82(bs, 1H), 8.23(s, 2H), 7.42(t, 1H, J = 7.6 Hz), 7.40(s,
1H), 7.29(t, 1H, J = 7.6 Hz), 7.09(d, 1H, J = 7.6 Hz), 3.66-3.72(m, 4H), 2.66-
25 2.78(m, 4H), 2.60-2.70(m, 2H), 1.68(s, 3H), 1.39-1.45(m, 2H), 0.95(s, 9H).

Example 320 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]-5-morpholin-4-ylthiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1829)

30 1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.92(s, 1H), 7.89(s, 1H), 7.50(t, 1H, J = 7.5

Hz), 7.39(t, 1H, J = 7.5 Hz), 7.33(s, 1H), 7.28(t, 1H, J = 7.5 Hz), 4.51(t, 1H, J = 6.5 Hz), 3.66-3.72(m, 4H), 3.16(s, 3H), 2.75-2.86(m, 4H), 1.78(s, 3H), 1.70-1.78(m, 2H), 1.12-1.38(m, 6H), 0.87-0.90(m, 3H).

5 Example 321 Syntehsis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]-5-morpholin-4-ylthiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1830)

1H-NMR(DMSO-d6) 12.82(bs, 1H), 8.23(s, 2H), 7.50(t, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.36(t, 1H, J = 7.6 Hz), 7.28(t, 1H, J = 7.6 Hz), 4.51(t, 1H, J = 6.5 Hz), 3.66-
10 3.72(m, 4H), 3.16(s, 3H), 2.75-2.86(m, 4H), 1.70-1.78(m, 2H), 1.68(s, 3H), 1.10-1.38(m, 6H), 0.87-0.90 (m, 3H).

Example 322 Syntehsis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-propyloxypropyl)phenyl]-5-morpholin-4-ylthiazol-2-ylcarbamoyl}phenyl)-2-
15 methylacrylic acid (B1831)

1H-NMR(DMSO-d6) 12.82(bs, 1H), 8.28(s, 2H), 7.42(t, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.28(t, 1H, J = 7.6 Hz), 7.17(t, 1H, J = 7.6 Hz), 3.75-3.89(m, 4H), 3.33-3.40(m, 4H), 2.75-2.86(m, 4H), 2.74(t, 1H, J = 7.0 Hz), 1.70-1.78(m, 2H), 1.68(s, 3H), 1.20-1.30(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

20

Example 323 Syntehsis of (E)-3-(4-{4-[3-(3-dimethylamino-prop-1-ynyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1832)

1H-NMR(DMSO-d6) 13.01(bs, 2H), 8.08(dt, 1H, J = 1.8, 7.5H), 7.72(d, 1H, J = 2.4 Hz), 7.51(dt, 1H, J = 1.8, 7.2H), 7.30-7.54(m, 2H), 3.56(s, 2H), 2.29(s, 6H), 1.81 (s, 3H).

25

Example 324 Syntehsis of (E)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1833)

1H-NMR(CDCl3-d6) 8.31(s, 2H), 7.66(s, 1H), 7.46-7.53(m, 2H), 7.24-7.30(m, 1H),
30 7.17(t, 1H J = 7.8 Hz), 3.59(s, 3H), 3.46-3.52(m, 2H), 3.08(s, 2H), 2.76-2.84(m, 2H),

1.92-1.98(m, 2H), 1.87(s, 3H), 0.94(s, 9H).

Example 325 Synthesis of (E)-3-(4-{4-[3-(2-butyloxyethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1834)

5 1H-NMR(DMSO-d6) 12.96 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.86 - 7.88 (m, 1H), 7.73 (s, 1H), 7.34 (s, 1H), 7.27 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.40 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.81 (s, 3H), 1.42 - 1.50 (m, 2H), 1.26 - 1.34 (m, 2H), 0.86 (t, 3H, J = 7.0 Hz).

10 Example 326 Synthesis of (Z)-3-(4-{4-[3-(2-butyloxyethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methyloxyacrylic acid (B1835)

1H-NMR(DMSO-d6) 12.92 (bs, 2H), 7.85 - 7.93 (m, 3H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 6.66 (s, 1H), 3.71 (s, 3H), 3.59 - 3.65 (m, 5H), 3.41 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.43 - 1.50 (m, 2H), 1.27 - 1.34 (m, 2H), 0.87 (t, 3H, J = 7.0 Hz).

Example 327 Synthesis of (E)-3-(4-{4-[3-(2-butyloxyethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methylacrylic acid (B1836)

1H-NMR(DMSO-d6) 12.97 (bs, 2H), 8.26 (s, 2H), 7.85 - 7.89 (m, 1H), 7.72 (s, 1H), 7.40 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.41 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.69 (s, 3H), 1.43 - 1.50 (m, 2H), 1.27 - 1.34 (m, 2H), 0.86 (t, 3H, J = 7.0 Hz).

Example 328 Synthesis of (Z)-3-(4-{4-[3-(2-butyloxyethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-dichlorophenyl)-2-methyloxyacrylic acid (B1837)

25 1H-NMR(DMSO-d6) 12.94 (bs, 2H), 8.24 (s, 2H), 7.85 - 7.87 (m, 1H), 7.71 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 6.73 (s, 1H), 3.59 - 3.65 (m, 5H), 3.41 (t, 2H, J = 6.6Hz), 3.20 (s, 3H), 2.91 (t, 2H, J = 6.9Hz), 1.43 - 1.50 (m, 2H), 1.27 - 1.34 (m, 2H), 0.87 (t, 3H, J = 7.0 Hz).

30

Example 329 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(2-propyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1838)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 7.95 - 7.97 (m, 2H), 7.85 - 7.89 (m, 1H), 7.72 (s, 1H), 7.34 (s, 1H), 7.26 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 3.60 - 3.65 (m, 5H), 3.70 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.81 (s, 3H), 1.45 - 1.52 (m, 2H), 0.85 (t, 3H, J = 7.5 Hz).

Example 330 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(2-propyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1839)

1H-NMR(DMSO-d6) 12.98 (bs, 2H), 8.29 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.27 - 7.30 (m, 1H), 7.14 - 7.19 (m, 1H), 3.60 - 3.66 (m, 5H), 3.37 (t, 2H, J = 6.6Hz), 2.91(t, 2H, J = 7.0Hz), 1.69 (s, 3H), 1.48 - 1.54 (m, 2H), 0.85 (t, 3H, J = 7.5 Hz).

Example 331 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(2-propyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B1840)

1H-NMR(DMSO-d6) 13.52 (bs, 1H), 12.98 (bs, 1H), 8.25 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.26 - 7.30 (m, 1H), 7.14 - 7.19 (m, 1H), 6.74 (s, 1H), 3.60 - 3.66 (m, 8H), 3.70 (t, 2H, J = 6.6Hz), 2.91(t, 2H, J = 7.0Hz), 1.48 - 1.54 (m, 2H), 0.85 (t, 3H, J = 7.5 Hz).

Example 332 Synthesis of (E)-3-{4-[4-(3-butyloxy-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B1841)

1H-NMR(DMSO-d6) 13.00 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.60 - 7.65 (m, 2H), 7.40 (s, 1H), 7.14 - 7.24 (m, 2H), 4.09 (t, 2H, J = 6.6 Hz), 1.80 (s, 3H), 1.70 - 1.77 (m, 2H), 1.43 - 1.51 (m, 2H), 0.97 (t, 3H, J = 7.5 Hz)

Example 333 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxybutyl)phenyl]-5-methyloxythiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1842)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.50(t, 1H, J = 7.5

Hz), 7.28-7.38(m, 3H), 4.53(t, 1H, J = 6.5 Hz), 3.95(s, 3H), 3.17(s, 3H), 1.79(s, 3H), 1.50-1.78(m, 2H), 1.20-1.30(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

Example 334 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxybutyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1843)

¹H-NMR(DMSO-d₆) 12.82(bs, 1H), 8.28(s, 2H), 7.46(t, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.34(t, 1H, J = 7.6 Hz), 7.28(t, 1H, J = 7.6 Hz), 4.58(t, 1H, J = 6.5 Hz), 3.95(s, 3H), 3.17(s, 3H), 1.69(s, 3H), 1.50-1.78(m, 2H), 1.20-1.30(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

Example 335 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-isopropoxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1844)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.25(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.72(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.61(s, 3H), 3.50-3.58(m, 1H), 3.35-3.42(m, 2H), 3.17(s, 3H), 1.80-1.99(m, 2H), 1.05(d, 6H, J = 6.0 Hz).

Example 336 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxybutyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1845)

¹H-NMR(DMSO-d₆) 12.82(bs, 1H), 8.25(s, 2H), 7.46(t, 1H, J = 7.6 Hz), 7.34(t, 1H, J = 7.6 Hz), 7.28(t, 1H, J = 7.6 Hz), 6.72(s, 1H), 4.53(t, 1H, J = 6.5 Hz), 3.9(s, 3H), 3.60(s, 3H), 3.17(s, 3H), 1.50-1.7(m, 2H), 1.20-1.30(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

Example 337 Synthesis of (E)-3-(4-{4-[3-(3,3-dimethylbutyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1846)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.97(s, 1H), 7.96(s, 1H), 7.77(s, 1H), 7.75(t, 1H, J=7.5), 7.38(s, 1H), 7.12(t, 1H, J=7.5), 3.99(s, 3H), 2.50-2.60(m, 2H), 1.78(s,

3H), 1.39-1.45 (m, 2H), 0.95 (s, 9H).

Example 338 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyl)phenyl]-5-methoxythiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1847)

5 ¹H-NMR(DMSO-d₆) 12.82(bs, 1H), 8.28(s, 2H), 7.77(s, 1H), 7.74(t, 1H, J = 7.6 Hz), 7.41(s, 1H), 7.32(t, 1H, J = 7.6 Hz), 4.05(s, 3H), 2.50-2.60(m, 2H), 1.68(s, 3H), 1.39-1.45(m, 2H), 0.95(s, 9H).

Example 339 Synthesis of (E)-3-[4-(4-{3-[3-(2-ethylbutyloxy)propyl]-2-methoxyphenyl}thiazol-2-ylcarbonyl)-2,6-difluorophenyl]-2-methylacrylic acid (B1848)

15 ¹H-NMR(CDCl₃-d₆) 7.90(s, 1H), 7.88(s, 1H), 7.58(s, 1H), 7.45-7.50(m, 2H), 7.25-7.28(m, 1H), 7.17(t, 1H, J = 7.2 Hz), 3.57(s, 3H), 3.49(t, 2H, J = 6.0 Hz), 3.33(d, 2H, J = 5.4 Hz), 2.76-2.84(m, 2H), 1.90-2.11(m, 5H), 1.30-1.50(m, 5H), 0.90(t, 6H, J = 7.2 Hz).

Example 340 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[3-(2-ethylbutyloxy)propyl]-2-methoxyphenyl}thiazol-2-ylcarbonyl)phenyl]-2-methylacrylic acid (B1849)

20 ¹H-NMR(CDCl₃-d₆) 8.33(s, 2H), 7.65(s, 1H), 7.46-7.52(m, 2H), 2.25-7.28(m, 1H), 7.17(t, 1H, J = 7.8 Hz), 3.58(s, 3H), 3.47(t, 2H, J = 6 Hz), 3.32(d, 2H, J = 5.7 Hz), 2.76-2.82(m, 2H), 1.90-2.00(m, 2H), 1.86(bs, 3H), 1.31-1.50(m, 5H), 0.89(t, 6H, J = 7.5 Hz).

Example 341 Synthesis of (Z)-3-[4-(4-{3-[3-(2-ethylbutyloxy)propyl]-2-methoxyphenyl}thiazol-2-ylcarbonyl)-2,6-difluorophenyl]-2-methoxyacrylic acid (B1850)

25 ¹H-NMR(CDCl₃-d₆) 7.82(s, 1H), 7.79(s, 1H), 7.40-7.50(m, 2H), 7.25-7.26(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 6.92(s, 1H), 3.90(s, 3H), 3.48(t, 2H, J = 6.3 Hz), 3.32(d, 2H, J = 5.7 Hz), 2.76-2.83(m, 2H), 1.91-2.05(m, 2H), 1.31-1.52(m, 5H), 0.90(t, 6H, J = 7.5 Hz).

Example 342 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-methoxy-3-[3-(3-methylbutyloxy)propyl]phenyl}thiazol-2-ylcarbonyl)phenyl]-2-methylacrylic acid

(B1851)

1H-NMR(CDCl₃-d₆) 7.91(s, 1H), 7.88(s, 1H), 7.57(bs, 1H), 7.47-7.52(m, 1H), 7.47(s, 1H), 7.25-7.30(m, 1H), 7.18(t, 1H, J = 7.5 Hz), 3.58(s, 3H), 3.44-3.52(m, 4H), 2.80(t, 2H, J = 8.7 Hz), 1.91-2.00(m, 5H), 1.68-1.78(M, 1H), 1.49(q, 2H, J = 13.8, 6.9 Hz), 0.92(d, 6H, J = 6.3 Hz).

Example 343 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-methyloxy-3-[3-(3-methylbutyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1852)

10 1H-NMR(CDCl₃-d₆) 8.31(s, 2H), 7.65(s, 1H), 7.50(dd, 1H, J = 7.8, 1.5 Hz), 7.46(s, 1H), 7.24-7.28(m, 1H), 7.16(t, 1H, J = 7.8 Hz), 3.58(s, 3H), 3.43-3.51(m, 4H), 2.76-2.82(m, 2H), 1.85-2.05(m, 2H), 1.86(s, 3H), 1.65-1.80(m, 1H), 1.49(t, 2H, J = 13.5, 6.6 Hz), 0.92(d, 6H, J = 6.9 Hz).

15 Example 344 Synthesis of (Z)-3-[2,6-difluoro-4-(4-{2-methyloxy-3-[3-(3-methylbutyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methyloxyacrylic acid (B1853)

1H-NMR(CDCl₃-d₆) 7.84(s, 1H), 7.81(s, 1H), 7.49(d, 1H, J = 8.1 Hz), 7.46(s, 1H), 7.29(d, 1H, J = 7.5 Hz), 7.18(t, 1H, J = 7.5 Hz), 6.91(s, 1H), 3.90(s, 3H), 3.59(s, 3H), 2.40-3.52(m, 4H), 2.80(t, 2H, J = 8.1 Hz), 1.90-2.05(m, 2H), 1.65-1.78(m, 1H), 1.49(q, 2H, J = 13.5, 6.6 Hz), 0.92(d, 6H, J = 6.3 Hz).

Example 345 Synthesis of (E)-3-(4-{4-[3-(3-cyclobutylmethyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1854)

25 1H-NMR(CDCl₃-d₆) 7.91(s, 1H), 7.88(s, 1H), 7.58(s, 1H), 7.49(dd, 1H, J = 7.5, 1.5 Hz), 7.46(s, 1H), 7.25-7.29(m, 1H), 7.18(t, 1H, J = 7.5 Hz), 3.58(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 3.43(d, 2H, J = 6.9 Hz), 2.76-2.82(m, 2H), 2.54-2.64(m, 1H), 1.72-1.21(m, 11H).

30 Example 346 Synthesis of (E)-3-(2,6-dichloro-4-(4-[3-(3-cyclobutylmethyloxypropyl)-2-

methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1855)

¹H-NMR(CDCl₃-d₆) 8.32(s, 2H), 7.66(s, 1H), 7.49(d, 1H, J = 6.6 Hz), 7.46(s, 1H), 7.24-7.26(m, 1H), 7.16(t, 1H, J = 7.5 Hz), 3.57(s, 3H), 3.49(t, 2H, 6.3 Hz), 3.42(d, 2H, J = 6.6 Hz), 2.78(t, 2H, J = 7.8 Hz), 2.52-2.64(m, 1H), 2.01-2.12(m, 2H), 1.70-2.00(m, 9H).

5

Example 347 Synthesis of (Z)-3-(4-{4-[3-(3-cyclobutylmethyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methyloxyacrylic acid (B1856)

¹H-NMR(CDCl₃-d₆) 7.82(s, 1H), 7.79(s, 1H), 7.44-7.50(m, 2H), 7.25-7.30(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 6.92(s, 1H), 3.91(s, 3H), 3.57(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 3.43(d, 2H, J = 6.9 Hz), 2.79(t, 2H, J = 7.8 Hz), 2.53-2.66(m, 1H), 1.72-2.13(m, 8H).

10

Example 348 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3-cyclobutylmethyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B1857)

¹H-NMR(CDCl₃-d₆) 8.25(s, 2H), 7.47(d, 1H, J = 7.8 Hz), 7.44(s, 1H), 7.24-7.26(m, 1H), 7.16(t, 1H, J = 7.5 Hz), 7.02(s, 1H), 3.73(s, 3H), 3.57(s, 3H), 3.49(t, 2H, J = 6.0 Hz), 3.42(d, 2H, J = 6.6 Hz), 2.78(t, 2H, J = 8.1 Hz), 2.53-2.64(m, 1H), 1.71-2.14(m, 8H).

15

Example 349 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methyloxyhexyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1858)

20

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.48(t, 1H, J = 7.5 Hz), 7.28-7.38(m, 3H), 4.51(t, 1H, J = 6.5 Hz), 3.95(s, 3H), 3.17(s, 3H), 1.79(s, 3H), 1.50-1.78(m, 2H), 1.20-1.30(m, 6H), 0.87-0.90(m, 3H).

25

Example 350 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methyloxyhexyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1859)

30

¹H-NMR(DMSO-d₆) 12.82(bs, 1H), 8.28(s, 2H), 7.46(t, 1H, J = 7.6 Hz), 7.38(s, 1H), 7.34(t, 1H, J = 7.6 Hz), 7.28(t, 1H, J = 7.6 Hz), 4.51(t, 1H, J = 6.5 Hz), 3.95(s,

3H), 3.17(s, 3H), 1.50-1.78(m, 2H), 1.69(s, 3H), 1.20-1.30(m, 6H), 0.87-0.90(m, 3H).

Example 351 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1860)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.90(s, 1H), 7.88(s, 1H), 7.48(t, 1H, J = 7.5 Hz), 7.36(t, 1H, J = 7.5 Hz), 7.28(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.51(t, 1H, J = 6.5 Hz), 3.95(s, 3H), 3.70(s, 3H), 3.17(s, 3H), 1.50-1.78(m, 2H), 1.20-1.30(m, 6H), 0.87-0.90(m, 3H).

Example 352 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyhexyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1861)

1H-NMR(DMSO-d6) 12.82(bs, 1H), 8.20(s, 2H), 7.46(t, 1H, J = 7.6 Hz), 7.34(t, 1H, J = 7.6 Hz), 7.28(t, 1H, J = 7.6 Hz), 6.65(s, 1H), 4.51(t, 1H, J = 6.5 Hz), 3.95(s, 3H), 3.60(s, 3H), 3.17(s, 3H), 1.50-1.78(m, 2H), 1.20-1.30(m, 6H), 0.87-0.90(m, 3H).

Example 353 Synthesis of (E)-3-(2,6-difluoro-4-{5-methoxy-4-[3-(3-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1862)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.77(s, 1H), 7.76(d, 1H, J = 7.5 Hz), 7.34(s, 1H), 7.33(t, 1H, J = 7.6 Hz), 7.11(t, 1H, J = 7.6 Hz), 4.05(s, 3H), 3.33-3.40(m, 4H), 2.74(t, 1H, J = 7.0 Hz), 1.75-1.85(m, 2H), 1.79(s, 3H), 1.45-1.55(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

Example 354 Synthesis of (E)-3-(2,6-dichloro-4-{5-methoxy-4-[3-(3-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1863)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.28(s, 2H), 7.77(s, 1H), 7.76(d, 1H, J = 7.5 Hz), 7.39(s, 1H), 7.33(t, 1H, J = 7.6 Hz), 7.11(t, 1H, J = 7.6 Hz), 4.05(s, 3H), 3.33-3.40(m, 4H), 2.74(t, 1H, J = 7.0 Hz), 1.75-1.85(m, 2H), 1.68(s, 3H), 1.45-1.55(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

5

Example 355 Synthesis of (Z)-3-(2,6-difluoro-4-{5-methoxy-4-[3-(3-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1864)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.88(s, 1H), 7.85(s, 1H), 7.77(s, 1H), 7.76(d, 1H, J = 7.5 Hz), 7.33(t, 1H, J = 7.6 Hz), 7.11(t, 1H, J = 7.6 Hz), 6.63(s, 1H), 4.05(s, 3H), 3.79(s, 3H), 3.33-3.40(m, 4H), 2.74(t, 1H, J = 7.0 Hz), 1.75-1.85(m, 2H), 1.45-1.55 (m, 2H), 0.87(t, 3H, J = 7.0 Hz).

Example 356 Synthesis of (Z)-3-(2,6-dichloro-4-{5-methoxy-4-[3-(3-propyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1865)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.28(s, 2H), 7.77(s, 1H), 7.76(d, 1H, J = 7.5 Hz), 7.33(t, 1H, J = 7.6 Hz), 7.11(t, 1H, J = 7.6 Hz), 6.63(s, 1H), 4.05(s, 3H), 3.70(s, 3H), 3.33-3.40(m, 4H), 2.64(t, 1H, J = 7.0 Hz), 1.75-1.85(m, 2H), 1.45-1.55(m, 2H), 0.87(t, 3H, J = 7.0 Hz).

Example 357 Synthesis of (E)-3-(4-{4-[3-(3-ethoxy-1-methoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1866)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.03(dt, 1H, J = 2.4, 7.5 Hz), 7.93-7.99(m, 2H), 7.66(d, 1H, J = 2.7 Hz), 7.32-7.41(m, 3H), 4.68-4.73(m, 1H), 3.47-3.54(m, 1H), 3.36-3.43(m, 2H), 3.18(s, 3H), 1.85-2.02(m, 2H), 1.81(s, 3H), 1.09(t, 3H, J = 6.9 Hz).

Example 358 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3-ethoxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1867)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.27(s, 2H), 8.01(dt, 1H, J = 3.0, 6.6 Hz), 7.63(d,

1H, J = 2.4 Hz), 7.30-7.39(m, 3H), 4.66-4.71(m, 1H), 3.45-3.53(m, 1H), 3.16(s, 3H), 1.83-2.00(m, 2H), 1.67(s, 3H), 1.07(t, 3H, J = 6.9 Hz).

Example 359 Synthesis of (E)-3-{4-[4-(3-benzyloxy-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B1868)

¹H-NMR(DMSO-d₆) 12.95 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.77 (s, 1H), 7.66 - 7.69 (m, 1H), 7.34 - 7.54 (m, 6H), 7.13 - 7.15 (m, 2H), 5.20 (s, 2H), 3.82 (s, 3H), 1.81 (s, 3H).

Example 360 Synthesis of (Z)-3-{4-[4-(3-benzyloxy-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methyloxyacrylic acid (B1869)

¹H-NMR(DMSO-d₆) 12.89 (bs, 2H), 7.89 - 7.92 (m, 2H), 7.76 (s, 1H), 7.66 - 7.69 (m, 1H), 7.34 - 7.53 (m, 5H), 7.13 - 7.15 (m, 2H), 6.66 (s, 1H), 5.19 (s, 2H), 3.82 (s, 3H), 3.71 (s, 3H).

Example 361 Synthesis of (E)-3-{4-[4-(3-benzyloxy-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-dichlorophenyl}-2-methylacrylic acid (B1870)

¹H-NMR(DMSO-d₆) 12.95 (bs, 2H), 8.29 (s, 2H), 7.76 (s, 1H), 7.66 - 7.69 (m, 1H), 7.35 - 7.54 (m, 6H), 7.13 - 7.15 (m, 2H), 5.20 (s, 2H), 3.82 (s, 3H), 1.69 (s, 3H).

Example 362 Synthesis of (Z)-3-{4-[4-(3-benzyloxy-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-dichlorophenyl}-2-methyloxyacrylic acid (B1871)

¹H-NMR(DMSO-d₆) 12.92 (bs, 2H), 8.24 (s, 2H), 7.76 (s, 1H), 7.66 - 7.69 (m, 1H), 7.35 - 7.54 (m, 5H), 7.13 - 7.15 (m, 2H), 6.74 (s, 2H), 5.20 (s, 1H), 3.82 (s, 3H), 3.61 (s, 3H).

Example 363 Synthesis of (E)-3-(4-{4-[3-(4-chlorobutyloxy)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1872)

¹H-NMR(DMSO-d₆) 12.93 (bs, 2H), 7.95 - 7.97 (m, 2H), 7.75 (s, 1H), 7.64 - 7.67 (m, 1H), 7.33 (s, 1H), 7.11 - 7.16 (m, 1H), 7.03 - 7.06 (m, 1H), 4.06 - 4.10 (m, 2H), 3.80 (s, 3H), 3.74 - 3.78 (m, 2H), 1.93 (bs, 4H), 1.81 (s, 3H).

Example 364 Synthesis of (E)-3-(4-{4-[3-(4-chlorobutyloxy)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1873)

5 ¹H-NMR(DMSO-d₆) 12.89 (bs, 2H), 7.89 - 7.92 (m, 2H), 7.75 (s, 1H), 7.65 - 7.67 (m, 1H), 7.11 - 7.16 (m, 1H), 7.03 - 7.06 (m, 1H), 6.67 (s, 1H), 4.06 - 4.10 (m, 2H), 3.80 (s, 3H), 3.74 - 3.78 (m, 2H), 3.71 (s, 3H), 1.93 (bs, 4H).

Example 365 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(4-chlorobutyloxy)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1874)

10 ¹H-NMR(DMSO-d₆) 12.96 (bs, 2H), 8.29 (s, 2H), 7.75 (s, 1H), 7.65 - 7.67 (m, 1H), 7.40 (s, 1H), 7.11 - 7.16 (m, 1H), 7.03 - 7.06 (m, 1H), 4.06 - 4.10 (m, 2H), 3.80 (s, 3H), 3.74 - 3.78 (m, 2H), 1.93 (bs, 4H), 1.69 (s, 3H).

15 Example 366 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methoxy-3-(3-methoxypropylphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1875)

¹H-NMR(CDCl₃-d₆) 7.90(s, 1H), 7.88(s, 1H), 7.58(s, 1H), 7.49(d, 1H, J = 6.3 Hz), 7.46(s, 1H), 7.25-7.28(m, 1H), 7.18(t, 1H, J = 7.5 Hz), 3.57(s, 3H), 3.47(t, 2H, J = 6.3 Hz), 3.37(s, 3H), 2.79(t, 2H, J = 8.1 Hz), 1.93-2.00(m, 5H).

20 Example 367 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(3-methoxypropylphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1876)

¹H-NMR(CDCl₃-d₆) 8.32(s, 2H), 7.66(s, 1H), 7.45-7.51(m, 2H), 7.24-7.27(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 3.57(s, 3H), 3.46(t, 2H, J = 6.3 Hz), 3.37(s, 3H), 2.78(t, 2H, J = 8.7 Hz), 1.90-2.04(m, 2H), 1.87(s, 3H).

25

Example 368 Synthesis of (E)-3-(2,6-difluoro-4-{4-[3-(3-isobutyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1877)

¹H-NMR(CDCl₃-d₆) 7.90(s, 1H), 7.87(s, 1H), 7.58(s, 1H), 7.45-7.52(m, 2H), 7.24-7.30(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 3.57(s, 3H), 3.50(t, 2H, 6.3 Hz), 3.21(d, 2H, J = 6.6

30

Hz), 2.80(t, 2H, 8.7 Hz), 1.84-2.03(m, 6H), 0.93(d, 6H, J = 6.3 Hz).

Example 369 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3-isobuyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1878)

5 ¹H-NMR(CDCl₃-d₆) 8.32(s, 2H), 7.66(s, 1H), 7.45(d, 1H, J = 7.2 Hz), 7.46(s, 1H), 7.24-7.28(m, 1H), 7.16(t, 1H, J = 7.5 Hz), 3.57(s, 3H), 3.49(t, 2H, J = 6.0 Hz), 3.20(d, 2H, J = 6.6 Hz), 2.80(t, 2H, J = 8.4 Hz), 1.83-2.04(m, 6H), 0.92(d, 6H, J = 6.3 Hz).

Example 370 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[3-(3-isobuyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}phenyl)-2-methoxyacrylic acid (B1879)

10 ¹H-NMR(CDCl₃-d₆) 7.80(s, 1H), 7.78(s, 1H), 7.46(dd, 1H, J = 7.8, 2.1 Hz), 7.44(s, 1H), 7.25-7.32(m, 1H), 7.17(t, 1H, J = 7.5 Hz), 6.92(s, 1H), 3.91(s, 3H), 3.57(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 3.21(d, 2H, J = 6.6 Hz), 2.80(t, 2H, J = 8.7 Hz), 1.83-2.01(m, 3H), 0.93(d, 6H, J = 6.3 Hz).

15

Example 371 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3-isobuyloxypropyl)-2-methoxyphenyl]thiazol-2-ylcarbonyl}phenyl)-2-methoxyacrylic acid (B1880)

¹H-NMR(CDCl₃-d₆) 8.25(s, 2H), 7.47(dd, 1H, J = 7.8, 1.8 Hz), 7.44(s, 1H), 7.24-7.28(m, 1H), 7.16(t, 1H, J = 7.5 Hz), 7.03(s, 1H), 3.73(s, 3H), 3.57(s, 3H), 3.49(t, 2H, J = 6.3 Hz), 3.20(d, 2H, J = 6.9 Hz), 2.79(t, 2H, J = 8.4 Hz), 1.83-2.00(m, 3H), 0.92(d, 6H, J = 6.9 Hz).

20

Example 372 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methoxy-3-(3-propyloxymethyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1881)

25 ¹H-NMR(DMSO-d₆) 12.95(bs, 2H), 7.93-7.97(m, 3H), 7.72(s, 1H), 7.32-7.38(m, 2H), 7.22(t, 1H, J = 7.5 Hz), 4.55(s, 2H), 3.64(s, 3H), 3.45(t, 2H, J = 6.6 Hz), 1.79(d, 3H, J = 1.5 Hz), 1.54-1.61(m, 2H), 0.89(t, 3H, J = 7.2 Hz).

Example 373 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(3-propyloxymethyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1882)

30

¹H-NMR(DMSO-d₆) 12.95(bs, 2H), 8.27(s, 2H), 7.94-7.97(m, 1H), 7.71(s, 1H), 7.36-7.38(m, 2H), 7.22(t, 1H, J = 7.5 Hz), 4.55(s, 2H), 3.64(s, 3H), 3.45(t, 2H, J = 6.6 Hz), 1.67(s, 3H), 1.54-1.61(m, 2H), 0.89(t, 3H, J = 7.3 Hz).

5 Example 374 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(3-propyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B1883)

¹H-NMR(DMSO-d₆) 12.95(bs, 2H), 8.24(s, 2H), 7.97(dd, 1H, J = 3.0 Hz, 7.65 Hz), 7.73(s, 1H), 7.37-7.40(m, 1H), 7.24(t, 1H, J = 7.8 Hz), 6.72(s, 1H), 4.57(s, 2H), 3.66(s, 10 3H), 3.61(s, 3H), 3.47(t, 2H, J = 6.3 Hz), 1.55-1.62(m, 2H), 0.91(t, 3H, J = 7.2 Hz).

Example 375 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(3-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1884)

¹H NMR(DMSO-d₆) 12.96(bs, 2H), 7.95-7.99(m, 3H), 7.74(s, 1H), 7.34-7.40(m, 2H), 15 7.24(t, 1H, J = 7.8 Hz), 4.56(s, 2H), 3.65(s, 3H), 3.50(t, 2H, J = 6.6 Hz), 1.81 (d, 3H, J = 1.8 Hz), 1.55-1.59(m, 2H), 1.30-1.34(m, 4H), 0.85-0.90(m, 3H).

Example 376 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(3-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid 20 (B1885)

¹H NMR(DMSO-d₆) 12.93(bs, 2H), 7.90-7.99(m, 3H), 7.74(s, 1H), 7.37-7.40(m, 1H), 7.24(t, 1H, J = 7.5 Hz), 6.67(s, 1H), 4.56(s, 2H), 3.72(s, 3H), 3.65(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 1.55-1.60(m, 2H), 1.30-1.34(m, 4H), 0.87(t, 3H, J = 6.9 Hz).

25 Example 377 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(3-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1886)

¹H NMR(DMSO-d₆) 12.98(bs, 2H), 8.29(s, 2H), 7.96-7.99(m, 1H), 7.74(s, 1H), 7.36-7.41(m, 2H), 7.24(t, 1H, J = 7.8 Hz), 4.56(s, 2H), 3.65(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 1.69(d, 3H, J = 1.5 Hz), 1.55-1.60(m, 2H), 1.30-1.34(m, 4H), 0.87(t, 3H, J = 6.9 Hz).

30

Example 378 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(3-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1887)

1H NMR(DMSO-d6) 12.97(bs, 2H), 8.25(s, 2H), 7.97(dd, 1H, J = 1.5 Hz, 7.8 Hz), 7.74(s, 1H), 7.37-7.40(m, 1H), 7.24(t, 1H, J = 7.5 Hz), 6.72(s, 1H), 4.56(s, 2H), 3.65(s, 3H), 3.62(s, 3H), 3.50(t, 2H, J = 6.3 Hz), 1.55-1.60(m, 2H), 1.30-1.34(m, 4H), 0.87(t, 3H, J = 6.9 Hz).

Example 379 Synthesis of (E)-3-(2,6-difluoro-4-{4-[3-isopropoxy-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1888)

1H NMR(DMSO-d6) 12.96(bs, 2H), 7.96(d, 3H, J = 8.1 Hz), 7.74(s, 1H), 7.38-7.40(m, 1H), 7.34(s, 1H), 7.23(t, 1H, J = 7.5 Hz), 4.56(s, 2H), 3.68-3.76(m, 1H), 3.66(s, 3H), 1.81(s, 3H), 1.19(d, 6H, J = 6.3 Hz).

Example 380 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-isopropoxy-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1889)

1H NMR(DMSO-d6) 12.98(bs, 2H), 8.29(s, 2H), 7.96(dd, 1H, J = 1.5 Hz, 8.1 Hz), 7.74(s, 1H), 7.37-7.41(m, 2H), 7.23(t, 1H, J = 7.8 Hz), 4.56(s, 2H), 3.68-3.76(m, 1H), 3.66(s, 3H), 1.69(d, 3H, J = 1.5 Hz), 1.19(d, 6H, J = 6.3 Hz).

Example 381 Synthesis of (E)-3-(4-{4-[3-(1-ethylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1890)

1H NMR(DMSO-d6) 13.20(bs, 2H), 7.96(d, 3H, J = 8.7 Hz), 7.73(s, 1H), 7.40-7.42(m, 1H), 7.34(s, 1H), 7.24(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.65(s, 3H), 3.10-3.46(m, 1H), 1.881(d, 3H, J = 1.5 Hz), 1.52-1.57(m, 4H), 0.89(t, 6H, J = 7.5 Hz).

Example 382 Synthesis of (Z)-3-(4-{4-[3-(1-ethylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1891)

¹H NMR(DMSO-d₆) 12.93(bs, 2H), 7.90-7.98(m, 3H), 7.73(s, 1H), 7.41(dd, 1H, J = 1.8 Hz, 7.5 Hz), 7.24(t, 1H, J = 7.5 Hz), 6.64(s, 1H), 4.57(s, 2H), 3.71(s, 3H), 3.66(s, 3H), 3.20-3.45(m, 1H), 1.50-1.59(m, 4H), 0.89(t, 6H, J = 7.2 Hz).

- 5 Example 383 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(1-ethylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1892)

¹H NMR(DMSO-d₆) 12.98(bs, 2H), 8.29(s, 2H), 7.96(dd, 1H, J = 1.5 Hz, 7.8 Hz), 7.73(s, 1H), 7.40-7.42(m, 2H), 7.24(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.66(s, 3H), 3.26-3.38(m, 1H), 1.69(s, 3H), 1.50-1.59(m, 4H), 0.89(t, 6H, J = 7.5 Hz).

10

- Example 384 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(1-ethylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1893)

¹H NMR(DMSO-d₆) 12.95(bs, 2H), 8.24(s, 2H), 7.96(dd, 1H, J = 1.8 Hz, 7.8 Hz), 7.73(s, 1H), 7.41(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.24(t, 1H, J = 7.5 Hz), 6.71(s, 1H), 4.57(s, 2H),
15 3.66(s, 3H), 3.62(s, 3H), 3.24-3.38(m, 1H), 1.50-1.59(m, 4H), 0.89(t, 6H, J = 7.5 Hz).

- Example 385 Synthesis of (E)-3-{4-[4-(3-cyclohexyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1894)

20 ¹H NMR(DMSO-d₆) 12.97(bs, 2H), 7.96(d, 3H, J = 8.4 Hz), 7.74(s, 1H), 7.39-7.741(m, 1H), 7.34(s, 1H), 7.23(t, 1H, J = 7.8 Hz), 4.59(s, 2H), 3.66(s, 3H), 3.40-3.44(m, 1H), 1.91-1.94(m, 2H), 1.81(d, 3H, J = 1.8 Hz), 1.69-1.71(m, 2H), 1.49-1.51(m, 1H), 1.25-1.35(m, 5H).

- 25 Example 386 Synthesis of (Z)-3-{4-[4-(3-cyclohexyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1895)

¹H NMR(DMSO-d₆) 12.94(bs, 2H), 7.90-7.98(m, 3H), 7.74(s, 1H), 7.40(d, 1H, J = 7.2 Hz), 7.23(t, 1H, J = 7.8 Hz), 6.65(s, 1H), 4.59(s, 2H), 3.72(s, 3H), 3.66(s, 3H), 3.33-3.43(m, 1H),
30 1.91-1.96(m, 2H), 1.69-1.71(m, 2H), 1.49-1.51(m, 1H), 1.23-1.35(m, 5H).

Example 387 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-cyclohexyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1896)

1H NMR(DMSO-d6) 13.00(bs, 2H), 8.29(s, 2H), 7.97(d, 1H, J = 7.5 Hz), 7.73(s, 1H),
5 7.38-7.40(m, 2H), 7.23(t, 1H, J = 7.5 Hz), 4.59(s, 2H), 3.66(s, 3H), 3.34-3.42(m, 1H),
1.91-1.96(m, 2H), 1.69-1.74(m, 5H), 1.48-1.51(m, 1H), 1.25-1.35(m, 5H).

Example 388 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-cyclohexyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1897)

10 1H NMR(DMSO-d6) 12.98(bs, 2H), 8.24(s, 2H), 7.96(d, 1H, J = 7.8 Hz), 7.73(s, 1H),
7.39(d, 1H, J = 7.2 Hz), 7.23(t, 1H, J = 7.5 Hz), 6.71(s, 1H), 4.59(s, 2H), 3.66(s, 3H),
3.61(s, 3H), 3.20-3.45(m, 1H), 1.91-1.94(m, 2H), 1.69-1.70(m, 2H), 1.48-1.51(m, 1H),
1.25-1.32(m, 5H).

15 Example 389 Synthesis of (E)-3-[4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]phenyl}-5-methoxythiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (B1898)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.77(s, 1H), 7.76(d, 1H,
J = 7.5Hz), 7.34(s, 1H), 7.33(t, 1H, J = 7.6Hz), 7.11(t, 1H, J = 7.6Hz), 4.03(s, 3H),
3.37(t, 2H, J=7.0 Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0Hz), 1.80(s, 3H), 1.70-1.80(m, 2H),
20 0.90(s, 9H).

Example 390 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]phenyl}-5-methoxythiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1899)

25 1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.20(s, 2H), 7.77(s, 1H), 7.76(d, 1H, J =
7.5Hz), 7.39(s, 1H), 7.33(t, 1H, J = 7.6Hz), 7.11(t, 1H, J = 7.6Hz), 4.05(s, 3H),
3.39(t, 2H, J=7.0Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0Hz), 1.70-1.80(m, 2H), 1.68(s,
3H), 0.90(s, 9H).

30 Example 391 Synthesis of (Z)-3-[4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]phenyl}-5-

methoxythiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methoxyacrylic acid (B1900)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.88(s, 1H), 7.85(s, 1H), 7.80(s, 1H), 7.76(d, 1H, J = 7.5Hz), 7.33(t, 1H, J = 7.6Hz), 7.11(t, 1H, J = 7.6Hz), 6.63(s, 1H), 4.05(s, 3H), 3.71(s, 3H), 3.39(t, 2H, J = 7.0Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0Hz), 1.70-1.80(m, 2H), 0.90(s, 9H).

Example 392 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]phenyl}-5-methoxythiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid (B1901)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.20(s, 2H), 7.77(s, 1H), 7.76(d, 1H, J = 7.5Hz), 7.33(t, 1H, J = 7.6Hz), 7.11(t, 1H, J = 7.6Hz), 6.63(s, 1H), 4.05(s, 3H), 3.61(s, 3H), 3.39(t, 2H, J = 7.0Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 0.90(s, 9H).

Example 393 Synthesis of (E)-3-[4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]-2-fluorophenyl}-5-methoxythiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (B1902)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.38(t, 1H, J = 7.5 Hz), 7.35(s, 1H), 7.32(t, 1H, J = 7.6 Hz), 7.11(t, 1H, J = 7.6 Hz), 3.95(s, 3H), 3.37(t, 2H, J = 7.0 Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0 Hz), 1.76-1.85(m, 2H), 1.80(s, 3H), 0.90(s, 9H).

Example 394 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]-2-fluorophenyl}-5-methoxythiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1903)

1H-NMR(DMSO-d6) 12.82(bs, 1H), 8.28(s, 2H), 7.40(t, 1H, J = 7.6 Hz), 7.39(s, 1H), 7.25(t, 1H, J = 7.6 Hz), 7.16(t, 1H, J = 7.6 Hz), 3.94(s, 3H), 3.39(t, 2H, J = 7.0 Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 1.67(s, 3H), 0.90(s, 9H).

Example 395 Synthesis of (Z)-3-[4-(4-{3-[3-(2,2-dimethylpropyloxy)propyl]-2-fluorophenyl}-5-methoxythiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-

methoxyacrylic acid (B1904)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.90(s, 1H), 7.88(s, 1H), 7.38(t, 1H, J = 7.5 Hz), 7.29(t, 1H, J = 7.5 Hz), 7.18(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 3.95(s, 3H), 3.71(s, 3H), 3.39(t, 2H, J = 7.0 Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 0.90(s, 9H).

5

Example 396 Synthesis of (Z)-3-[2,6-difluoro-4-(4-{3-[2,2-dimethylpropyloxy)propyl]-2-fluorophenyl}-5-methoxythiazol-2-ylcarbonyl)phenyl]-2-methoxyacrylic acid (B1905)

¹H-NMR(DMSO-d₆) 12.82(bs, 1H), 8.20(s, 2H), 7.40(t, 1H, J = 7.6 Hz), 7.29(t, 1H, J = 7.6 Hz), 7.16(t, 1H, J = 7.6 Hz), 6.65(s, 1H), 3.95(s, 3H), 3.61(s, 3H), 3.39(t, 2H, J = 7.0 Hz), 3.03(s, 2H), 2.70(t, 2H, J = 7.0 Hz), 1.70-1.80(m, 2H), 0.90(s, 9H).

10

Example 397 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxy-2,2-dimethylpropyl)phenyl]-5-methoxythiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1906)

15

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.50(t, 1H, J = 7.5 Hz), 7.28-7.38(m, 3H), 4.27(s, 1H), 3.95(s, 3H), 3.17(s, 3H), 1.79(s, 3H), 0.90(s, 9H).

Example 398 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-2,2-dimethylpropyl)phenyl]-5-methoxythiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B1907)

20

¹H-NMR(DMSO-d₆) 12.82(bs, 1H), 8.28(s, 2H), 7.46-7.52(m, 1H), 7.38(s, 1H), 7.34-7.38(m, 2H), 4.27(s, 1H), 3.95(s, 3H), 3.17(s, 3H), 1.69(s, 3H), 0.90(s, 9H).

Example 399 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(1-methoxy-2,2-dimethylpropyl)phenyl]-5-methoxythiazol-2-ylcarbonyl}phenyl)-2-methoxyacrylic acid (B1908)

25

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 7.90(s, 1H), 7.88(s, 1H), 7.50(m, 1H), 7.28-7.38(m, 2H), 6.65(s, 1H), 4.27(s, 1H), 3.95(s, 3H), 3.70(s, 3H), 3.17(s, 3H), 0.90(s, 9H).

30

Example 400 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxy-2,2-dimethylpropyl)phenyl]-5-methoxythiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1909)

1H-NMR(DMSO-d6) 12.82(bs, 1H), 8.28(s, 2H), 7.46-7.52(m, 1H), 7.34-7.38(m, 2H),
5 6.65(s, 1H), 4.27(s, 1H), 3.95(s, 3H), 3.70(s, 3H), 3.17(s, 3H), 1.69(s, 3H), 0.90(s, 9H).

Example 401 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3-ethoxy-1-methoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1910)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.25(s, 2H), 8.03(t, 1H, J = 7.2 Hz), 7.66(d, 1H, J =
10 2.4 Hz), 7.32-7.40(m, 2H), 6.72(s, 1H), 4.68-4.72(m, 1H), 3.61(s, 3H), 3.45-3.54(m, 1H),
3.18(s, 3H), 1.85-2.01(m, 2H), 1.09(t, 3H, J = 6.9 Hz).

Example 402 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(2-fluoro-3-heptyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B1911)

15 1H-NMR(DMSO-d6) 13.00(bs, 1H), 8.05(t, 1H, J = 7.5 Hz), 7.88-7.98(m, 2H), 7.65(d,
1H, J = 2.4 Hz), 7.42(t, 1H, J = 6.9 Hz), 7.32(t, 1H, J = 7.5 Hz), 6.66(s, 1H), 4.58(s, 2H),
3.72(s, 3H), 3.48(t, 2H, J = 6.6 Hz), 1.51-1.60(m, 2H), 1.20-1.40(m, 8H), 0.85(t, 3H, J =
6.6 Hz).

20 Example 403 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-heptyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B1912)

1H-NMR(DMSO-d6) 13.01(bs, 1H), 8.25(s, 2H), 8.04(dt, 1H, J = 1.8, 7.2 Hz), 7.65(d, 1H,
J = 2.4 Hz), 7.42(t, 1H, J = 6.6 Hz), 7.31(t, 1H, J = 7.5 Hz), 6.73(s, 1H), 4.58(s, 2H),
3.61(s, 3H), 3.48(t, 2H, J = 6.6 Hz), 1.50-1.58(m, 2H), 1.20-1.40(m, 8H), 0.85(t, 3H, J =
25 6.9 Hz).

Example 404 Synthesis of (Z)-3-{4-[4-(3-ethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methoxyacrylic acid (B1913)

1H-NMR(DMSO-d6) 13.01(bs, 1H), 8.05(t, 1H, J = 7.5 Hz), 7.88-7.96(m, 2H), 7.67(d,
30 1H, J = 2.4 Hz), 7.44(t, 1H, J = 6.9 Hz), 7.32(t, 1H, J = 7.5 Hz), 6.66(s, 1H), 4.59(s, 2H),

3.72(s, 3H), 3.52-3.59(m, 2H), 1.18(t, 3H, J = 6.9 Hz).

Example 405 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-ethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B1914)

5 ¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.25(s, 2H), 8.04(dt, 1H, J = 2.1, 6.9 Hz), 7.66(d, 1H, J = 2.7 Hz), 7.43(t, 1H, J = 6.3 Hz), 7.31(t, 1H, J = 7.8 Hz), 6.73(s, 1H), 4.59(s, 2H), 3.61(s, 3H), 3.52-3.59(m, 2H), 1.18(t, 3H, J = 6.9 Hz).

Example 406 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[1-methoxy-3-(4-methylpentyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1915)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.07-7.30(m, 3H), 7.66(d, 1H, J = 2.7 Hz), 7.32-7.42(m, 3H), 4.69-4.73(m, 1H), 3.45-3.58(m, 1H), 3.18(s, 3H), 1.84-2.40(m, 2H), 1.81(s, 3H), 1.42-1.54(m, 3H), 1.12-1.20(m, 2H), 0.84(d, 6H, J = 6.6 Hz).

15

Example 407 Synthesis of (E)-3-(4-{4-[3-(2-cyclohexylethyloxy)-2-methylphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1916)

¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 7.90 - 7.93 (m, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.04 - 7.16 (m, 2H), 6.69 (s, 1H), 4.07 (t, 2H, J = 6.7 Hz), 3.79 (s, 3H), 3.71(s, 3H), 0.94 - 1.80 (m, 16H).

20

Example 408 Synthesis of (Z)-3-(4-{4-[3-(2-cyclohexylethyloxy)-2-methylphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1917)

25 ¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 7.90 - 7.93 (m, 2H), 7.74 (s, 1H), 7.31 (s, 1H), 7.63 - 7.66 (m, 1H), 7.04 - 7.16 (m, 2H), 4.07 (t, 2H, J = 6.7 Hz), 3.79 (s, 3H), 0.94 - 1.80 (m, 13H).

Example 409 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-cyclohexylethyloxy)-2-methylphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1918)

30

¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 8.29 (s, 2H), 7.75 (s, 1H), 7.63 - 7.66 (m, 1H), 7.41 (s, 1H), 7.04 - 7.16 (m, 2H), 4.07 (t, 2H, J = 6.4 Hz), 3.79 (s, 3H), 3.61(s, 3H), 0.94 - 1.80 (m, 16H).

5 Example 410 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-cyclohexylethyloxy)-2-methylphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1919)

¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 8.25 (s, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.04 - 7.16 (m, 2H), 6.74 (s, 1H), 4.07 (t, 2H, J = 6.4 Hz), 3.79 (s, 3H), 3.61(s, 3H), 0.94 - 1.80 (m, 13H).

10

Example 411 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-methoxy-3-[2-(4-methylpentyloxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1920)

15 ¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 7.94 - 7.97 (m, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.34 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 3.59 - 3.65 (m, 5H), 3.37 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.0 Hz), 1.81 (s, 3H), 1.44 - 1.53 (m, 3H), 1.12 - 1.20 (m, 2H), 0.84 (d, 6H, J = 6.7 Hz).

20 Example 412 Synthesis of (Z)-3-[2,6-difluoro-4-(4-{2-methoxy-3-[2-(4-methylpentyloxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl)-2-methoxyacrylic acid (B1921)

25 ¹H-NMR(DMSO-d₆) 13.57 (bs, 1H), 12.97 (bs, 1H), 7.85 - 7.92 (m, 3H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 6.66 (s, 1H), 3.71 (s, 3H), 3.59 - 3.65 (m, 2H), 3.37 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.0 Hz), 1.44 - 1.53 (m, 3H), 1.12 - 1.20 (m, 2H), 0.84 (d, 6H, J = 6.7 Hz).

Example 413 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-methoxy-3-[2-(4-methylpentyloxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1922)

30 ¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 8.29 (s, 2H), 7.86 - 7.88 (m, 1H), 7.72 (s, 1H), 7.40

(s, 1H), 7.27 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 3.60 - 3.64 (m, 5H), 3.36 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.0 Hz), 1.69 (s, 3H), 1.44 - 1.53 (m, 3H), 1.12 - 1.20 (m, 2H), 0.84 (d, 6H, J = 6.7 Hz).

5 Example 414 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{2-methyloxy-3-[2-(4-methylpentyloxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methyloxyacrylic acid (B1923)

1H-NMR(DMSO-d6) 13.57 (bs, 1H), 12.97 (bs, 1H), 8.25 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 6.74 (s, 1H), 3.59 - 3.65 (m, 8H),
10 3.37 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.0 Hz), 1.46 - 1.51 (m, 3H), 1.12 - 1.19 (m, 2H), 0.83 (d, 6H, J = 6.6 Hz).

Example 415 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(2-pentyloxyethyl)phenyl]thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1924)

15 1H-NMR(DMSO-d6) 12.96 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.34 (s, 1H), 7.27 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.36 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.4 Hz), 1.81 (s, 3H), 1.44 - 1.49 (m, 2H), 1.24 - 1.27 (m, 4H), 0.82 - 0.87 (m, 3H).

20 Example 416 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(2-pentyloxyethyl)phenyl]thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1925)

1H-NMR(DMSO-d6) 12.95 (bs, 2H), 8.29 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.27 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.36 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.4 Hz), 1.69 (s, 3H), 1.44 - 1.49 (m, 2H), 1.24 - 1.27 (m, 4H), 0.82 - 0.87
25 (m, 3H).

Example 417 Synthesis of (E)-3-(2,6-difluoro-4-{4-[3-(2-hexyloxyethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1926)

1H-NMR(DMSO-d6) 12.98 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.85 - 7.89 (m, 1H), 7.72 (s, 1H), 7.40 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 3.59 - 3.64 (m, 5H), 3.37 - 3.41
30 (m, 3H).

(m, 2H), 2.91 (t, 2H, J = 7.0 Hz), 1.81 (s, 3H), 1.44 - 1.49 (m, 2H), 1.24 - 1.27 (m, 6H), 0.82 - 0.87 (m, 3H).

Example 418 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[3-(2-hexyloxyethyl)-2-

5 methyloxyphenyl]thiazol-2-ylcarbamoyl)phenyl)-2-methyloxyacrylic acid (B1927)

¹H-NMR(DMSO-d₆) 13.55 (bs, 1H), 12.98 (bs, 1H), 7.85 - 7.92 (m, 3H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 6.66 (s, 1H), 3.71 (s, 3H), 3.59 - 3.64 (m, 5H), 3.37 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.0 Hz), 1.44 - 1.49 (m, 2H), 1.24 - 1.27 (m, 6H), 0.82 - 0.87 (m, 3H).

10

Example 419 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-hexyloxyethyl)-2-

methyloxyphenyl]thiazol-2-ylcarbamoyl)phenyl)-2-methylacrylic acid (B1928)

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 8.29 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.37 - 3.41 (m, 2H), 15 2.91 (t, 2H, J = 7.0 Hz), 1.69 (s, 3H), 1.44 - 1.49 (m, 2H), 1.24 - 1.27 (m, 6H), 0.82 - 0.87 (m, 3H).

Example 420 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-hexyloxyethyl)-2-

methyloxyphenyl]thiazol-2-ylcarbamoyl)phenyl)-2-methyloxyacrylic acid (B1929)

20 ¹H-NMR(DMSO-d₆) 13.57 (bs, 1H), 12.97 (bs, 1H), 8.24 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 6.73 (s, 1H), 3.59 - 3.65 (m, 8H), 3.37 - 3.41 (m, 2H), 2.91 (t, 2H, J = 7.4 Hz), 1.44 - 1.49 (m, 2H), 1.24 - 1.27 (m, 6H), 0.82 - 0.87 (m, 3H).

25 Example 421 Synthesis of (Z)-3-[2,6-difluoro-4-(4-{2-fluoro-3-[1-methyloxy-3-(4-methylpentyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl)-2-methyloxyacrylic acid (B1930)

¹H-NMR(DMSO-d₆) 12.98(bs, 1H), 8.03(dt, 1H, J = 3.3, 6.6 Hz), 7.87-7.96(m, 2H), 7.65(d, 1H, J = 2.1 Hz), 7.31-7.41(m, 2H), 6.64(s, 1H), 4.68-4.73(m, 1H), 3.17(s, 3H), 30 3.45-3.58(m, 1H), 3.18(s, 3H), 1.86-1.93(m, 2H), 1.41-1.57(m, 3H), 1.12-1.22(m, 2H),

0.84(d, 6H, J = 6.6 Hz).

Example 422 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[1-methyloxy-3-(4-methylpentyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid
5 (B1931)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 8.03(dt, 1H, J = 2.1, 7.5 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.31-7.44(m, 3H), 4.68-4.73(m, 1H), 3.18(s, 3H), 1.86-2.05(m, 2H), 1.69(s, 3H), 1.41-1.56(m, 3H), 1.12-1.29(m, 2H), 0.84(d, 6H, J = 6.6 Hz).

10 Example 423 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{2-fluoro-3-[1-methyloxy-3-(4-methylpentyloxy)propyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid
(B1932)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.25(s, 2H), 8.03(dt, 1H, J = 3.3, 6.6 Hz), 7.65(d, 1H, J = 2.4 Hz), 7.31-7.40(m, 2H), 6.71(s, 1H), 4.68-4.73(m, 1H), 3.61(s, 3H), 3.45-3.54(m, 15 1H), 3.18(s, 3H), 1.85-2.01(m, 2H), 1.41-1.55(m, 3H), 1.12-1.20(m, 2H), 0.84(d, 6H, J = 6.3 Hz).

Example 424 Synthesis of (E)-3-(4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid
20 (B1933)

¹H NMR(DMSO-d₆) 12.93(bs, 2H), 7.93-7.97(m, 3H), 7.72(s, 1H), 7.38(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.32(s, 1H), 7.23(t, 1H, J = 7.5 Hz), 4.58(s, 2H), 3.64(s, 3H), 3.18(s, 2H), 1.79(d, 3H, J = 1.2 Hz), 0.91(s, 9H).

25 Example 425 Synthesis of (E)-3-(4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid
(B1934)

¹H NMR(DMSO-d₆) 12.98(bs, 2H), 7.96(d, 3H, J = 7.8 Hz), 7.74(s, 1H), 7.34-7.39(m, 2H), 7.24(t, 1H, J = 7.8 Hz), 4.56(s, 2H), 3.66(s, 3H), 3.57(t, 2H, J = 7.2 Hz), 1.81(s, 3H),
30 1.53(t, 2H, J = 7.2 Hz), 0.92(s, 9H).

Example 426 Synthesis of (Z)-3-(4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1935)

5 ¹H NMR(DMSO-d₆) 12.93(bs, 2H), 7.88-7.98(m, 3H), 7.73(s, 1H), 7.37(dd, 1H, J = 1.8 Hz, 7.5 Hz), 7.23(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.56(s, 2H), 3.71(s, 3H), 3.65(s, 3H), 3.57(t, 2H, J = 7.2 Hz), 1.53(t, 2H, J = 7.2 Hz), 0.92(s, 9H).

Example 427 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1936)

10 ¹H NMR(DMSO-d₆) 12.99(bs, 2H), 8.29(s, 2H), 7.97(d, 1H, 7.2 Hz), 7.73(s, 1H), 7.37-7.40(m, 2H), 7.23(t, 1H, J = 7.2 Hz), 4.56(s, 2H), 3.65(s, 3H), 3.57(t, 2H, J = 7.2 Hz), 1.69(s, 3H), 1.52(t, 2H, J = 7.5 Hz), 0.92(s, 9H).

15 Example 428 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1937)

¹H NMR(DMSO-d₆) 12.97(bs, 2H), 8.25(s, 2H), 7.97(d, 1H, J = 7.8 Hz), 7.74(s, 1H), 7.38(d, 1H, J = 7.2 Hz), 7.24(t, 1H, J = 7.5 Hz), 6.72(s, 1H), 4.57(s, 2H), 3.66(s, 3H), 3.63(s, 3H), 3.58(t, 2H, J = 7.2 Hz), 1.53(t, 2H, J = 7.5 Hz), 0.92(s, 9H).

20

Example 429 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methoxy-3-(4-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1938)

25 ¹H NMR(DMSO-d₆) 12.99(bs, 2H), 7.95-7.99(m, 3H), 7.74(s, 1H), 7.34-7.39(m, 2H), 7.24(t, 1H, J = 7.8 Hz), 4.56(s, 2H), 3.65(s, 3H), 3.49(t, 2H, J = 6.9 Hz), 1.81(s, 3H), 1.49-1.62(m, 3H), 1.19-1.26(m, 2H), 0.87(d, 6H, J = 6.6 Hz).

Example 430 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-methoxy-3-(4-pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1939)

30 ¹H NMR(DMSO-d₆) 12.94(bs, 2H), 7.90-7.99(m, 3H), 7.74(s, 1H), 7.37-7.39(m, 1H),

7.24(t, 1H, J = 7.8 Hz), 6.66(s, 1H), 4.56(s, 2H), 3.72(s, 3H), 3.65(s, 3H), 3.49(t, 2H, J = 6.6 Hz), 1.49-1.62(m, 3H), 1.19-1.26(m, 2H), 0.87(d, 6H, J = 6.6 Hz).

Example 431 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(4-

5 pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1940)

¹H NMR(DMSO-d₆) 12.98(bs, 2H), 8.29(s, 2H), 7.98(d, 1H, J = 7.8 Hz), 7.74(s, 1H), 7.37-7.40(m, 2H), 7.24(t, 1H, J = 7.5 Hz), 4.56(s, 2H), 3.66(s, 3H), 3.49(t, 2H, J = 6.6 Hz), 1.69(s, 3H), 1.49-1.62(m, 3H), 1.19-1.26(m, 2H), 0.87(d, 6H, J = 6.6 Hz).

10 Example 432 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(4-

pentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1941)

¹H NMR(DMSO-d₆) 12.97(bs, 2H), 8.25(s, 2H), 7.97(dd, 1H, J = 1.5 Hz, 7.8 Hz), 7.74(s, 1H), 7.37-7.39(m, 1H), 7.24(t, 1H, J = 7.8 Hz), 6.73(s, 1H), 4.56(s, 2H), 3.65(s, 3H), 3.63(s, 15 3H), 3.49(t, 2H, J = 6.6 Hz), 1.49-1.62(m, 3H), 1.15-1.26(m, 2H), 0.87(d, 6H, J = 6.6 Hz).

Example 433 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3-ethoxypropyl)-2-

methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1942)

¹H-NMR(CDCl₃-d₆) 8.32(s, 2H), 7.65(d, 1H, J = 1.2 Hz), 7.49(dd, 1H, J = 7.8, 1.8 Hz), 20 7.45(s, 1H), 7.24-7.28(m, 1H), 7.16(t, 1H, J = 7.8 Hz), 3.57(s, 3H), 3.46-3.53(m, 4H), 2.75-2.82(m, 2H), 1.91-2.05(m, 2H), 1.86(d, 3H, J = 1.5 Hz), 1.22(t, 3H, J = 6.9 Hz).

Example 434 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3-ethoxypropyl)-2-

methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1943)

25 ¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.24(s, 2H), 7.85(dd, 1H, J = 7.8, 2.1 Hz), 7.72(s, 1H), 7.13-7.24(m, 2H), 6.73(s, 1H), 3.61(s, 6H), 3.39-3.47(m, 4H), 2.68-2.75(m, 2H), 1.78-1.90(m, 2H), 1.13(t, 3H, J = 6.9 Hz).

Example 435 Synthesis of (E)-3-(4-{4-[3-(3-cyclopropylmethoxypropyl)-2-

30 methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid

(B1944)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.86(d, 1H, J = 7.8 Hz),
7.73(s, 1H), 7.34(bs, 1H), 7.13-7.26(m, 2H), 3.61(s, 3H), 3.44(t, 2H, J = 6.0 Hz), 3.23(d,
1H, J = 6.9 Hz), 2.72(t, 2H, J = 8.4 Hz), 1.80-1.90(m, 5H), 0.94-1.10(m, 1H), 0.42-0.53(m,
5 2H), 0.16-0.21(m, 2H).

Example 436 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3-cyclopropylmethyloxypropyl)-
2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1945)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 8.29(s, 2H), 7.86(d, 1H, J = 7.8 Hz), 7.72(bs, 1H),
10 7.41(s, 1H), 7.13-7.26(m, 2H), 3.62(s, 3H), 3.44(t, 2H, J = 6.3 Hz), 3.23(d, 2H, J = 6.9 Hz),
2.72(t, 2H, J = 8.4 Hz), 1.80-1.93(m, 2H), 1.69(s, 3H), 0.96-1.08(m, 1H), 0.45-0.54(m, 2H),
0.16-0.25(m, 2H).

Example 437 Synthesis of (Z)-3-(4-{4-[3-(3-cyclopropylmethyloxypropyl)-2-
15 methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methyloxyacrylic acid
(B1946)

1H-NMR(DMSO-d6) 13.6(bs, 1H), 13.0(bs, 1H), 7.83-7.96(m, 3H), 7.72(s, 1H), 7.13-
7.26(m, 2H), 6.66(s, 1H), 3.71(s, 3H), 3.61(s, 3H), 3.44(t, 2H, J = 6.3 Hz), 3.23(d, 2H, J =
6.9 Hz), 2.72(t, 2H, J = 8.7 Hz), 1.79-1.89(m, 2H), 0.97-1.06(m, 1H), 0.43-0.50(m, 2H),
20 0.14-0.21(m, 2H).

Example 438 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3-cyclopropylmethyloxypropyl)-
2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B1947)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 8.25(s, 2H), 8.36(d, 1H, J = 8.4 Hz), 7.73(s, 1H),
25 7.13-7.26(m, 2H), 6.73(s, 1H), 3.61(s, 6H), 3.44(t, 2H, J = 5.7 Hz), 3.23(d, 2H, J = 6.6 Hz),
2.69-2.76(m, 2H), 1.78-1.88(m, 2H), 0.97-1.15(m, 1H), 0.44-0.51(m, 2H), 0.16-0.20(m,
2H).

Example 439 Synthesis of (E)-3-(4-{4-[3-(3-cyclopentylmethyloxypropyl)-2-
30 methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid

(B1948)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.85(dd, 1H, J = 7.5, 1.8 Hz), 7.73(s, 1H), 7.34(bs, 1H), 7.13-7.25(m, 2H), 3.61(s, 3H), 3.43(t, 2H, J = 6 Hz), 3.25(d, 2H, J = 6.9 Hz), 2.72(t, 2H, J = 9.0 Hz), 2.06-2.16(m, 1H), 2.48-2.54(m, 5H), 1.46-1.76(m, 6H), 1.16-1.30(m, 2H).

Example 440 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3-cyclopentylmethyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1949)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 8.29(s, 2H), 7.86(d, 1H, J = 7.2 Hz), 7.72(s, 1H), 7.40(s, 1H), 7.13-7.25(m, 2H), 3.61(s, 3H), 3.43(t, 2H, J = 6.3 Hz), 3.25(d, 2H, J = 6.9 Hz), 2.69-2.78(m, 2H), 2.06-2.16(m, 1H), 1.80-1.90(m, 2H), 1.64-1.76(m, 5H), 1.46-1.60(m, 4H), 1.08-1.12(m, 2H).

Example 441 Synthesis of (Z)-3-(4-{4-[3-(3-cyclopentylmethyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methyloxyacrylic acid (B1950)

1H-NMR(DMSO-d6) 13.6(bs, 1H), 13.0(bs, 1H), 7.83-7.96(m, 3H), 7.72(s, 1H), 7.13-7.26(m, 2H), 6.66(s, 1H), 3.71(s, 3H), 3.61(s, 3H), 3.43(t, 2H, J = 6.0 Hz), 3.25(d, 2H, J = 6.9 Hz), 2.72(t, 2H, J = 6.3 Hz), 2.06-2.16(m, 1H), 1.78-1.90(m, 2H), 1.62-1.75(m, 2H), 1.44-1.60(m, 4H), 1.18-1.21(m, 2H).

Example 442 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3-cyclopentylmethyloxypropyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B1951)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 8.24(s, 2H), 7.86(d, 1H, J = 7.5 Hz), 7.72(s, 1H), 7.13-7.25(m, 2H), 6.73(s, 1H), 3.43(t, 2H, J = 6.3 Hz), 3.25(d, 2H, J = 6.9 Hz), 2.72(t, 2H, J = 8.4 Hz), 2.06-2.17(m, 1H), 1.80-1.90(m, 2H), 1.62-1.76(m, 2H), 1.46-1.60(m, 4H), 1.17-1.30(m, 2H).

Example 443 Synthesis of (E)-3-(2,6-difluoro-4-{4-[3-(2-heptyloxyethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1952)

¹H-NMR(DMSO-d₆) 12.96 (bs, 2H), 7.95 - 7.99 (m, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.34 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 3.59 - 3.65 (m, 5H), 3.40 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.81 (d, 3H, J = 1.5 Hz), 1.48 (t, 2H, J = 6.6Hz), 1.24 (bs, 8H), 0.82 - 0.88 (m, 3H).

5

Example 444 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[3-(2-heptyloxyethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1953)

¹H-NMR(DMSO-d₆) 12.92 (bs, 2H), 7.85 - 7.92 (m, 3H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.18 (m, 1H), 6.66 (s, 1H), 3.71 (s, 3H), 3.59 - 3.64 (m, 5H), 3.40 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.46 - 1.51 (m, 2H), 1.24 (bs, 8H), 0.82 - 0.87 (m, 3H).

10

Example 445 Synthesis of (E)-3-[2,6-difluoro-4-(4-{2-methoxy-3-[2-(3-methylbutyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1954)

¹H-NMR(DMSO-d₆) 12.95 (bs, 2H), 7.95 - 7.97 (m, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.34 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.43 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.81 (s, 3H), 1.58 - 1.61 (m, 1H), 1.36 - 1.42 (m, 2H), 0.85 (d, 6H, J = 6.6Hz).

15

Example 446 Synthesis of (E)-3-[2,6-dichloro-4-(4-{2-methoxy-3-[2-(3-methylbutyloxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1955)

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 8.29 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.27 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 3.60 - 3.66 (m, 5H), 3.43 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 7.0Hz), 1.59 - 1.69 (m, 4H), 1.36 - 1.40 (m, 2H), 0.85 (d, 6H, J = 6.6 Hz).

25

Example 447 Synthesis of (Z)-3-[2,6-difluoro-4-(4-{2-methoxy-3-[2-(3-methylbutyloxy)ethyl]phenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid (B1956)

¹H-NMR(DMSO-d₆) 12.92 (bs, 2H), 7.86 - 7.93 (m, 3H), 7.72 (s, 1H), 7.27 - 7.29 (m,

30

1H), 7.13 - 7.19(m, 1H), 6.67 (s, 1H), 3.71 (s, 3H), 3.62 - 3.64 (m, 5H), 3.43 (t, 2H, J = 6.9Hz), 2.91(t, 2H, J = 6.6Hz), 1.58 - 1.67 (m, 1H), 1.35 - 1.42 (m, 2H), 0.85 (d, 6H, J = 6.4 Hz).

5 Example 448 Synthesis of (E)-3-(4-{4-[3-(2-cyclohexylmethoxyethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl)-2,6-difluorophenyl)-2-methylacrylic acid (B1957)

1H-NMR(DMSO-d6) 12.98 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.85 - 7.89 (m, 1H), 7.73 (s, 1H), 7.34 (s, 1H), 7.26 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 3.59 - 3.65 (m, 5H), 3.23 (d, 2H, J = 6.3Hz), 2.91 (t, 2H, J = 6.9Hz), 1.81 (d, 3H, J = 1.5 Hz), 1.63 - 1.68 (m, 6H), 1.08 - 1.21(m, 2H), 0.87 - 0.94 (m, 1H).

Example 449 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[2-(2-ethylbutyloxy)ethyl]-2-methoxyphenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1958)

15 1H-NMR(DMSO-d6) 12.98 (bs, 2H), 8.29 (s, 2H), 7.85 - 7.89 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.27 - 7.30 (m, 1H), 7.14 - 7.19 (m, 1H), 3.60 - 3.66 (m, 5H), 3.30 - 3.32 (m, 2H), 2.91(t, 2H, J = 6.9Hz), 1.69 (s, 3H), 1.22 - 1.40 (m, 5H), 0.82 (t, 6H, J = 7.5 Hz).

Example 450 Synthesis of (E)-3-[4-(4-{3-[2-(2-ethylbutyloxy)ethyl]-2-methoxyphenyl}thiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (B1959)

20 1H-NMR(DMSO-d6) 12.97 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.85 - 7.89 (m, 1H), 7.72 (s, 1H), 7.42 (s, 1H), 7.27 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 3.60 - 3.65 (m, 5H), 3.30 - 3.32 (m, 2H), 2.91(t, 2H, J = 6.9Hz), 1.81 (s, 3H), 1.22 - 1.40 (m, 5H), 0.82 (t, 6H, J = 7.3 Hz).

25

Example 451 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{3-[2-(2-ethylbutyloxy)ethyl]-2-methoxyphenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid (B1960)

1H-NMR(DMSO-d6) 12.95 (bs, 2H), 8.24 (s, 1H), 7.85 - 7.88 (m, 1H), 7.72(s, 1H), 7.27 - 7.30 (m, 1H), 7.13 - 7.18(m, 1H), 6.73 (s, 1H), 3.60 - 3.64 (m, 8H), 3.30 - 3.33 (m, 2H), 2.91(t, 2H, J = 6.7Hz), 1.22 - 1.40 (m, 5H), 0.82 (t, 6H, J = 7.3 Hz).

30

Example 452 Synthesis of (E)-3-[4-(4-{3-[2-(4-chlorobutyloxy)ethyl]-2-methyloxyphenyl}thiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (B1961)

5 ¹H-NMR(DMSO-d₆) 13.01 (bs, 2H), 7.95 - 7.98 (m, 2H), 7.86 - 7.88 (m, 1H), 7.72(s, 1H), 7.26 - 7.41 (m, 2H), 7.14 - 7.19 (m, 1H), 3.61 - 3.65 (m, 7H), 3.44(t, 2H, J = 6.3Hz), 2.91 (t, 2H, J = 6.9Hz), 1.70 - 1.81 (m, 5H), 1.60 - 1.66 (m, 2H).

Example 453 Synthesis of (Z)-3-[4-(4-{3-[2-(4-chlorobutyloxy)ethyl]-2-

10 methyloxyphenyl}thiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methyloxyacrylic acid (B1962)

¹H-NMR(DMSO-d₆) 12.91 (bs, 2H), 7.85 - 7.92 (m, 3H), 7.72 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19(m, 1H), 6.66 (s, 1H), 3.71 (s, 3H), 3.60 - 3.65 (m, 7H), 2.91(t, 2H, J = 6.9Hz), 1.72 - 1.77 (m, 2H), 1.59 - 1.63 (m, 2H).

15

Example 454 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[2-(4-chlorobutyloxy)ethyl]-2-methyloxyphenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B1963)

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 8.29 (s, 2H), 7.86 - 7.88 (m, 1H), 7.72(s, 1H), 7.41 (s, 1H), 7.27 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 3.61 - 3.66 (m, 7H), 3.46 (t, 2H, J = 6.1Hz), 2.91 (t, 2H, J = 6.7Hz), 1.59 - 1.77 (m, 7H).

20

Example 455 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{3-[2-(4-chlorobutyloxy)ethyl]-2-methyloxyphenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methyloxyacrylic acid (B1964)

¹H-NMR(DMSO-d₆) 12.95 (bs, 2H), 8.24 (s, 2H), 7.86 - 7.88 (m, 1H), 7.72 (s, 1H), 7.27 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 6.73 (s, 1H), 3.61 - 3.65 (m, 10H), 3.42 - 3.46 (m, 2H), 2.90 - 2.94 (m, 2H), 1.58 - 1.77 (m, 5H).

25

Example 456 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-isobutyloxy-1-methyloxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1965)

30 ¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H),

7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.09-3.16(m, 2H), 1.85-1.95(m, 2H), 1.79(s, 3H), 1.74-1.79(m, 1H), 0.85(d, 6H, J = 6.0 Hz).

- 5 Example 457 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-isobutyloxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1966)
1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.09-3.16(m, 2H), 1.85-1.95(m, 2H), 1.74-1.79(m, 1H), 1.68(s, 3H), 0.85(d, 6H, J = 6.0
10 Hz).

Example 458 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-isobutyloxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1967)

- 15 1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.71(s, 3H), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.09-3.16(m, 2H), 1.85-1.95(m, 2H), 1.74-1.79(m, 1H), 0.85(d, 6H, J = 6.0 Hz).

- 20 Example 459 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-isobutyloxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1968)

- 1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.25(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.72(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.61(s, 3H), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.09-3.16(m, 2H), 1.85-1.95(m, 2H), 1.74-1.79(m, 1H),
25 0.85 (d, 6H, J = 6.0 Hz).

Example 460 Synthesis of (E)-3-(4-{4-[3-(2-ethylbutyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1969)

- 30 1H-NMR(DMSO-d6) 13.01(bs, 2H), 8.04(dt, 1H, J = 1.5, 7.5 Hz), 7.92-8.00(m, 2H),

7.65(d, 1H, J = 2.7 Hz), 7.43(dt, 1H, J = 2.1, 7.5 Hz), 7.34(s, 1H), 7.31(t, 1H, J = 7.5 Hz), 4.59(s, 2H), 1.81(s, 3H), 1.25-1.49(m, 5H), 0.84(t, 6H, J = 7.5 Hz).

Example 461 Synthesis of (Z)-3-(4-{4-[3-(2-ethylbutyloxymethyl)-2-

5 fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1970)

¹H-NMR(DMSO-d₆) 12.98(bs, 1H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.87-7.95(m, 2H), 7.65(d, 1H, J = 2.7 Hz), 7.43(t, 1H, J = 6.6 Hz), 7.31(t, 1H, J = 7.5 Hz), 6.64(s, 1H), 4.59(s, 2H), 3.71(s, 3H), 3.40(d, 2H, J = 5.7 Hz), 1.25-1.49(m, 5H), 0.84(t, 6H, J = 7.5 Hz).

10

Example 462 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-ethylbutyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1971)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.29(s, 2H), 8.04(dt, 1H, J = 1.5, 7.5 Hz), 7.64(d, 1H, J = 2.4 Hz), 7.38-7.46(m, 2H), 7.31(t, 1H, J = 7.5 Hz), 4.59(s, 2H), 3.40(d, 2H, J = 5.7 Hz), 1.69(s, 3H), 1.25-1.49(m, 5H), 0.84(t, 6H, J = 7.5 Hz).

15

Example 463 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-ethylbutyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1972)

¹H-NMR(DMSO-d₆) 13.00(bs, 1H), 8.24(s, 2H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.43(t, 1H, J = 6.6 Hz), 7.31(t, 1H, J = 7.5 Hz), 6.71(s, 1H), 4.59(s, 2H), 3.61(s, 3H), 3.40(d, 2H, J = 5.4 Hz), 1.25-1.49(m, 5H), 0.84(t, 6H, J = 7.5 Hz).

20

Example 464 Synthesis of (E)-3-(2,6-difluoro-4-[4-(2-fluoro-3-isobutyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methylacrylic acid (B1973)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.92-8.00(m, 2H), 7.65(d, 1H, J = 2.4 Hz), 7.43(t, 1H, J = 6.0 Hz), 7.34(s, 1H), 7.32(t, 1H, J = 7.5 Hz), 4.60(s, 2H), 1.80-1.93(m, 1H), 1.81(s, 3H), 0.89(d, 6H, J = 6.6 Hz).

25

Example 465 Synthesis of (Z)-3-(2,6-difluoro-4-[4-(2-fluoro-3-

30 isobutyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methoxyacrylic acid

(B1974)

¹H-NMR(DMSO-d₆) 12.98(bs, 1H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.87-7.95(m, 2H), 7.65(d, 1H, J = 2.4 Hz), 7.43(dt, 1H, J = 1.8, 6.6 Hz), 7.32(t, 1H, J = 7.5 Hz), 6.66(s, 1H), 4.59(s, 2H), 3.71(s, 3H), 1.80-1.93(m, 1H), 0.89(d, 6H, J = 6.9 Hz).

5

Example 466 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-isobutyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1975)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 8.29(s, 2H), 8.04(dt, 1H, J = 2.1, 7.8 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.38-7.46(m, 2H), 7.32(t, 1H, J = 7.5 Hz), 4.60(s, 2H), 1.82-1.91(m, 1H), 1.69(s, 3H), 0.89(d, 6H, J = 6.6 Hz).

10

Example 467 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-isobutyloxymethylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B1976)

¹H-NMR(DMSO-d₆) 13.01(bs, 1H), 8.25(s, 2H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.66(d, 1H, J = 2.4 Hz), 7.44(t, 1H, J = 6.6 Hz), 7.32(t, 1H, J = 7.5 Hz), 6.72(s, 1H), 4.60(s, 2H), 3.62(s, 3H), 1.82-1.89(m, 1H), 0.89(d, 6H, J = 6.9 Hz).

15

Example 468 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-methylbutyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1977)

¹H-NMR(DMSO-d₆) 12.98(bs, 1H), 8.04(dt, 1H, J = 1.5, 7.2 Hz), 7.86-7.96(m, 2H), 7.66(d, 1H, J = 2.4 Hz), 7.43(d, 1H, J = 6.0 Hz), 7.31(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.59(s, 2H), 3.72(s, 3H), 3.52(t, 2H, J = 6.6 Hz), 1.63-1.76(m, 1H), 1.42-1.49 (m, 2H), 0.88(d, 6H, J = 6.6 Hz).

20

Example 469 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methylbutyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1978)

¹H-NMR(DMSO-d₆) 13.00(bs, 1H), 8.25(s, 2H), 8.04(dt, 1H, J = 1.5, 7.5 Hz), 7.65(d,

30

1H, J = 2.4 Hz), 7.42(t, 1H, J = 6.9 Hz), 7.31(t, 1H, J = 7.2 Hz), 6.72(s, 1H), 4.58(s, 2H), 3.61(s, 3H), 3.52(t, 2H, J = 6.6 Hz), 1.62-1.76(m, 1H), 1.42-1.49 (m, 2H), 0.88(d, 6H, J = 6.6 Hz).

5 Example 470 Synthesis of (E)-3-{4-[4-(3-cyclobutylmethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methylacrylic acid (B1979)

1H-NMR(DMSO-d6) 13.00(bs, 2H), 8.04(dt, 1H, J = 2.1, 7.8 Hz), 7.92-8.00(m, 2H), 7.65(d, 1H, J = 2.4 Hz), 7.42(dt, 1H, J = 1.8, 6.9 Hz), 7.34(s, 1H), 7.31(t, 1H, J = 7.8 Hz), 4.59(s, 2H), 3.48(d, 2H, J = 6.6 Hz), 2.50-2.61(m, 1H), 1.64-2.04(m, 9H).

10

Example 471 Synthesis of (Z)-3-{4-[4-(3-cyclobutylmethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methyloxyacrylic acid (B1980)

1H-NMR(DMSO-d6) 12.97(bs, 1H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.86-7.95(m, 2H),
15 7.65(d, 1H, J = 2.4 Hz), 7.43(dt, 1H, J = 1.8, 7.5 Hz), 7.31(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.60(s, 2H), 3.71(s, 3H), 3.48(d, 2H, J = 6.6 Hz), 2.50-2.61(m, 1H), 1.67-2.05(m, 6H).

Example 472 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-cyclobutylmethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methylacrylic acid (B1981)

20 1H-NMR(DMSO-d6) 13.03(bs, 2H), 8.29(s, 2H), 8.04(t, 1H, J = 7.2 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.38-7.48(m, 2H), 7.31(t, 1H, J = 7.8 Hz), 4.60(s, 2H), 3.47(d, 2H, J = 6.6 Hz), 1.62-2.03(m, 6H), 1.69(s, 3H).

Example 473 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-cyclobutylmethyloxymethyl-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl)-2-methyloxyacrylic acid (B1982)

25 1H-NMR(DMSO-d6) 13.00(bs, 1H), 8.24(s, 2H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.43(t, 1H, J = 6.3 Hz), 7.31(t, 1H, J = 7.5 Hz), 6.72(s, 1H), 4.60(s, 2H), 3.61(s, 3H), 3.48(d, 2H, J = 6.9 Hz), 2.48-2.52(m, 1H), 2.05-1.67 (m, 6H).

30 Example 474 Synthesis of (E)-3-(4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1983)

¹H-NMR(DMSO-d₆) 13.01(bs, 2H), 7.92-8.08(m, 2H), 7.65(d, 1H, J = 2.4 Hz), 7.44(t, 1H, J = 5.4 Hz), 7.34(d, 1H, J = 2.4 Hz), 7.32 (t, 1H, J = 7.5 Hz), 4.62(s, 2H), 3.18(s, 2H), 1.81(s, 3H), 0.91(s, 9H).

5

Example 475 Synthesis of (Z)-3-(4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B1984)

¹H-NMR(DMSO-d₆) 12.98(bs, 1H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.87-7.94(m, 2H), 7.65(d, 1H, J = 2.7 Hz), 7.45(dt, 1H, J = 1.8, 6.6 Hz), 7.32(t, 1H, J = 7.5 Hz), 6.66(s, 1H), 4.62(s, 2H), 3.61(s, 3H), 3.18(s, 2H), 0.91(s, 9H).

10

Example 476 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1985)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 8.29(s, 2H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.63(d, 1H, J = 2.4 Hz), 7.44(dt, 1H, J = 2.1, 8.4 Hz), 7.40 (d, 1H, J = 1.2 Hz), 7.32(t, 1H, J = 7.8 Hz), 4.62(s, 2H), 3.18(s, 2H), 1.39(s, 3H), 0.91(s, 9H).

15

Example 477 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2,2-dimethyl-propyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1986)

20

¹H-NMR(DMSO-d₆) 13.01(bs, 1H), 8.24(s, 2H), 8.04(dt, 1H, J = 1.5, 7.2 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.43(t, 1H, J = 6.6 Hz), 7.32(t, 1H, J = 7.5 Hz), 6.72(s, 1H), 4.62(s, 2H), 3.61(s, 3H), 3.18(s, 2H), 0.91(s, 9H).

Example 478 Synthesis of (E)-3-(4-{4-[3-(2-cyclopentyethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B1987)

25

¹H-NMR(DMSO-d₆) 12.99(bs, 2H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.92-8.02(m, 2H), 7.66(d, 1H, J = 2.7 Hz), 7.39-7.46(m, 1H), 7.28-7.36(m, 2H), 4.59(s, 2H), 3.51(t, 2H, J = 6.9 Hz), 1.45-1.95(m, 11H), 1.00-1.18(m, 2H).

30

Example 479 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-cyclopentyethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B1988)

1H-NMR(DMSO-d6) 13.04(bs, 2H), 8.29(s, 2H), 8.01-8.07(m, 1H), 7.65(d, 1H, J = 2.4 Hz), 7.38-7.47(m, 2H), 7.31(t, 1H, J = 7.8 Hz), 4.59(s, 2H), 3.51(t, 2H, J = 6.6 Hz), 1.65-1.90(m, 6H), 1.40-1.65(m, 5H), 1.00-1.17(m, 2H).

Example 480 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-cyclopentyethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B1989)

1H-NMR(DMSO-d6) 12.85(bs, 1H), 8.07(s, 2H), 7.87(dt, 1H, J = 1.8, 7.8 Hz), 7.48(d, 1H, J = 1.8 Hz), 7.22-7.30(m, 1H), 7.14(t, 1H, J = 7.8 Hz), 6.55(s, 1H), 4.41(s, 2H), 3.44(s, 3H), 3.33(t, 2H, J = 6.6 Hz), 1.26-1.73(m, 9H), 0.86-1.00(m, 2H).

Example 481 Synthesis of (E)-3-{2,6-difluoro-4-[4-(3-heptyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl}-2-methylacrylic acid (B1990)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 7.95 - 7.98 (m, 3H), 7.74 (s, 1H), 7.34 - 7.39 (m, 2H), 7.21 - 7.26 (m, 1H), 4.56 (s, 2H), 3.65 (s, 3H), 3.50 (t, 2H, J = 6.0Hz), 1.81 (s, 3H), 1.54 - 1.56 (m, 2H), 1.25 (bs, 8H), 0.83 - 0.86 (m, 3H).

Example 482 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-heptyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl}-2-methylacrylic acid (B1991)

1H-NMR(DMSO-d6) 12.98 (bs, 2H), 8.29 (s, 2H), 7.96 - 7.99 (m, 1H), 7.74 (s, 1H), 7.36 - 7.41 (m, 2H), 7.21 - 7.26 (m, 1H), 4.56 (s, 2H), 3.66 (s, 3H), 3.50 (t, 2H, J = 6.0Hz), 1.69 (s, 3H), 1.52 - 1.59 (m, 2H), 1.25 (bs, 8H), 0.83 - 0.88 (m, 3H).

Example 483 Synthesis of (E)-3-{2,6-difluoro-4-[4-(3-hexyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl}-2-methylacrylic acid (B1992)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 7.95 - 7.99 (m, 3H), 7.74 (s, 1H), 7.34 - 7.39 (m, 2H), 7.21 - 7.26 (m, 1H), 4.56 (s, 2H), 3.65 (s, 3H), 3.50 (t, 2H, J = 6.0Hz), 1.81 (s, 3H), 1.52 - 1.59 (m, 2H), 1.27 - 1.36 (m, 6H), 0.84 - 0.88 (m, 3H).

Example 484 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-hexyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1993)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 8.29 (s, 2H), 7.96 - 7.98 (m, 1H), 7.73 (s, 1H), 7.36 - 7.40 (m, 2H), 7.21 - 7.26 (m, 1H), 4.56 (s, 2H), 3.65 (s, 3H), 3.50 (t, 2H, J = 6.0Hz), 1.69 (s, 3H), 1.52 - 1.59 (m, 2H), 1.26 - 1.36 (m, 6H), 0.84 - 0.88 (m, 3H).

Example 484 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-hexyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B1994)

1H-NMR(DMSO-d6) 12.95 (bs, 2H), 8.25 (s, 2H), 7.96 - 7.99 (m, 1H), 7.73 (s, 1H), 7.36 - 7.39 (m, 1H), 7.21 - 7.27 (m, 1H), 6.73 (s, 1H), 4.56 (s, 2H), 3.65 (s, 3H), 3.62 (s, 3H), 3.50 (t, 2H, J = 6.3Hz), 1.52 - 1.59 (m, 2H), 1.26 - 1.36 (m, 6H), 0.84 - 0.88 (m, 3H)

Example 486 Synthesis of (E)-3-{4-[4-(3-butyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-dichlorophenyl}-2-methylacrylic acid (B1995)

1H-NMR(DMSO-d6) 12.98 (bs, 2H), 8.29 (s, 2H), 7.96 - 7.99 (m, 1H), 7.74 (s, 1H), 7.37 - 7.41 (m, 2H), 7.21 - 7.26 (m, 1H), 4.56 (s, 2H), 3.66 (s, 3H), 3.51 (t, 2H, J = 6.3Hz), 1.69 (s, 3H), 1.51 - 1.60 (m, 2H), 1.30 - 1.43 (m, 2H), 0.87 - 0.92 (m, 3H).

Example 487 Synthesis of (Z)-3-{4-[4-(3-butyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-dichlorophenyl}-2-methyloxyacrylic acid (B1996)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 8.25 (s, 2H), 7.96 - 7.99 (m, 1H), 7.73 (s, 1H), 7.36 - 7.40 (m, 1H), 7.21 - 7.26 (m, 1H), 6.73 (s, 1H), 4.56 (s, 2H), 3.66 (s, 3H), 3.61 (s, 3H), 3.51 (t, 2H, J = 6.0Hz), 1.51 - 1.60 (m, 2H), 1.31 - 1.43 (m, 2H), 0.87 - 0.92 (m, 3H).

Example 488 Synthesis of (E)-3-{4-[4-(3-butyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B1997)

1H-NMR(DMSO-d6) 12.97 (bs, 2H), 7.96 - 8.00 (m, 3H), 7.75 (s, 1H), 7.34 - 7.39 (m, 2H), 7.22 - 7.27 (m, 1H), 4.56 (s, 2H), 3.66 (s, 3H), 3.51 (t, 2H, J = 6.0Hz), 1.81 (s, 3H), 1.51 - 1.60 (m, 2H), 1.31 - 1.43 (m, 2H), 0.87 - 0.92 (m, 3H).

Example 489 Synthesis of (E)-3-{2,6-difluoro-4-[4-(3-heptyloxy-2-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1998)

1H-NMR(DMSO-d6) 12.95 (bs, 2H), 7.95 - 7.97 (m, 2H), 7.74 (s, 1H), 7.64 - 7.66 (m, 1H), 7.34 (s, 1H), 7.10 - 7.16 (m, 1H), 7.02 - 7.04 (m, 1H), 4.03 (t, 2H, J = 6.3 Hz), 3.80 (s, 3H), 1.74 - 1.80 (m, 5H), 1.43 - 1.50 (m, 2H), 1.30 - 1.36 (m, 6H). 0.86 - 0.90 (m, 3H).

Example 490 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-heptyloxy-2-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B1999)

1H-NMR(DMSO-d6) 12.95 (bs, 2H), 8.29 (s, 2H), 7.75 (s, 1H), 7.64 - 7.66 (m, 1H), 7.40 (s, 1H), 7.10 - 7.15 (m, 1H), 7.02 - 7.05 (m, 1H), 4.03 (t, 2H, J = 6.0 Hz), 3.80 (s, 3H), 1.76 - 1.81 (m, 2H), 1.69 (s, 3H), 1.45 - 1.50 (m, 2H), 1.30 - 1.36 (m, 6H). 0.86 - 0.90 (m, 3H).

Example 491 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(3-heptyloxy-2-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2000)

1H-NMR(DMSO-d6) 13.56 (bs, 1H), 12.87 (bs, 1H), 7.89 - 7.92 (m, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.10 - 7.15 (m, 1H), 7.02 - 7.05 (m, 1H), 6.66 (s, 1H), 4.03 (t, 2H, J = 6.0 Hz), 3.80 (s, 3H), 3.71 (s, 3H), 1.76 - 1.83 (m, 3H), 1.45 - 1.50 (m, 2H), 1.30 - 1.39 (m, 6H). 0.86 - 0.90 (m, 3H).

Example 492 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-heptyloxy-2-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2001)

1H-NMR(DMSO-d6) 12.90 (bs, 2H), 8.24 (s, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.10 - 7.15 (m, 1H), 7.01 - 7.05 (m, 1H), 6.73 (s, 1H), 4.03 (t, 2H, J = 6.0 Hz), 3.80 (s, 3H), 3.61 (s, 3H), 1.76 - 1.83 (m, 3H), 1.45 - 1.50 (m, 2H), 1.30 - 1.39 (m, 6H). 0.86 - 0.90 (m, 3H).

Example 493 Synthesis of (E)-3-[2,6-difluoro-4-(4-{3-[2-(4-fluorobutyloxy)ethyl]-2-methoxyphenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B2002)

1H-NMR(DMSO-d6) 12.96 (bs, 2H), 7.95 - 7.88 (m, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.33 (s, 1H), 7.26 - 7.29 (m, 1H), 7.13 - 7.19 (m, 1H), 4.50 (t, 1H, J = 6.0 Hz), 4.34 (t, 1H, J = 6.0 Hz), 3.62 - 3.66 (m, 5H), 3.45 (t, 2H, J = 6.3 Hz), 2.91 (t, 2H, J = 7.0 Hz), 1.81

(s, 3H), 1.55 - 1.73 (m, 4H).

Example 494 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[2-(4-fluorobutyloxy)ethyl]-2-methoxyphenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid (B2003)

5 1H-NMR(DMSO-d6) 12.97 (bs, 2H), 8.29 (s, 2H), 7.85 - 7.88 (m, 1H), 7.72 (s, 1H), 7.40 (s, 1H), 7.26 - 7.29 (m, 1H), 7.14 - 7.19 (m, 1H), 4.50 (t, 1H, J = 6.0 Hz), 4.34 (t, 1H, J = 6.0 Hz), 3.62 - 3.66 (m, 5H), 3.45 (t, 2H, J = 6.3 Hz), 2.91 (t, 2H, J = 7.0 Hz), 1.55 - 1.73 (m, 7H).

10 Example 495 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-methoxy-3-octyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2004)

1H-NMR(DMSO-d6) 12.92 (bs, 2H), 7.95 - 7.97 (m, 2H), 7.75 (s, 1H), 7.64 - 7.66 (m, 1H), 7.34 (s, 1H), 7.10 - 7.15 (m, 1H), 7.02 - 7.04 (m, 1H), 4.03 (t, 2H, J = 6.3 Hz), 3.80 (s, 3H), 1.76 - 1.81 (m, 5H), 1.43 - 1.50 (m, 2H), 1.28 - 1.36 (m, 8H), 0.86 - 0.90 (m, 3H).

15

Example 496 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-methoxy-3-octyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2005)

1H-NMR(DMSO-d6) 12.94 (bs, 2H), 8.28 (s, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.40 (s, 1H), 7.10 - 7.15 (m, 1H), 7.01 - 7.04 (m, 1H), 4.03 (t, 2H, J = 6.0 Hz), 3.80 (s, 3H), 1.75 - 1.80 (m, 2H), 1.69 (s, 3H), 1.45 - 1.50 (m, 2H), 1.30 - 1.36 (m, 8H), 0.86 - 0.90 (m, 3H).

20

Example 497 Synthesis of (E)-3-[4-(4-{3-[3-(2,2-dimethylpropyloxy)-1-methoxypropyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methylacrylic acid (B2006)

25 1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.00-3.06(m, 2H), 1.85-1.95(m, 2H), 1.79(s, 3H), 0.90(s, 9H).

Example 498 Synthesis of (E)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)-1-methoxypropyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methylacrylic acid

30

(B2007)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.01(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.00-3.06(m, 2H), 1.85-1.95(m, 2H), 1.69(s, 3H), 0.90(s, 9H).

5

Example 499 Synthesis of (Z)-3-[4-(4-{3-[3-(2,2-dimethylpropyloxy)-1-methoxypropyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)-2,6-difluorophenyl]-2-methoxyacrylic acid (B2008)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.71(s, 3H), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.00-3.06(m, 2H), 1.85-1.95(m, 2H), 0.90(s, 9H).

Example 500 Synthesis of (Z)-3-[2,6-dichloro-4-(4-{3-[3-(2,2-dimethylpropyloxy)-1-methoxypropyl]-2-fluorophenyl}thiazol-2-ylcarbamoyl)phenyl]-2-methoxyacrylic acid (B2009)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.01(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.61(s, 3H), 3.50-3.58(m, 1H), 3.35-3.42(m, 1H), 3.17(s, 3H), 3.00-3.06(m, 2H), 1.85-1.95(m, 2H), 0.90(s, 9H).

20

Example 501 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-isopropoxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2010)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.50-3.58(m, 1H), 3.35-3.42(m, 2H), 3.17(s, 3H), 1.79-1.95(m, 2H), 1.79(s, 3H), 1.05(d, 6H, J = 6.0 Hz).

25

Example 502 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-isopropoxy-1-methoxypropyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2011)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.29(s, 2H), 8.06(t, 1H, J = 7.5 Hz), 7.64(s, 1H), 7.30-7.40(m, 3H), 4.72(t, 1H, J = 6.5 Hz), 3.50-3.58(m, 1H), 3.35-3.42(m, 2H), 3.17(s, 3H),

30

1.80-1.98(m, 2H), 1.68(s, 3H), 1.05(d, 6H, J = 6.0 Hz).

Example 503 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(3-isopropoxy-1-methyloxypropyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methoxyacrylic acid

5 (B2012)

¹H-NMR(DMSO-d₆) 13.02(bs, 1H), 8.06(t, 1H, J = 7.5 Hz), 7.96(s, 1H), 7.93(s, 1H), 7.64(s, 1H), 7.30-7.40(m, 2H), 6.65(s, 1H), 4.72(t, 1H, J = 6.5 Hz), 3.71(s, 3H), 3.50-3.58(m, 1H), 3.35-3.42(m, 2H), 3.17(s, 3H), 1.80-1.98(m, 2H), 1.05(d, 6H, J = 6.0 Hz).

10 Example 504 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methylpentyloxymethyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid (B2013)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.92-8.00(m, 2H), 7.65(d, 1H, J = 2.4 Hz), 7.39-7.45(m, 1H), 7.28-7.36(m, 2H), 4.58(s, 2H), 3.48(t, 2H, J = 6.6 Hz), 1.81(d, 3H, J = 1.8 Hz), 1.46-1.60(m, 3H), 1.17-1.25(m, 2H), 0.86(d, 6H, J = 6.6 Hz).

Example 505 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-3-(4-methylpentyloxymethyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methoxyacrylic acid

20 (B2014)

¹H-NMR(DMSO-d₆) 12.97(bs, 1H), 8.04(dt, 1H, J = 1.8, 7.5 Hz), 7.86-7.96(m, 2H), 7.65(d, 1H, J = 2.7 Hz), 7.38-7.46(m, 1H), 7.31(t, 1H, J = 7.8 Hz), 6.64(s, 1H), 4.58(s, 2H), 3.71(s, 3H), 3.48(t, 2H, J = 6.6 Hz), 1.45-1.62(m, 3H), 1.17-1.20(m, 2H), 0.86(d, 6H, J = 6.6 Hz).

25

Example 506 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(4-methylpentyloxymethyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid

(B2015)

¹H-NMR(DMSO-d₆) 13.02(bs, 2H), 8.29(s, 2H), 8.04(dt, 1H, J = 1.8, 7.2 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.38-7.46(m, 2H), 7.31(t, 1H, J = 7.5 Hz), 4.58(s, 2H), 3.48(t, 2H, J = 6.6

Hz), 1.69(s, 3H), 1.46-1.60(m, 3H), 1.17-1.25(m, 2H), 0.86(d, 6H, J = 6.6 Hz).

Example 507 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(4-methylpentyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid
5 (B2016)

¹H-NMR(DMSO-d₆) 13.01(bs, 1H), 8.25(s, 2H), 8.04(dt, 1H, J = 1.5, 7.5 Hz), 7.65(d, 1H, J = 2.7 Hz), 7.39-7.46(m, 1H), 7.31(t, 1H, J = 7.8 Hz), 6.73(s, 1H), 4.58(s, 2H), 3.61(s, 3H), 3.48(t, 2H, J = 6.3 Hz), 1.46-1.60(m, 3H), 1.15-1.27(m, 2H), 0.86(d, 6H, J = 6.6 Hz).

10 Example 508 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2017)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.60-7.68(m, 2H), 7.34(bs, 1H), 7.14-7.28(m, 2H), 3.89(s, 3H), 1.81(s, 3H).

15 Example 509 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2018)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.29(s, 2H), 7.59-7.68(m, 2H), 7.40(s, 1H), 7.14-7.28(m, 2H), 3.89(s, 3H), 1.69(s, 3H).

20 Example 510 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2019)

¹H-NMR(DMSO-d₆) 13.6(bs, 1H), 13.0(bs, 1H), 8.25(s, 2H), 7.60-7.68(m, 2H), 7.14-7.26(m, 2H), 6.74(s, 1H), 3.89(s, 3H), 3.61(s, 3H).

25 Example 511 Synthesis of (E)-3-(4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B2020)

¹H NMR(DMSO-d₆) 12.93(bs, 2H), 7.90-7.99(m, 3H), 7.74(s, 1H), 7.39-7.41(m, 1H), 7.25(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.60(s, 2H), 3.72(s, 3H), 3.3.66(s, 3H), 3.19(s, 2H),

30 0.92(s, 9H).

Example 512 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2021)

1H NMR(DMSO-d6) 12.98(bs, 2H), 8.29(s, 2H), 7.98(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.74(s, 1H), 7.39-7.41(m, 2H), 7.25(t, 1H, J = 7.5 Hz), 4.60(s, 2H), 3.66(s, 3H), 3.19(s, 2H), 1.69(d, 3H, J = 1.2 Hz), 0.92(s, 9H).

Example 513 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2,2-dimethylpropyloxymethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B2022)

1H NMR(DMSO-d6) 12.96(bs, 2H), 8.25(s, 2H), 7.97(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.74(s, 1H), 7.40(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.25(t, 1H, J = 7.5 Hz), 6.73(s, 1H), 4.60(s, 2H), 3.66(s, 3H), 3.62(s, 3H), 3.19(s, 2H), 0.92(s, 9H).

Example 514 Synthesis of (E)-3-(4-{4-[3-(2-ethylbutyloxymethyl)-2-

methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B2023)

1H NMR(DMSO-d6) 12.98(bs, 2H), 7.95-7.99(m, 3H), 7.74(s, 1H), 7.37-7.39(dd, 1H, J = 1.8 Hz, 7.8 Hz), 7.34(s, 1H), 7.24(t, 1H, J = 7.5 Hz), 4.56(s, 2H), 3.65(s, 3H), 3.42(d, 2H, J = 5.7 Hz), 1.81(s, 3H), 1.26-1.51(m, 5H), 0.85(t, 6H, J = 7.5 Hz).

Example 515 Synthesis of (Z)-3-(4-{4-[3-(2-ethylbutyloxymethyl)-2-

methyloxyphenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methyloxyacrylic acid (B2024)

1H NMR(DMSO-d6) 12.93(bs, 2H), 7.90-7.99(m, 3H), 7.74(s, 1H), 7.37-7.40(m, 1H), 7.24(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.56(s, 2H), 3.72(s, 3H), 3.65(s, 3H), 3.42(d, 2H, J = 5.4 Hz), 1.24-1.49(m, 5H), 0.85(t, 6H, J = 7.5 Hz).

Example 516 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-ethylbutyloxymethyl)-2-methyloxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2025)

1H NMR(DMSO-d6) 13.00(bs, 2H), 8.29(s, 2H), 7.97(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.74(s,

1H), 7.37-7.41(m, 2H), 7.25(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.66(s, 3H), 3.42(d, 2H, J = 5.7 Hz), 1.69(s, 3H), 1.25-1.49(m, 5H), 0.86(t, 6H, J = 7.5 Hz).

Example 517 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-ethylbutyloxymethyl)-2-methoxyphenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B2026)

¹H NMR(DMSO-d₆) 12.95(bs, 2H), 8.25(s, 2H), 7.97(d, 1H, J = 8.1 Hz), 7.73(s, 1H), 7.38(d, 1H, J = 6.0 Hz), 7.24(t, 1H, J = 7.5 Hz), 6.73(s, 1H), 4.57(s, 2H), 3.66(s, 3H), 3.62(s, 3H), 3.42(d, 2H, J = 5.7 Hz), 1.24-1.49(m, 5H), 0.85(t, 6H, J = 7.5 Hz).

Example 518 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methoxy-3-(3-methylbutyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2027)

¹H NMR(DMSO-d₆) 12.94(bs, 2H), 7.95-7.99(m, 3H), 7.74(s, 1H), 7.34-7.40(m, 2H), 7.24(t, 1H, J = 7.5 Hz), 4.56(s, 2H), 3.65(s, 3H), 3.54(t, 2H, J = 6.3 Hz), 1.81(s, 3H), 1.66-1.71(m, 1H), 1.47(q, 2H, 6.6 Hz), 0.89(d, 6H, J = 6.6 Hz).

Example 519 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methoxy-3-(3-methylbutyloxymethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2028)

¹H NMR(DMSO-d₆) 12.97(bs, 2H), 8.29(s, 2H), 7.97(dd, 1H, J = 9.3 Hz), 7.73(s, 1H), 7.37-7.41(m, 2H), 7.24(t, 1H, J = 7.5 Hz), 4.56(s, 2H), 3.66(s, 3H), 3.54(t, 2H, J = 6.6 Hz), 1.66-1.75(m, 1H), 1.69(s, 3H), 1.47(q, 2H, 6.6 Hz), 0.89(d, 6H, J = 6.6 Hz).

Example 520 Synthesis of (E)-3-(4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B2029)

¹H-NMR(DMSO-d₆) 13.04(bs, 2H), 8.00-8.08(m, 1H), 7.92-8.08(m, 2H), 7.65(d, 1H, J = 1.8 Hz), 7.39-7.46(m, 1H), 7.28-7.36(m, 2H), 4.58(s, 2H), 3.56(t, 2H, J = 7.2 Hz), 1.81(s, 3H), 1.51(t, 2H, J = 7.2 Hz), 0.91(s, 9H).

Example 521 Synthesis of (Z)-3-(4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl]-2,6-difluorophenyl)-2-methyloxyacrylic acid
(B2030)

1H-NMR(DMSO-d6) 12.99(bs, 1H), 8.00-8.07(m, 1H), 7.86-7.96(m, 2H), 7.65(d, 1H, J
= 2.4 Hz), 7.39-7.46(m, 1H), 7.31(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.58(s, 2H), 3.71(s, 3H),
5 3.56(t, 2H, J = 7.2 Hz), 1.51(t, 3H, J = 7.2 Hz), 0.90(s, 9H).

Example 522 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-
fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2031)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 8.29(s, 2H), 8.00-8.08(m, 1H), 7.65(d, 1H, J = 2.1
10 Hz), 7.39-7.48(m, 2H), 7.31(t, 1H, J = 7.5 Hz), 4.58(s, 2H), 3.56(t, 2H, J = 7.2 Hz), 1.69(s,
3H), 1.51(t, 2H, J = 7.2 Hz), 0.91(s, 9H).

Example 523 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(3,3-dimethylbutyloxymethyl)-2-
fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B2032)

15 1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.25(s, 2H), 8.00-8.08(m, 1H), 7.66(d, 1H, J = 2.4
Hz), 7.39-7.46(m, 1H), 7.31(t, 1H, J = 7.5 Hz), 6.73(s, 1H), 4.59(s, 2H), 3.62(s, 3H), 3.56(t,
2H, J = 7.2 Hz), 1.51(t, 2H, J = 7.2 Hz), 0.91(s, 9H).

Example 524 Synthesis of (E)-3-{4-[4-(3-cyclohexylmethyloxymethyl)-2-
20 fluorophenyl]thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B2033)

1H-NMR(DMSO-d6) 13.04(bs, 2H), 7.92-8.08(m, 3H), 7.65(d, 1H, J = 2.4 Hz), 7.39-
7.46(m, 1H), 7.28-7.36(m, 2H), 4.58(s, 2H), 1.81(s, 3H), 1.54-1.79(m, 6H), 1.10-1.25(m,
3H), 0.80-1.02(m, 2H).

25 Example 525 Synthesis of (Z)-3-{4-[4-(3-cyclohexylmethyloxymethyl)-2-
fluorophenyl]thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methyloxyacrylic acid
(B2034)

1H-NMR(DMSO-d6) 12.98(bs, 1H), 8.04(dt, 1H, J = 2.1, 7.5 Hz), 7.70-7.96(m, 2H),
7.65(d, 1H, J = 2.7 Hz), 7.39-7.46(m, 1H), 7.31(t, 1H, J = 7.8 Hz), 6.66(s, 1H), 4.58(s, 2H),
30 3.72(s, 3H), 1.52-1.79(m, 6H), 1.06-1.28(m, 3H), 0.83-1.02(m, 2H).

Example 526 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-cyclohexylmethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl}-2-methylacrylic acid (B2035)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 8.29(s, 2H), 8.04(dt, 1H, J = 1.8, 7.8 Hz), 7.65(d, 1H, J = 2.4 Hz), 7.38-7.46(m, 2H), 7.31(t, 1H, J = 7.8 Hz), 4.58(s, 2H), 1.50-1.80(m, 6H), 1.07-1.30(m, 3H), 0.82-1.05(m, 2H).

Example 527 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-cyclohexylmethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl}-2-methoxyacrylic acid (B2036)

1H-NMR(DMSO-d6) 13.02(bs, 1H), 8.25(s, 2H), 8.00-8.08(m, 1H), 7.65(d, 1H, J = 2.4 Hz), 7.39-7.46(m, 1H), 7.31(t, 1H, J = 8.1 Hz), 6.72(s, 1H), 4.58(s, 2H), 3.62(s, 3H), 1.50-1.78(m, 6H), 1.08-1.30(m, 3H), 0.86-1.00(m, 2H).

Example 528 Synthesis of (E)-3-(4-{4-[3-(2-ethylsufanylethyloxymethyl)-2-

fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B2037)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 8.05(dt, 1H, J = 1.8, 7.5 Hz), 7.92-8.05(m, 2H), 7.65(d, 1H, J = 2.7 Hz), 7.42-7.48(m, 1H), 7.28-7.35(m, 2H), 4.64(s, 2H), 3.66(t, 2H, J = 6.6 Hz), 2.73(t, 2H, J = 6.9 Hz), 2.50-2.59(m, 2H), 1.81(s, 3H), 1.17(t, 3H, J = 7.5 Hz).

Example 529 Synthesis of (Z)-3-(4-{4-[3-(2-ethylsufanylethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B2038)

1H-NMR(DMSO-d6) 12.98(bs, 1H), 8.05(dt, 1H, J = 1.8, 7.8 Hz), 7.70-7.95(m, 2H), 7.66(d, 1H, J = 2.7 Hz), 7.42-7.49(m, 1H), 7.32(t, 1H, J = 7.8 Hz), 6.66(s, 1H), 4.64(s, 2H), 3.71(s, 3H), 3.66(t, 2H, J = 6.6 Hz), 2.73(t, 2H, J = 6.6 Hz), 2.50-2.59(m, 2H), 1.17(t, 3H, J = 7.5 Hz).

Example 530 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-ethylsufanylethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2039)

1H-NMR(DMSO-d6) 13.02(bs, 2H), 8.29(s, 2H), 8.05(dt, 1H, J = 1.8, 7.8 Hz), 7.65(d,

1H, J = 2.7 Hz), 7.42-7.48(m, 1H), 7.40(d, 1H, J = 1.2 Hz), 7.31(t, 1H, J = 7.5 Hz), 4.64(s, 2H), 3.66(t, 2H, J = 6.6 Hz), 2.73(t, 2H, J = 6.9 Hz), 2.50-2.59(m, 2H), 1.69(s, 3H), 1.17(t, 3H, J = 7.5 Hz).

5 Example 531 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[3-(2-ethylsufanylethyloxymethyl)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methyloxyacrylic acid (B2040)

1H-NMR(DMSO-d6) 13.01(bs, 1H), 8.24(s, 2H), 8.05(dt, 1H, J = 1.8, 7.5 Hz), 7.65(d, 1H, J = 2.4 Hz), 7.42-7.49(m, 1H), 7.32(t, 1H, J = 7.5 Hz), 6.73(s, 1H), 4.64(s, 2H), 3.66(t, 2H, J = 6.6 Hz), 3.61(s, 3H), 2.73(t, 2H, J = 6.9 Hz), 2.50-2.59(m, 2H), 1.17(t, 3H, J = 7.5 Hz).

Example 532 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-methyloxy-3-nonyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2041)

1H-NMR(DMSO-d6) 12.92 (bs, 2H), 7.93 - 7.97 (m, 2H), 7.75 (s, 1H), 7.63 - 7.66 (m, 1H), 7.34 (s, 1H), 7.08 - 7.15 (m, 1H), 7.02 - 7.04 (m, 1H), 4.02 (t, 1H, J = 6.3 Hz), 3.80 (s, 3H), 1.73 - 1.81 (m, 5H), 1.43 - 1.50 (m, 2H), 1.26 - 1.38 (m, 10H), 0.84 - 0.88 (m, 3H).

Example 533 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-methyloxy-3-nonyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2042)

20 1H-NMR(DMSO-d6) 12.94 (bs, 2H), 8.28 (s, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.40 (s, 1H), 7.10 - 7.15 (m, 1H), 7.02 - 7.04 (m, 1H), 4.03 (t, 1H, J = 6.3 Hz), 3.80 (s, 3H), 1.73 - 1.81 (m, 2H), 1.69 (s, 3H), 1.43 - 1.50 (m, 2H), 1.26 - 1.38 (m, 10H), 0.84 - 0.88 (m, 3H).

Example 534 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(4-methylpentyloxy)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2043)

25 1H-NMR(DMSO-d6) 12.93 (bs, 2H), 7.95 - 7.97 (m, 2H), 7.75 (s, 1H), 7.63 - 7.66 (m, 1H), 7.34 (s, 1H), 7.10 - 7.15 (m, 1H), 7.02 - 7.04 (m, 1H), 4.02 (t, 1H, J = 6.3 Hz), 3.80 (s, 3H), 1.74 - 1.81 (m, 5H), 1.58 - 1.67 (m, 1H), 1.33 - 1.41 (m, 2H), 0.91 (d, 6H, J = 5.5Hz).

30 Example 535 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(4-

methylpentyloxy)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2044)

¹H-NMR(DMSO-d₆) 12.93 (bs, 2H), 8.28 (s, 2H), 7.74 (s, 1H), 7.63 - 7.66 (m, 1H), 7.40 (s, 1H), 7.10 - 7.15 (m, 1H), 7.01 - 7.04 (m, 1H), 4.02 (t, 1H, J = 6.3 Hz), 3.80 (s, 3H), 1.74 - 1.82 (m, 2H), 1.69 (s, 3H), 1.58 - 1.67 (m, 1H), 1.33 - 1.41 (m, 2H), 0.91 (d, 6H, J = 5.5Hz).

Example 536 Synthesis of (E)-3-{2,6-difluoro-4-[4-(3-hexyloxy-2-

methyloxyphenyl)thiazol-2-ylcarbamoyl}phenyl}-2-methylacrylic acid (B2045)

¹H-NMR(DMSO-d₆) 12.96 (bs, 2H), 7.93 - 7.97 (m, 2H), 7.75 (s, 1H), 7.63 - 7.66 (m, 1H), 7.34 (s, 1H), 7.10 - 7.15 (m, 1H), 7.01 - 7.04 (m, 1H), 4.03 (t, 1H, J = 6.3 Hz), 3.80 (s, 3H), 1.74 - 1.81 (m, 5H), 1.44 - 1.53 (m, 2H), 1.32 - 1.37 (m, 4H), 0.87 - 0.92 (m, 3H).

Example 537 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-hexyloxy-2-

methyloxyphenyl)thiazol-2-ylcarbamoyl}phenyl}-2-methylacrylic acid (B2046)

¹H-NMR(DMSO-d₆) 12.93 (bs, 2H), 8.27 (s, 2H), 7.72 (s, 1H), 7.62 - 7.64 (m, 1H), 7.38 (s, 1H), 7.08 - 7.13 (m, 1H), 7.00 - 7.03 (m, 1H), 4.02 (t, 1H, J = 6.3 Hz), 3.78 (s, 3H), 1.72 - 1.81 (m, 2H), 1.67 (s, 3H), 1.42 - 1.51 (m, 2H), 1.32 - 1.37 (m, 4H), 0.87 - 0.92 (m, 3H).

Example 538 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-methyloxy-3-(1-methyloxy-4-

methylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2047)

¹H-NMR(DMSO-d₆) 12.97 (bs, 2H), 7.89 - 7.97 (m, 3H), 7.72 (s, 1H), 7.24 - 7.34 (m, 3H), 4.53 - 4.57 (m, 1H), 3.61 (s, 3H), 3.16 (s, 3H), 1.81 (s, 3H), 0.87 - 1.72 (m, 11H).

Example 539 Synthesis of (E)-3-(2,6-dichloro-4-{4-[2-methyloxy-3-(1-methyloxy-4-

methylpentyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2049)

¹H-NMR(DMSO-d₆) 12.98 (bs, 2H), 9.29 (s, 1H), 7.89 - 7.92 (m, 1H), 7.72 (s, 1H), 7.41 (s, 1H), 7.24 - 7.37 (m, 3H), 4.53 - 4.57 (m, 1H), 3.61 (s, 3H), 3.16 (s, 3H), 0.87 - 1.72 (m, 14H).

Example 540 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-

propyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2051)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.59-7.67(m, 2H), 7.34(bs, 1H), 7.12-7.25(m, 2H), 4.05(t, 2H, J = 6.6 Hz), 1.74-1.84(m, 5H), 1.01(t, 3H, J = 7.2 Hz).

5 Example 541 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-

propyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2052)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.29(s, 2H), 7.60-7.66(m, 2H), 7.41(s, 1H), 7.13-7.26(m, 2H), 4.06(t, 2H, J = 6.6 Hz), 1.79(q, 2H, J = 6.9 Hz), 1.70(s, 3H), 1.02(t, 3H, J = 7.5 Hz).

10

Example 542 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(2-fluoro-3-propyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2053)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.92(s, 1H), 7.89(s, 1H), 7.60-7.67(m, 2H), 7.14-7.25(m, 2H), 6.62-6.70(m, 1H), 4.05(t, 2H, J = 6.3 Hz), 3.71(s, 3H), 1.78(q, 2H, J = 6.3 Hz), 1.01(t, 3H, J = 7.2 Hz).

15

Example 543 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-propyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2054)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.25(s, 2H), 7.59-7.66(m, 2H), 7.13-7.26(m, 2H), 6.73(s, 2H), 4.05(t, 2H, J = 6.6 Hz), 3.61(s, 3H), 1.78(q, 2H, J = 6.9 Hz), 1.01(t, 3H, J = 7.2 Hz).

20

Example 544 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-pentyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2055)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.97(s, 1H), 7.95(s, 1H), 7.59-7.67(m, 2H), 7.34(bs, 1H), 7.13-7.25(m, 2H), 4.08(t, 2H, J = 6.6 Hz), 1.72-1.82(m, 5H), 1.33-1.50(m, 4H), 0.91(t, 3H, J = 7.2 Hz).

25

Example 545 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-

30 pentyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2056)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.28(s, 2H), 7.59-7.66(m, 2H), 7.40(bs, 1H), 7.12-7.25(m, 2H), 4.08(t, 2H, J = 6.6 Hz), 1.71-1.82(m, 2H), 1.69(s, 3H), 1.30-1.51(m, 4H), 0.91(t, 3H, J = 7.2 Hz).

5 Example 546 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(2-fluoro-3-pentyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2057)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.93(s, 1H), 7.89(s, 1H), 7.59-7.65(m, 2H), 7.12-7.24(m, 2H), 6.65(s, 1H), 4.08(t, 2H, J = 6.6 Hz), 3.71(s, 3H), 1.71-1.80(m, 2H), 1.35-1.50(m, 4H), 0.91(t, 3H, J = 7.2 Hz).

10

Example 547 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-pentyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2058)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.24(s, 2H), 7.58-7.65(m, 2H), 7.12-7.25(m, 2H), 6.73(s, 1H), 4.08(t, 2H, J = 6.6 Hz), 3.61(s, 3H), 1.72-1.82(m, 2H), 1.33-1.48(m, 4H),

15 0.91(t, 3H, J = 6.9 Hz).

Example 548 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-hexyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2059)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.59-7.66(m, 2H), 7.34(s, 1H),
20 7.13-7.24(m, 2H), 4.08(t, 2H, J = 6.6 Hz), 1.71-1.84(m, 5H), 1.30-1.51(m, 6H), 0.89(t, 3H, J = 7.2 Hz).

Example 549 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-hexyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2060)

25 ¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.29(s, 2H), 7.59-7.65(m, 2H), 7.41(s, 1H), 7.13-7.25(m, 2H), 4.08(t, 2H, J = 6.6 Hz), 1.70-1.80(m, 2H), 1.69(s, 3H), 1.30-1.50(m, 6H), 0.89(t, 3H, J = 6.9 Hz).

Example 550 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(2-fluoro-3-hexyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2061)
30

¹H-NMR(DMSO-d₆) 13.6(bs, 1H), 13.0(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.59-7.66(m, 2H), 7.12-7.25(m, 2H), 6.66(s, 1H), 4.08(t, 2H, J = 6.6 Hz), 3.71(s, 3H), 1.71-1.80(m, 2H), 1.29-1.50(m, 6H), 0.89(t, 3H, J = 7.2 Hz).

5 Example 551 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-hexyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2062)

¹H-NMR(DMSO-d₆) 13.6(bs, 1H), 13.0(bs, 1H), 8.25(s, 2H), 7.59-7.66(m, 2H), 7.12-7.25(m, 2H), 6.74(s, 1H), 4.08(t, 2H, J = 6.6 Hz), 3.61(s, 3H), 1.70-1.81(m, 2H), 1.30-1.50(m, 6H), 0.89(t, 3H, J = 6.9 Hz).

10

Example 552 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-heptyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2063)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.59-7.66(m, 2H), 7.34(bs, 1H), 7.13-7.25(m, 2H), 4.08(t, 2H, J = 6.3 Hz), 1.73-1.82(m, 5H), 1.28-1.50(m, 8H), 0.88(t, 3H, J = 7.5 Hz).

15

Example 553 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-heptyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2064)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.29(s, 2H), 7.59-7.67(m, 2H), 7.40(s, 1H), 7.13-7.24(m, 2H), 4.08(t, 2H, J = 6.3 Hz), 1.70-1.80(m, 2H), 1.69(s, 3H), 1.23-1.50(m, 8H), 0.88(t, 3H, J = 6.9 Hz).

20

Example 554 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(2-fluoro-(3-heptyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl]-2-methyloxyacrylic acid (B2065)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.92(s, 1H), 7.89(s, 1H), 7.60-7.65(m, 2H), 7.13-7.25(m, 2H), 6.61(s, 1H), 4.08(t, 2H, J = 6.0 Hz), 3.72(s, 3H), 1.71-1.80(m, 2H), 1.27-1.50(m, 8H), 0.88(t, 3H, J = 6.9 Hz).

25

Example 555 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(2-fluoro-3-heptyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2066)

30

¹H-NMR(DMSO-d₆) 13.6(bs, 1H), 13.0(bs, 1H), 8.25(s, 2H), 7.59-7.66(m, 2H), 7.12-7.24(m, 2H), 6.74(s, 1H), 4.08(t, 2H, J = 6.6 Hz), 3.62(s, 3H), 1.70-1.81(m, 2H), 1.26-1.50(m, 8H), 0.88 (t, 3H, J = 6.6 Hz).

5 Example 556 Synthesis of (E)-3-(2,6-difluoro-4-{4-[2-fluoro-(3-methylbutyloxy)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2067)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.60-7.67(m, 2H), 7.34(s, 1H), 7.15-7.25(m, 2H), 4.12(t, 2H, J = 6.6 Hz), 1.63-1.87(m, 6H), 0.96(d, 6H, J = 6.6Hz).

10 Example 557 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-fluoro-(3-methylbutyloxy)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B2068)

¹H-NMR(DMSO-d₆) 13.6(bs, 1H), 13.0(bs, 1H), 7.93(s, 1H), 7.90(s, 1H), 7.60-7.68(m, 2H), 7.15-7.26(m, 2H), 6.66(s, 1H), 4.12(t, 2H, J = 6.6Hz), 3.71(s, 3H), 1.76-1.80(m, 1H), 1.63-1.71(m, 2H), 0.96(d, 6H, J = 6.6 Hz).

15

Example 558 Synthesis of (Z)-3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-methylbutyloxy)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B2069)

¹H-NMR(DMSO-d₆) 13.6(bs, 1H), 13.0(bs, 1H), 8.25(s, 2H), 7.60-7.66(m, 2H), 7.15-7.26(m, 2H), 6.74(s, 1H), 4.12(t, 2H, J = 6.6 Hz), 3.62(s, 3H), 1.76-1.90(m, 1H), 1.63-1.71(m, 2H), 0.97(d, 6H, J = 6.6 Hz).

20

Example 559 Synthesis of (E)-3-(4-{4-[3-(2-cyclohexylethyloxy)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B2070)

25 ¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.59-7.66(m, 2H), 7.34(s, 1H), 7.14-7.24(m, 2H), 4.12(t, 2H, J = 6.6 Hz), 1.41-1.83(m, 11H), 0.88-1.31(m, 5H).

Example 560 Synthesis of (E)-3-(2,6-dichloro-4-{4-[3-(2-cyclohexylethyloxy)-2-fluorophenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methylacrylic acid (B2071)

30 ¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.29(s, 2H), 7.59-7.67(m, 2H), 7.40(s, 1H), 7.14-7.25(m, 2H), 4.12(t, 2H, J = 6.6 Hz), 1.46-1.70(m, 11H), 0.91-1.30(m, 5H).

Example 561 Synthesis of (Z)-3-(4-{4-[3-(2-cyclohexylethyloxy)-2-fluorophenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methoxyacrylic acid (B2072)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 7.92(s, 1H), 7.89(s, 1H), 7.59-7.66(m, 2H), 7.13-7.25(m, 2H), 6.61(s, 1H), 4.12(t, 2H, J = 6.6 Hz), 3.72(s, 3H), 1.46-1.80(m, 8H), 0.91-1.30(m, 5H).

Example 562 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-cyclohexylmethyloxy-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2073)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 8.25(s, 2H), 7.59-7.66(m, 2H), 7.14-7.24(m, 2H), 6.73(s, 1H), 4.12(t, 2H, J = 6.6 Hz), 3.61(s, 3H), 1.46-1.71(m, 8H), 0.95-1.30(m, 5H).

Example 563 Synthesis of (E)-3-{4-[4-(3-cyclohexylmethyloxy-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B2074)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 7.98(s, 1H), 7.95(s, 1H), 7.59-7.66(m, 2H), 7.34(s, 1H), 7.12-7.24(m, 2H), 3.90(d, 2H, J = 5.7 Hz), 1.61-1.89(m, 9H), 1.03-1.55(m, 5H).

Example 564 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-cyclohexylmethyloxy-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2075)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 8.29(s, 2H), 7.59-7.66(m, 2H), 7.41(s, 1H), 7.12-7.24(m, 2H), 3.90(d, 2H, J = 6.0 Hz), 1.62-1.88(m, 9H), 1.02-1.37(m, 5H).

Example 565 Synthesis of (Z)-3-{4-[4-(3-cyclohexylmethyloxy-2-fluorophenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methoxyacrylic acid (B2076)

1H-NMR(DMSO-d6) 13.0(bs, 2H), 7.93(s, 1H), 7.90(s, 1H), 7.60-7.67(m, 2H), 7.12-7.25(m, 2H), 6.66(s, 1H), 3.90(d, 2H, J = 5.4 Hz), 3.71(s, 3H), 1.62-1.89(m, 6H), 1.02-1.37(m, 5H).

Example 566 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-cyclohexylmethyloxy-2-fluorophenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2077)

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.25(s, 2H), 7.59-7.66(m, 2H), 7.13-7.24(m, 2H), 6.73(s, 1H), 3.90(d, 2H, J = 5.7 Hz), 3.61(s, 3H), 1.62-1.89(m, 6H), 1.03-1.35(m, 5H).

Example 567 Synthesis of (E)-3-{2,6-difluoro-4-[4-(3-isobutyloxymethyl-2-

5 methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2078)

¹H NMR(DMSO-d₆) 13.01(bs, 2H), 7.95-7.99(m, 3H), 7.74(s, 1H), 7.38-7.41(m, 1H), 7.34(s, 1H), 7.25(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.66(s, 3H), 3.29(d, 2H, J = 6.9 Hz), 1.81-1.91(m, 1H), 1.81(s, 3H), 0.91(d, 6H, J = 6.6 Hz).

10 Example 568 Synthesis of (E)-3-{2,6-difluoro-4-[4-(3-isobutyloxymethyl-2-

methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2079)

¹H NMR(DMSO-d₆) 12.92(bs, 2H), 7.90-7.99(m, 3H), 7.74(s, 1H), 7.39(d, 1H, J = 7.5 Hz), 7.25(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.57(s, 2H), 3.72(s, 3H), 3.65(s, 3H), 3.29(d, 2H, J = 6.6 Hz), 1.83-1.91(m, 1H), 0.91(d, 6H, J = 6.6 Hz).

15

Example 569 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-isobutyloxymethyl-2-

methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2080)

¹H NMR(DMSO-d₆) 12.99(bs, 2H), 8.29(s, 2H), 7.96-7.99(m, 1H), 7.74(s, 1H), 7.38-7.41(m, 2H), 7.25(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.66(s, 3H), 3.29(d, 2H, J = 6.6 Hz), 1.83-1.92(m, 1H), 1.69(s, 3H), 0.91(d, 6H, J = 6.6 Hz).

20

Example 570 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-isobutyloxymethyl-2-

methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methyloxyacrylic acid (B2081)

¹H NMR(DMSO-d₆) 12.97(bs, 2H), 8.25(s, 2H), 7.97(dd, 1H, J = 1.5 Hz, 7.8 Hz), 7.74(s, 1H), 7.39(dd, 1H, J = 1.5 Hz, 7.5 Hz), 7.25(t, 1H, J = 7.8 Hz), 6.72(s, 1H), 4.57(s, 2H), 3.66(s, 3H), 3.62(s, 3H), 3.29(d, 2H, J = 6.6 Hz), 1.83-1.92(m, 1H), 0.91(d, 6H, J = 6.6 Hz).

25

Example 571 Synthesis of (E)-3-{4-[4-(3-cyclohexylmethyloxymethyl-2-

30 methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid

(B2082)

1H NMR(DMSO-d6) 12.93(bs, 2H), 7.95-7.99(m, 3H), 7.74(s, 1H), 7.39(dd, 1H, J = 1.8 Hz, 7.5 Hz), 7.34(s, 1H), 7.24(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.66(s, 3H), 3.39(d, 2H, J = 6.9 Hz), 2.12-2.21(m, 1H), 1.81(s, 3H), 1.65-1.73(m, 2H), 1.47-1.58(m, 4H), 1.21-1.27(m, 2H).

Example 572 Synthesis of (Z)-3-{4-[4-(3-cyclohexylmethyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methoxyacrylic acid (B2083)

1H NMR(DMSO-d6) 12.93(bs, 2H), 7.90-7.99(m, 3H), 7.74(s, 1H), 7.39(dd, 1H, J = 1.8 Hz, 7.5 Hz), 7.24(t, 1H, J = 7.5 Hz), 6.65(s, 1H), 4.57(s, 2H), 3.72(s, 3H), 3.66(s, 3H), 3.39(d, 2H, J = 6.9 Hz), 2.11-2.21(m, 1H), 1.66-1.73(m, 2H), 1.47-1.58(m, 4H), 1.23-1.30(m, 2H).

Example 573 Synthesis of (E)-3-{2,6-dichloro-4-[4-(3-cyclopentylmethyloxymethyl-2-methyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2084)

1H NMR(DMSO-d6) 12.99(bs, 2H), 8.29(s, 2H), 7.97(dd, 1H, J = 1.8 Hz, 7.8 Hz), 7.73(s, 1H), 7.38-7.41(m, 2H), 7.24(t, 1H, J = 7.5 Hz), 4.57(s, 2H), 3.66(s, 3H), 3.39(d, 2H, J = 7.2 Hz), 2.11-2.19(m, 1H), 1.69(s, 3H), 1.65-1.73(m, 2H), 1.49-1.58(m, 4H), 1.21-1.27(m, 2H).

Example 574 Synthesis of (Z)-3-{2,6-dichloro-4-[4-(3-cyclopentylmethyloxymethyl-2-methylphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2085)

1H NMR(DMSO-d6) 12.95(bs, 2H), 8.25(s, 2H), 7.97(dd, 1H, J = 1.8 Hz, 7.8 Hz), 7.73(s, 1H), 7.39(dd, 1H, J = 1.8 Hz, 7.5 Hz), 7.24(t, 1H, J = 7.8 Hz), 6.73(s, 1H), 4.57(s, 2H), 3.66(s, 3H), 3.62(s, 3H), 3.39(d, 2H, J = 7.2 Hz), 2.11-2.21(m, 1H), 1.65-1.71(m, 2H), 1.51-1.58(m, 4H), 1.21-1.27(m, 2H).

Example 575 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-isobutyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2086)

¹H NMR(DMSO-d₆) 12.85(bs, 2H), 7.79(d, 2H, J = 8.4 Hz), 7.43-7.48(m, 2H), 7.16(s, 1H), 6.96-7.07(m, 2H), 3.70(d, 2H, J = 6.6 Hz), 1.86-1.92(m, 1H), 1.63(s, 3H), 0.84(d, 6H, J = 6.6 Hz).

5 Example 576 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-isobutyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2087)

¹H NMR(DMSO-d₆) 12.77(bs, 2H), 8.11(s, 2H), 7.43-7.48(m, 2H), 7.23(d, 1H, J = 1.2 Hz), 6.98-7.07(m, 2H), 3.70(d, 2H, J = 6.3 Hz), 1.86-1.95(m, 1H), 1.52(s, 3H), 0.84(d, 6H, J = 6.6 Hz).

10

Example 577 Synthesis of (E)-3-{2,6-difluoro-4-[4-(2-fluoro-3-(2-methylbutyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl]-2-methylacrylic acid (B2088)

¹H NMR(DMSO-d₆) 12.84(bs, 2H), 7.79(d, 2H, J = 8.4 Hz), 7.43-7.48(m, 2H), 7.16(s, 1H), 6.97-7.07(m, 2H), 3.68-3.81(m, 2H), 1.68-1.73(m, 1H), 1.64(s, 3H), 1.34-1.41(m, 1H),
15 1.05-1.14(m, 1H), 0.83(d, 3H, J = 6.6 Hz), 0.76(t, 3H, J = 7.5 Hz).

Example 578 (E)-3-{4-[6-(3,3-dimethylbutyn-1-yl)-4,5-dihydronaphtho[1,2-d]thiazol-2-ylcarbamoyl]-2,6-difluorophenyl}-2-methylacrylic acid (B2089)

¹H-NMR(DMSO-d₆) 12.87 (bs, 2H); 7.93 - 7.96 (m, 2H), 7.69 - 7.72 (m, 1H), 7.32 (s
20 1H), 7.22 - 7.29 (m, 2H), 3.13 - 3.18 (m, 2H), 2.99 - 3.04 (m, 2H), 1.33 (s, 9H).

Example 579 Synthesis of (Z)-3-(2,6-difluoro-4-{4-[2-methoxy-3-(2-propyloxyethyl)phenyl]thiazol-2-ylcarbamoyl}phenyl)-2-methoxyacrylic acid (B2090)

¹H-NMR(DMSO-d₆) 13.57 (bs, 1H), 12.93 (bs, 1H), 7.86 - 7.92 (m, 3H), 7.72 (s, 1H),
25 7.27 - 7.30 (m, 1H), 7.14 - 7.19 (m, 1H), 6.66 (s, 1H), 3.71 (s, 3H), 3.60 - 3.65 (m, 5H),
3.70 (t, 2H, J = 6.6Hz), 2.91 (t, 2H, J = 6.9Hz), 1.47 - 1.54 (m, 2H), 0.85 (t, 3H, J = 7.5
Hz).

Example 580 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-(3-methylbutyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl]-2-methylacrylic acid (B2097)

30

¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 8.29(s, 2H), 7.59-7.66(m, 2H), 7.40(s, 1H), 7.15-7.25(m, 2H), 4.11(t, 2H, J = 6.6Hz), 1.76-1.87(m, 1H), 1.63-1.72(m, 5H), 0.96(d, 6H, J = 6.6Hz).

5 Example 581 Synthesis of (E)-3-{2,6-dichloro-4-[4-(2-fluoro-3-(2-methylbutyloxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methylacrylic acid (B2098)

¹H NMR(DMSO-d₆) 12.82(bs, 2H), 8.12(s, 2H), 7.43-7.48(m, 2H), 7.23(s, 1H), 6.96-7.07(m, 2H), 3.68-3.81(m, 2H), 1.68-1.70(m, 1H), 1.52(s, 3H), 1.36-1.43(m, 1H), 1.07-1.14(m, 1H), 0.83(d, 3H, J = 6.9 Hz), 0.76(t, 3H, J = 6.9 Hz).

10

Example 582 (E)-3-(4-{4-[2-ethyloxy-3-(1-methoxydecyl)phenyl]thiazol-2-ylcarbamoyl}-2,6-difluorophenyl)-2-methylacrylic acid (B2099)

¹H-NMR(DMSO-d₆) 13.00(bs, 2H), 7.93-8.00(m, 2H), 7.86(dd, 1H, J = 2.1, 7.8 Hz), 7.70(s, 1H), 7.34(s, 1H), 7.31(dd, 3H, J = 2.1, 7.5 Hz), 7.25(t, 1H, J = 7.5 Hz), 4.53-4.57(m, 1H), 3.66-3.74(m, 2H), 3.15(s, 3H), 1.81(s, 3H), 1.52-1.78(m, 2H), 1.18-1.50(m, 17H), 0.83-0.87(m, 3H).


15

Example 583 Synthesis of (Z)-3-{2,6-difluoro-4-[4-(2-fluoro-3-methoxyphenyl)thiazol-2-ylcarbamoyl]phenyl}-2-methoxyacrylic acid (B2100)

20 ¹H-NMR(DMSO-d₆) 13.0(bs, 2H), 7.92(s, 1H), 7.90(s, 1H), 7.60-7.67(m, 2H), 7.13-7.28(m, 2H), 6.66(s, 1H), 3.89(s, 3H), 3.71(s, 3H).

The following compounds can be synthesized by similar reaction to above-mentioned method.

25



wherein R⁶, R⁷, and R⁸ are each independently fluoro, chloro, or methyl;

R¹ is fluoro or methyl;

R¹ is methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, n-pentyl,

neopentyl, n-hexyl, isohexyl, 3,3-dimethylbutyl, 1-methyloxyethyl, 1-methyloxypropyl,
 1-methyloxy-3-n-propyloxypropyl, 1-methyloxy-3-n-hexyloxypropyl, 1-methyloxybutyl,
 1-methyloxy-4-n-pentyloxypropyl, 1-methyloxy-2-methylpropyl, 1-methyloxy-pentyl, 1-
 methyloxy-3-methylbutyl, 3-methyloxy-3-methylbutyl, 1-methyloxy-2,2-dimethylpropyl,
 5 1-methyloxyhexyl, 4-methyloxyhexyl, 1-methyloxy-4-methylpentyl, 1-methyloxy-3,3-
 dimethylbutyl, 1-methyloxyheptyl, 4-methyloxy-4-heptyl, 3-methyloxy-2,4-dimethyl-3-
 pentyl, 1-methyloxyoctyl, 3-methyloxyoctyl, 1-methyloxynonyl, 1-methyloxydecyl, 3-
 methyloxydecyl, 1-methyloxyundecyl, 1-methyloxydodecyl, 1-methyloxy-1-
 cyclohexylmethyl, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl, 1-ethyloxyethyl, 1-
 10 ethyloxypropyl, 1-ethyloxy-3-n-hexyloxypropyl, 1-(4-ethyloxybutyloxy)propyl, 1-
 ethyloxybutyl, 1-ethyloxy-4-n-pentyloxybutyl, 1-ethyloxy-2-methylpropyl, 1-
 ethyloxy-pentyl, 1-ethyloxy-3-methylbutyl, 1-ethyloxy-2,2-dimethylpropyl, 1-
 ethyloxyhexyl, 1-ethyloxy-3,3-dimethylbutyl, 1-ethyloxyheptyl, 1-ethyloxyoctyl, 1-
 ethyloxynonyl, 1-ethyloxydecyl, 1-ethyloxyundecyl, 1-ethyloxydodecyl, 1-ethyloxy-1-
 15 cyclohexylmethyl, 1-n-propyloxyethyl, 1-n-propyloxypropyl, 3-n-propyloxypropyl, 1-n-
 propyloxy-3-n-hexyloxypropyl, 1-n-propyloxybutyl, 1-n-propyloxy-4-n-pentyloxybutyl,
 1-n-propyloxy-2-methylpropyl, 1-n-propyloxy-pentyl, 1-n-propyloxy-3-methylbutyl, 1-n-
 propyloxy-2,2-dimethylpropyl, 1-n-propyloxyhexyl, 1-n-propyloxy-3,3-dimethylbutyl, 1-
 n-propyloxyheptyl, 1-n-propyloxyoctyl, 1-n-propyloxynonyl, 1-n-propyloxydecyl, 1-n-
 20 propyloxyundecyl, 1-n-propyloxydodecyl, 1-n-propyloxy-1-cyclohexylmethyl, 1-
 isopropyloxyethyl, 1-isopropyloxypropyl, 3-isopropyloxypropyl, 1-isopropyloxy-3-n-
 hexyloxypropyl, 1-isopropyloxybutyl, 1-iso-propyloxy-4-n-pentyloxybutyl, 1-
 isopropyloxy-2-methylpropyl, 1-isopropyloxy-pentyl, 1-isopropyloxy-3-methylbutyl, 1-
 isopropyloxy-2,2-dimethylpropyl, 1-isopropyloxyhexyl, 1-isopropyloxy-3,3-
 25 dimethylbutyl, 1-isopropyloxyheptyl, 1-isopropyloxyoctyl, 1-isopropyloxynonyl, 1-
 isopropyloxydecyl, 1-isopropyloxyundecyl, 1-isopropyloxydodecyl, 1-isopropyloxy-1-
 cyclohexylmethyl, 1-n-butyloxyethyl, 1-n-butyloxypropyl, 3-n-butyloxypropyl, 1-n-
 butyloxybutyl, 1,4-di(n-butyloxy)butyl, 1-n-butyloxy-2-methylpropyl, 1-n-
 butyloxy-pentyl, 1-n-butyloxy-3-methylbutyl, 1-n-butyloxy-2,2-dimethylpropyl, 1-n-
 30 butyloxyhexyl, 1-n-butyloxy-3,3-dimethylbutyl, 1-n-butyloxyheptyl, 1-n-butyloxyoctyl,

1-n-butylxynonyl, 1-n-butyloxydecyl, 1-n-butyloxyundecyl, 1-n-butyloxydodecyl, 1-n-butyloxy-1-cyclohexylmethyl, 1-isobutyloxyethyl, 1-isobutyloxypropyl, 1-isobutyloxybutyl, 1-isobutyloxy-2-methylpropyl, 1-isobutyloxypentyl, 1-isobutyloxy-3-methylbutyl, 1-isobutyloxy-2,2-dimethylpropyl, 1-isobutyloxyhexyl, 1-isobutyloxy-3,3-dimethylbutyl, 1-isobutyloxyheptyl, 1-isobutyloxyoctyl, 1-isobutylxynonyl, 1-isobutyloxydecyl, 1-isobutyloxyundecyl, 1-isobutyloxydodecyl, 1-isobutyloxy-1-cyclohexylmethyl, 1-t-butyloxyethyl, 1-t-butyloxypropyl, 1-t-butyloxybutyl, 1-t-butyloxy-2-methylpropyl, 1-t-butyloxypentyl, 1-t-butyloxy-3-methylbutyl, 1-t-butyloxy-2,2-dimethylpropyl, 1-t-butyloxyhexyl, 1-t-butyloxy-3,3-dimethylbutyl, 1-t-butyloxyheptyl, 1-t-butyloxyoctyl, 1-t-butyloxynonyl, 1-t-butyloxydecyl, 1-t-butyloxyundecyl, 1-t-butyloxydodecyl, 1-t-butyloxy-1-cyclohexylmethyl, n-pentyloxymethyl, 1-n-pentyloxyethyl, 1-n-pentyloxypropyl, 3-n-pentyloxypropyl, 1-n-pentyloxy-3-methylthiopropyl, 1-n-pentyloxybutyl, 1-n-pentyloxy-2-methylpropyl, 1-n-pentyloxypentyl, 1-n-pentyloxy-3-methylbutyl, 1-n-pentyloxy-2,2-dimethylpropyl, 1-n-pentyloxyhexyl, 1-n-pentyloxy-3,3-dimethylbutyl, 1-n-pentyloxyheptyl, 1-n-pentyloxyoctyl, 1-n-pentyloxynonyl, 1-n-pentyloxydecyl, 1-n-pentyloxyundecyl, 1-n-pentyloxydodecyl, 1-n-pentyloxy-1-cyclohexylmethyl, 1-neopentyloxyethyl, 1-neopentyloxypropyl, 3-neopentyloxypropyl, 1-neopentyloxy-3-methylthiopropyl, 1-neopentyloxybutyl, 1-neopentyloxy-2-methylpropyl, 1-neopentyloxypentyl, 1-neopentyloxy-3-methylbutyl, 1-neopentyloxy-2,2-dimethylpropyl, 1-neopentyloxyhexyl, 1-neopentyloxy-3,3-dimethylbutyl, 1-neopentyloxyheptyl, 1-neopentyloxyoctyl, 1-neopentyloxynonyl, 1-neopentyloxydecyl, 1-neopentyloxyundecyl, 1-neopentyloxydodecyl, 1-neopentyloxy-1-cyclohexylmethyl, 1-n-hexyloxyethyl, 1-n-hexyloxypropyl, 3-n-hexyloxypropyl, 1-n-hexyloxy-3-methylthiopropyl, 1-n-hexyloxybutyl, 1-n-hexyloxy-2-methylpropyl, 1-n-hexyloxypentyl, 1-n-hexyloxy-3-methylbutyl, 1-n-hexyloxy-2,2-dimethylpropyl, 1-n-hexyloxyhexyl, 1-n-hexyloxy-3,3-dimethylbutyl, 1-n-hexyloxyheptyl, 1-n-hexyloxyoctyl, 1-n-hexyloxynonyl, 1-n-hexyloxydecyl, 1-n-hexyloxyundecyl, 1-n-hexyloxydodecyl, 1-n-hexyloxy-1-cyclohexylmethyl, 3-iso-hexyloxypropyl, 3-(2-ethylbutyloxy)propyl, 3-(3,3-dimethylbutyloxy)propyl, 3-(2-cyclopentylethyloxy)propyl, 1-n-octyloxyethyl, or n-

dodecyloxymethyl

(Compound No., R⁶, R⁷, R⁸, R¹, R²) = (B102, F, F, Me, F, methyl), (B103, F, F, Me, F, ethyl), (B104, F, F, Me, F, n-propyl), (B105, F, F, Me, F, isopropyl), (B106, F, F, Me, F, n-butyl), (B107, F, F, Me, F, isobutyl), (B108, F, F, Me, F, t-butyl), (B109, F, F, Me, F, neopentyl), (B110, F, F, Me, F, n-hexyl), (B111, F, F, OMe, F, methyl), (B112, F, F, OMe, F, ethyl), (B113, F, F, OMe, F, n-propyl), (B114, F, F, OMe, F, isopropyl), (B115, F, F, OMe, F, n-butyl), (B116, F, F, OMe, F, isobutyl), (B117, F, F, OMe, F, t-butyl), (B118, F, F, OMe, F, n-pentyl), (B119, F, F, OMe, F, neopentyl), (B120, F, F, OMe, F, n-hexyl), (B123, F, F, Me, OMe, methyl), (B124, F, F, Me, OMe, ethyl), (B125, F, F, Me, OMe, n-propyl), (B126, F, F, Me, OMe, isopropyl), (B127, F, F, Me, OMe, n-butyl), (B128, F, F, Me, OMe, isobutyl), (B129, F, F, Me, OMe, t-butyl), (B130, F, F, Me, OMe, n-pentyl), (B131, F, F, Me, OMe, neopentyl), (B132, F, F, Me, OMe, n-hexyl), (B133, F, F, Me, OMe, isohexyl), (B135, F, F, OMe, OMe, methyl), (B136, F, F, OMe, OMe, ethyl), (B137, F, F, OMe, OMe, n-propyl), (B138, F, F, OMe, OMe, isopropyl), (B139, F, F, OMe, OMe, n-butyl), (B140, F, F, OMe, OMe, isobutyl), (B141, F, F, OMe, OMe, t-butyl), (B142, F, F, OMe, OMe, n-pentyl), (B143, F, F, OMe, OMe, neopentyl), (B144, F, F, OMe, OMe, n-hexyl), (B145, F, F, OMe, OMe, isohexyl), (B146, F, F, OMe, OMe, 3,3-dimethylbutyl), (B147, Cl, Cl, Me, F, methyl), (B148, Cl, Cl, Me, F, ethyl), (B149, Cl, Cl, Me, F, n-propyl), (B150, Cl, Cl, Me, F, isopropyl), (B151, Cl, Cl, Me, F, n-butyl), (B152, Cl, Cl, Me, F, isobutyl), (B153, Cl, Cl, Me, F, t-butyl), (B154, Cl, Cl, Me, F, n-pentyl), (B155, Cl, Cl, Me, F, neopentyl), (B156, Cl, Cl, Me, F, n-hexyl), (B157, Cl, Cl, Me, F, isohexyl), (B158, Cl, Cl, Me, F, 3,3-dimethylbutyl), (B159, Cl, Cl, OMe, F, methyl), (B160, Cl, Cl, OMe, F, ethyl), (B161, Cl, Cl, OMe, F, n-propyl), (B162, Cl, Cl, OMe, F, isopropyl), (B163, Cl, Cl, OMe, F, n-butyl), (B164, Cl, Cl, OMe, F, isobutyl), (B165, Cl, Cl, OMe, F, t-butyl), (B166, Cl, Cl, OMe, F, n-pentyl), (B167, Cl, Cl, OMe, F, neopentyl), (B168, Cl, Cl, OMe, F, n-hexyl), (B171, Cl, Cl, Me, OMe, methyl), (B172, Cl, Cl, Me, OMe, ethyl), (B173, Cl, Cl, Me, OMe, n-propyl), (B174, Cl, Cl, Me, OMe, isopropyl), (B175, Cl, Cl, Me, OMe, n-butyl), (B176, Cl, Cl, Me, OMe, isobutyl), (B177, Cl, Cl, Me, OMe, t-butyl), (B178, Cl, Cl, Me, OMe, n-pentyl), (B179, Cl, Cl, Me, OMe, neopentyl), (B180, Cl, Cl, Me, OMe, n-hexyl), (B181, Cl, Cl, Me, OMe, isohexyl), (B182, Cl, Cl, Me,

OMe, 3,3-dimethylbutyl), (B183, Cl, Cl, OMe, OMe, methyl), (B184, Cl, Cl, OMe, OMe, ethyl), (B185, Cl, Cl, OMe, OMe, n-propyl), (B186, Cl, Cl, OMe, OMe, isopropyl), (B187, Cl, Cl, OMe, OMe, n-butyl), (B188, Cl, Cl, OMe, OMe, isobutyl), (B189, Cl, Cl, OMe, OMe, t-butyl), (B190, Cl, Cl, OMe, OMe, n-pentyl), (B191, Cl, Cl, OMe, OMe, neopentyl),
5 (B192, Cl, Cl, OMe, OMe, n-hexyl), (B193, Cl, Cl, OMe, OMe, isohexyl), (B194, Cl, Cl, OMe, OMe, 3,3-dimethylbutyl), (B196, F, F, Me, F, 1-methyloxypropyl), (B197, F, F, Me, F, 1-methyloxybutyl), (B198, F, F, Me, F, 1-methyloxy-2-methylpropyl), (B199, F, F, Me, F, 1-methyloxy-pentyl), (B200, F, F, Me, F, 1-methyloxy-3-methylbutyl), (B201, F, F, Me, F, 3-methyloxyoctyl), (B202, F, F, Me, F, 1-ethyloxyethyl), (B203, F, F, Me, F, 1-ethyloxy-3-n-hexyloxypropyl), (B204, F, F, Me, F, 1-ethyloxy-4-n-pentyloxybutyl), (B205, F, F, Me, F, 1-ethyloxybutyl), (B206, F, F, Me, F, 1-ethyloxy-2-methylpropyl), (B207, F, F, Me, F, 1-ethyloxy-3-methylbutyl), (B208, F, F, Me, F, 1-ethyloxyhexyl), (B209, F, F, Me, F, 1-ethyloxy-3,3-dimethylbutyl), (B210, F, F, Me, F, 1-ethyloxyheptyl), (B211, F, F, Me, F, 1-ethyloxyoctyl), (B212, F, F, Me, F, 1-ethyloxynonyl), (B213, F, F, Me, F, 1-ethyloxydecyl), (B214, F, F, Me, F, 1-ethyloxyundecyl), (B215, F, F, Me, F, 1-ethyloxydodecyl), (B217, F, F, Me, F, 1-n-propyloxypropyl), (B218, F, F, Me, F, 3-n-propyloxypropyl), (B219, F, F, Me, F, 1-n-propyloxy-3-n-hexyloxypropyl), (B220, F, F, Me, F, 1-n-propyloxy-4-n-pentyloxybutyl), (B221, F, F, Me, F, 1,4-di(n-propyloxy)butyl), (B222, F, F, Me, F, 1-n-propyloxy-2-methylpropyl), (B223, F, F, Me, F, 1-n-propyloxy-3-methylbutyl), (B224, F, F, Me, F, 1-n-propyloxy-2,2-dimethylpropyl), (B225, F, F, Me, F, 1-n-propyloxyhexyl), (B226, F, F, Me, F, 1-n-propyloxy-3,3-dimethylbutyl), (B227, F, F, Me, F, 1-n-propyloxyheptyl), (B228, F, F, Me, F, 1-n-propyloxyoctyl), (B229, F, F, Me, F, 1-n-propyloxynonyl), (B230, F, F, Me, F, 1-n-propyloxydecyl), (B231, F, F, Me, F, 1-n-propyloxyundecyl), (B232, F, F, Me, F, 1-n-propyloxydodecyl), (B234, F, F, Me, F, 1-isopropyloxyethyl), (B235, F, F, Me, F, 1-isopropyloxypropyl), (B236, F, F, Me, F, 3-isopropyloxypropyl), (B237, F, F, Me, F, 1-isopropyloxy-3-n-hexyloxypropyl), (B238, F, F, Me, F, 1-isopropyloxybutyl), (B239, F, F, Me, F, 1-isopropyloxy-4-n-pentyloxybutyl), (B240, F, F, Me, F, 1-isopropyloxy-2-methylpropyl), (B241, F, F, Me, F, 1-isopropyloxy-pentyl), (B242, F, F, Me, F, 1-isopropyloxy-3-methylbutyl), (B243, F, F, Me, F, 1-isopropyloxy-2,2-dimethylpropyl), (B244, F, F, Me, F, 1-isopropyloxyhexyl), (B245,

F, F, Me, F, 1-isopropoxy-3,3-dimethylbutyl), (B246, F, F, Me, F, 1-isopropoxyheptyl), (B247, F, F, Me, F, 1-isopropoxyoctyl), (B248, F, F, Me, F, 1-isopropoxynonyl), (B249, F, F, Me, F, 1-isopropoxydecyl), (B250, F, F, Me, F, 1-isopropoxyundecyl), (B251, F, F, Me, F, 1-isopropoxydodecyl), (B252, F, F, Me, F, 1-isopropoxy-1-cyclohexylmethyl), (B253, F, F, Me, F, 1-n-butyloxy-2-methylpropyl),
 5 (B254, F, F, Me, F, 1-n-butyloxy-3-methylbutyl), (B256, F, F, Me, F, 1-n-butyloxyhexyl), (B257, F, F, Me, F, 1-n-butyloxy-3,3-dimethylbutyl), (B258, F, F, Me, F, 1-n-butyloxyheptyl), (B259, F, F, Me, F, 1-n-butyloxyoctyl), (B260, F, F, Me, F, 1-n-butyloxynonyl), (B261, F, F, Me, F, 1-n-butyloxydecyl), (B262, F, F, Me, F, 1-n-butyloxyundecyl), (B263, F, F, Me, F, 1-n-butyloxydodecyl), (B265, F, F, Me, F, 1-isobutyloxyethyl), (B266, F, F, Me, F, 1-isobutyloxypropyl), (B267, F, F, Me, F, 1-isobutyloxybutyl), (B268, F, F, Me, F, 1-isobutyloxy-2-methylpropyl), (B269, F, F, Me, F, 1-isobutyloxypentyl), (B270, F, F, Me, F, 1-isobutyloxy-3-methylbutyl), (B271, F, F, Me, F, 1-isobutyloxy-2,2-dimethylpropyl), (B272, F, F, Me, F, 1-isobutyloxyhexyl), (B273, F, F, Me, F, 1-isobutyloxy-3,3-dimethylbutyl), (B274, F, F, Me, F, 1-isobutyloxyheptyl),
 15 (B275, F, F, Me, F, 1-isobutyloxyoctyl), (B276, F, F, Me, F, 1-isobutyloxynonyl), (B277, F, F, Me, F, 1-isobutyloxydecyl), (B278, F, F, Me, F, 1-isobutyloxyundecyl), (B279, F, F, Me, F, 1-isobutyloxydodecyl), (B280, F, F, Me, F, 1-isobutyloxy-1-cyclohexylmethyl), (B281, F, F, Me, F, 1-t-butyloxyethyl), (B282, F, F, Me, F, 1-t-butyloxypropyl), (B283, F, F, Me, F, 1-t-butyloxybutyl), (B284, F, F, Me, F, 1-t-butyloxy-2-methylpropyl), (B285, F, F, Me, F, 1-t-butyloxypentyl), (B286, F, F, Me, F, 1-t-butyloxy-3-methylbutyl), (B287, F, F, Me, F, 1-t-butyloxy-2,2-dimethylpropyl), (B288, F, F, Me, F, 1-t-butyloxyhexyl), (B289, F, F, Me, F, 1-t-butyloxy-3,3-dimethylbutyl), (B290, F, F, Me, F, 1-t-butyloxyheptyl), (B291, F, F, Me, F, 1-t-butyloxyoctyl), (B292, F, F, Me, F, 1-t-butyloxynonyl), (B293, F, F, Me, F, 1-t-butyloxydecyl), (B294, F, F, Me, F, 1-t-butyloxyundecyl), (B295, F, F, Me, F, 1-t-butyloxydodecyl), (B296, F, F, Me, F, 1-t-butyloxy-1-cyclohexylmethyl), (B297, F, F, Me, F, 1-n-pentyloxy-2-methylpropyl), (B298, F, F, Me, F, 1-n-pentyloxy-3-methylbutyl), (B299, F, F, Me, F, 1-n-pentyloxyhexyl), (B300, F, F, Me, F, 1-n-pentyloxy-3,3-dimethylbutyl), (B301, F, F, Me, F, 1-n-pentyloxyheptyl), (B302, F, F, Me, F, 1-n-pentyloxyoctyl), (B303, F, F, Me, F, 1-n-

pentyloxynonyl), (B304, F, F, Me, F, 1-n-pentyloxydecyl), (B305, F, F, Me, F, 1-n-
 pentyloxyundecyl), (B306, F, F, Me, F, 1-n-pentyloxydodecyl), (B307, F, F, Me, F, 1-
 neopentyloxyethyl), (B308, F, F, Me, F, 1-neopentyloxypropyl), (B309, F, F, Me, F, 1-
 neopentyloxybutyl), (B310, F, F, Me, F, 1-neopentyloxy-2-methylpropyl), (B311, F, F,
 5 Me, F, 1-neopentyloxypentyl), (B312, F, F, Me, F, 1-neopentyloxy-3-methylbutyl), (B313,
 F, F, Me, F, 1-neopentyloxy-2,2-dimethylpropyl), (B314, F, F, Me, F, 1-
 neopentyloxyhexyl), (B315, F, F, Me, F, 1-neopentyloxy-3,3-dimethylbutyl), (B316, F, F,
 Me, F, 1-neopentyloxyheptyl), (B317, F, F, Me, F, 1-neopentyloxyoctyl), (B318, F, F, Me,
 F, 1-neopentyloxynonyl), (B319, F, F, Me, F, 1-neopentyloxydecyl), (B320, F, F, Me, F,
 10 1-neopentyloxyundecyl), (B321, F, F, Me, F, 1-neopentyloxydodecyl), (B322, F, F, Me, F,
 1-neopentyloxy-1-cyclohexylmethyl), (B323, F, F, Me, F, 1-n-hexyloxyethyl), (B324, F, F,
 Me, F, 1-n-hexyloxybutyl), (B325, F, F, Me, F, 1-n-hexyloxy-2-methylpropyl), (B326, F,
 F, Me, F, 1-n-hexyloxypentyl), (B327, F, F, Me, F, 1-n-hexyloxy-3-methylbutyl), (B328,
 F, F, Me, F, 1-n-hexyloxy-2,2-dimethylpropyl), (B329, F, F, Me, F, 1-n-hexyloxyhexyl),
 15 (B330, F, F, Me, F, 1-n-hexyloxy-3,3-dimethylbutyl), (B331, F, F, Me, F, 1-n-
 hexyloxyheptyl), (B332, F, F, Me, F, 1-n-hexyloxyoctyl), (B333, F, F, Me, F, 1-n-
 hexyloxynonyl), (B334, F, F, Me, F, 1-n-hexyloxydecyl), (B335, F, F, Me, F, 1-n-
 hexyloxyundecyl), (B336, F, F, Me, F, 1-n-hexyloxydodecyl), (B337, F, F, Me, F, 1-n-
 hexyloxy-1-cyclohexylmethyl), (B338, F, F, Me, OMe, 1-methyloxyethyl), (B339, F, F,
 20 Me, OMe, 1-methyloxypropyl), (B340, F, F, Me, OMe, 1-methyloxy-3-n-hexyloxypropyl),
 (B341, F, F, Me, OMe, 1-methyloxybutyl), (B342, F, F, Me, OMe, 1-methyloxy-4-n-
 pentyloxybutyl), (B343, F, F, Me, OMe, 1-methyloxy-2-methylpropyl), (B344, F, F, Me,
 OMe, 1-methyloxypentyl), (B345, F, F, Me, OMe, 1-methyloxy-3-methylbutyl), (B346, F,
 F, Me, OMe, 1-methyloxy-2,2-dimethylpropyl), (B350, F, F, Me, OMe, 1-
 25 methyloxyheptyl), (B351, F, F, Me, OMe, 1-methyloxyoctyl), (B352, F, F, Me, OMe, 3-
 methyloxyoctyl), (B353, F, F, Me, OMe, 1-methyloxynonyl), (B356, F, F, Me, OMe, 1-
 methyloxydodecyl), (B357, F, F, Me, OMe, 1-methyloxy-1-cyclohexylmethyl), (B358, F, F,
 Me, OMe, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B359, F, F, Me, OMe, 1-
 ethyloxyethyl), (B360, F, F, Me, OMe, 1-(4-ethyloxybutyloxy)propyl), (B361, F, F, Me,
 30 OMe, 1-ethyloxypropyl), (B362, F, F, Me, OMe, 1-ethyloxy-3-n-hexyloxypropyl), (B363,

F, F, Me, OMe, 1-ethyloxybutyl), (B364, F, F, Me, OMe, 1-ethyloxy-3-n-pentylbutyl),
 (B365, F, F, Me, OMe, 1-ethyloxy-2-methylpropyl), (B366, F, F, Me, OMe, 1-
 ethyloxy-pentyl), (B367, F, F, Me, OMe, 1-ethyloxy-3-methylbutyl), (B368, F, F, Me,
 OMe, 1-ethyloxy-2,2-dimethylpropyl), (B369, F, F, Me, OMe, 1-ethyloxyhexyl), (B370, F,
 5 F, Me, OMe, 1-ethyloxy-3,3-dimethylbutyl), (B371, F, F, Me, OMe, 1-ethyloxyheptyl),
 (B372, F, F, Me, OMe, 1-ethyloxyoctyl), (B373, F, F, Me, OMe, 1-ethyloxynonyl), (B374,
 F, F, Me, OMe, 1-ethyloxydecyl), (B375, F, F, Me, OMe, 1-ethyloxyundecyl), (B376, F, F,
 Me, OMe, 1-ethyloxydodecyl), (B377, F, F, Me, OMe, 1-ethyloxy-1-cyclohexylmethyl),
 (B378, F, F, Me, OMe, 1-n-propyloxyethyl), (B379, F, F, Me, OMe, 1-n-propyloxypropyl),
 10 (B381, F, F, Me, OMe, 1-n-propyloxy-3-n-hexyloxypropyl), (B382, F, F, Me, OMe, 1-n-
 propyloxybutyl), (B383, F, F, Me, OMe, 1-n-propyloxy-4-n-pentyloxybutyl), (B384, F, F,
 Me, OMe, 1,4-di(n-propyloxy)butyl), (B385, F, F, Me, OMe, 1-n-propyloxy-2-
 methylpropyl), (B386, F, F, Me, OMe, 1-n-propyloxypentyl), (B387, F, F, Me, OMe, 1-n-
 propyloxy-3-methylbutyl), (B388, F, F, Me, OMe, 1-n-propyloxy-2,2-dimethylpropyl),
 15 (B389, F, F, Me, OMe, 1-n-propyloxyhexyl), (B390, F, F, Me, OMe, 1-n-propyloxy-3,3-
 dimethylbutyl), (B391, F, F, Me, OMe, 1-n-propyloxyheptyl), (B392, F, F, Me, OMe, 1-
 n-propyloxyoctyl), (B393, F, F, Me, OMe, 1-n-propyloxynonyl), (B394, F, F, Me, OMe, 1-
 n-propyloxydecyl), (B395, F, F, Me, OMe, 1-n-propyloxyundecyl), (B396, F, F, Me, OMe,
 1-n-propyloxydodecyl), (B398, F, F, Me, OMe, 1-isopropyloxyethyl), (B399, F, F, Me,
 20 OMe, 1-isopropyloxypropyl), (B400, F, F, Me, OMe, 3-isopropyloxypropyl), (B401, F, F,
 Me, OMe, 1-isopropyloxy-3-n-hexyloxypropyl), (B402, F, F, Me, OMe, 1-
 isopropyloxybutyl), (B403, F, F, Me, OMe, 1-isopropyloxy-4-n-pentyloxybutyl), (B404, F,
 F, Me, OMe, 1-isopropyloxy-2-methylpropyl), (B405, F, F, Me, OMe, 1-
 isopropyloxypentyl), (B406, F, F, Me, OMe, 1-isopropyloxy-3-methylbutyl), (B407, F, F,
 25 Me, OMe, 1-isopropyloxy-2,2-dimethylpropyl), (B408, F, F, Me, OMe, 1-
 isopropyloxyhexyl), (B409, F, F, Me, OMe, 1-isopropyloxy-3,3-dimethylbutyl), (B410, F,
 F, Me, OMe, 1-isopropyloxyheptyl), (B411, F, F, Me, OMe, 1-isopropyloxyoctyl), (B412,
 F, F, Me, OMe, 1-isopropyloxynonyl), (B413, F, F, Me, OMe, 1-isopropyloxydecyl), (B414,
 F, F, Me, OMe, 1-isopropyloxyundecyl), (B415, F, F, Me, OMe, 1-isopropyloxydodecyl),
 30 (B416, F, F, Me, OMe, 1-isopropyloxy-1-cyclohexylmethyl), (B417, F, F, Me, OMe, 1-n-

butyloxyethyl), (B420, F, F, Me, OMe, 1-n-butyloxybutyl), (B421, F, F, Me, OMe, 1,4-
 di(n-butyloxy)butyl), (B422, F, F, Me, OMe, 1-n-butyloxy-2-methylpropyl), (B423, F, F,
 Me, OMe, 1-n-butyloxypropyl), (B424, F, F, Me, OMe, 1-n-butyloxy-3-methylbutyl),
 (B426, F, F, Me, OMe, 1-n-butyloxyhexyl), (B427, F, F, Me, OMe, 1-n-butyloxy-3,3-
 5 dimethylbutyl), (B428, F, F, Me, OMe, 1-n-butyloxyheptyl), (B429, F, F, Me, OMe, 1-n-
 butyloxyoctyl), (B430, F, F, Me, OMe, 1-n-butyloxynonyl), (B431, F, F, Me, OMe, 1-n-
 butyloxydecyl), (B432, F, F, Me, OMe, 1-n-butyloxyundecyl), (B433, F, F, Me, OMe, 1-
 n-butyloxydodecyl), (B434, F, F, Me, OMe, 1-n-butyloxy-1-cyclohexylmethyl), (B435, F,
 F, Me, OMe, 1-isobutyloxyethyl), (B436, F, F, Me, OMe, 1-isobutyloxypropyl), (B437, F,
 10 F, Me, OMe, 1-isobutyloxybutyl), (B438, F, F, Me, OMe, 1-isobutyloxy-2-methylpropyl),
 (B439, F, F, Me, OMe, 1-isobutyloxypropyl), (B440, F, F, Me, OMe, 1-isobutyloxy-3-
 methylbutyl), (B441, F, F, Me, OMe, 1-isobutyloxy-2,2-dimethylpropyl), (B442, F, F, Me,
 OMe, 1-isobutyloxyhexyl), (B443, F, F, Me, OMe, 1-isobutyloxy-3,3-dimethylbutyl),
 (B444, F, F, Me, OMe, 1-isobutyloxyheptyl), (B445, F, F, Me, OMe, 1-isobutyloxyoctyl),
 15 (B446, F, F, Me, OMe, 1-isobutyloxynonyl), (B447, F, F, Me, OMe, 1-isobutyloxydecyl),
 (B448, F, F, Me, OMe, 1-isobutyloxyundecyl), (B449, F, F, Me, OMe, 1-
 isobutyloxydodecyl), (B450, F, F, Me, OMe, 1-isobutyloxy-1-cyclohexylmethyl), (B451, F,
 F, Me, OMe, 1-t-butyloxyethyl), (B452, F, F, Me, OMe, 1-t-butyloxypropyl), (B453, F, F,
 Me, OMe, 1-t-butyloxybutyl), (B454, F, F, Me, OMe, 1-t-butyloxy-2-methylpropyl),
 20 (B455, F, F, Me, OMe, 1-t-butyloxypropyl), (B456, F, F, Me, OMe, 1-t-butyloxy-3-
 methylbutyl), (B457, F, F, Me, OMe, 1-t-butyloxy-2,2-dimethylpropyl), (B458, F, F, Me,
 OMe, 1-t-butyloxyhexyl), (B459, F, F, Me, OMe, 1-t-butyloxy-3,3-dimethylbutyl), (B460,
 F, F, Me, OMe, 1-t-butyloxyheptyl), (B461, F, F, Me, OMe, 1-t-butyloxyoctyl), (B462, F,
 F, Me, OMe, 1-t-butyloxynonyl), (B463, F, F, Me, OMe, 1-t-butyloxydecyl), (B464, F, F,
 25 Me, OMe, 1-t-butyloxyundecyl), (B465, F, F, Me, OMe, 1-t-butyloxydodecyl), (B466, F, F,
 Me, OMe, 1-t-butyloxy-1-cyclohexylmethyl), (B467, F, F, Me, OMe, 1-n-pentyloxyethyl),
 (B468, F, F, Me, OMe, 1-n-pentyloxypropyl), (B469, F, F, Me, OMe, 3-n-
 pentyloxypropyl), (B470, F, F, Me, OMe, 1-n-pentyloxy-3-methylthiopropyl), (B471, F, F,
 Me, OMe, 1-n-pentyloxybutyl), (B472, F, F, Me, OMe, 1-n-pentyloxy-2-methylpropyl),
 30 (B473, F, F, Me, OMe, 1-n-pentyloxypropyl), (B474, F, F, Me, OMe, 1-n-pentyloxy-3-

methylbutyl), (B475, F, F, Me, OMe, 1-n-pentyloxy-2,2-dimethylpropyl), (B476, F, F, Me, OMe, 1-n-pentyloxyhexyl), (B477, F, F, Me, OMe, 1-n-pentyloxy-3,3-dimethylbutyl), (B478, F, F, Me, OMe, 1-n-pentyloxyheptyl), (B479, F, F, Me, OMe, 1-n-pentyloxyoctyl), (B480, F, F, Me, OMe, 1-n-pentyloxynonyl), (B481, F, F, Me, OMe, 1-n-pentyloxydecyl),
 5 (B482, F, F, Me, OMe, 1-n-pentyloxyundecyl), (B483, F, F, Me, OMe, 1-n-pentyloxydodecyl), (B484, F, F, Me, OMe, 1-n-pentyloxy-1-cyclohexylmethyl), (B485, F, F, Me, OMe, 1-isopentyloxypropyl), (B486, F, F, Me, OMe, 1-neopentyloxyethyl), (B487, F, F, Me, OMe, 1-neopentyloxypropyl), (B489, F, F, Me, OMe, 1-neopentyloxybutyl), (B490, F, F, Me, OMe, 1-neopentyloxy-2-methylpropyl), (B491, F, F, Me, OMe, 1-neopentyloxypropyl), (B492, F, F, Me, OMe, 1-neopentyloxy-3-methylbutyl), (B493, F, F, Me, OMe, 1-neopentyloxy-2,2-dimethylpropyl), (B494, F, F, Me, OMe, 1-neopentyloxyhexyl), (B495, F, F, Me, OMe, 1-neopentyloxy-3,3-dimethylbutyl), (B496, F, F, Me, OMe, 1-neopentyloxyheptyl), (B497, F, F, Me, OMe, 1-neopentyloxyoctyl), (B498, F, F, Me, OMe, 1-neopentyloxynonyl), (B499, F, F, Me, OMe, 1-neopentyloxydecyl),
 10 (B500, F, F, Me, OMe, 1-neopentyloxyundecyl), (B501, F, F, Me, OMe, 1-neopentyloxydodecyl), (B502, F, F, Me, OMe, 1-neopentyloxy-1-cyclohexylmethyl), (B503, F, F, Me, OMe, 1-n-hexyloxyethyl), (B504, F, F, Me, OMe, 1-n-hexyloxypropyl), (B506, F, F, Me, OMe, 1-n-hexyloxybutyl), (B507, F, F, Me, OMe, 1-n-hexyloxy-2-methylpropyl), (B508, F, F, Me, OMe, 1-n-hexyloxypropyl), (B509, F, F, Me, OMe, 1-n-hexyloxy-3-methylbutyl), (B510, F, F, Me, OMe, 1-n-hexyloxy-2,2-dimethylpropyl), (B511, F, F, Me, OMe, 1-n-hexyloxyhexyl), (B512, F, F, Me, OMe, 1-n-hexyloxy-3,3-dimethylbutyl), (B513, F, F, Me, OMe, 1-n-hexyloxyheptyl), (B514, F, F, Me, OMe, 1-n-hexyloxyoctyl), (B515, F, F, Me, OMe, 1-n-hexyloxynonyl), (B516, F, F, Me, OMe, 1-n-hexyloxydecyl), (B517, F, F, Me, OMe, 1-n-hexyloxyundecyl), (B518, F, F, Me, OMe, 1-n-hexyloxydodecyl), (B520, F, F, Me, OMe, 3-isohexyloxydodecyl), (B522, F, F, Me, OMe, 3-(2-cyclopentylethyloxy)propyl), (B523, F, F, Me, OMe, 1-n-octyloxydodecyl), (B524, F, F, OMe, F, 1-methyloxyethyl), (B525, F, F, OMe, F, 1-methyloxypropyl), (B526, F, F, OMe, F, 1-methyloxy-3-n-hexyloxypropyl), (B527, F, F, OMe, F, 1-methyloxybutyl), (B528, F, F, OMe, F, 1-methyloxy-4-n-pentyloxybutyl), (B529, F, F, OMe, F, 1-methyloxy-2-methylpropyl), (B530, F, F, OMe, F, 1-methyloxypropyl), (B531, F, F, OMe,

F, 1-methyloxy-3-methylbutyl), (B532, F, F, OMe, F, 1-methyloxy-2,2-dimethylpropyl),
 (B534, F, F, OMe, F, 4-methyloxyhexyl), (B535, F, F, OMe, F, 1-methyloxy-4-
 methylpentyl), (B536, F, F, OMe, F, 1-methyloxy-3,3-dimethylbutyl), (B537, F, F, OMe,
 F, 3-methyloxy-2,4-dimethyl-3-pentyl), (B538, F, F, OMe, F, 1-methyloxyheptyl), (B539,
 5 F, F, OMe, F, 4-methyloxy-4-heptyl), (B540, F, F, OMe, F, 1-methyloxyoctyl), (B541, F,
 F, OMe, F, 3-methyloxyoctyl), (B542, F, F, OMe, F, 1-methyloxynonyl), (B543, F, F,
 OMe, F, 1-methyloxydecyl), (B544, F, F, OMe, F, 1-methyloxyundecyl), (B545, F, F,
 OMe, F, 1-methyloxydodecyl), (B546, F, F, OMe, F, 1-methyloxy-1-cyclohexylmethyl),
 (B547, F, F, OMe, F, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B548, F, F, OMe, F,
 10 1-ethyloxyethyl), (B549, F, F, OMe, F, 1-ethyloxypropyl), (B550, F, F, OMe, F, 1-
 ethyloxy-3-n-hexyloxypropyl), (B551, F, F, OMe, F, 1-(4-ethyloxybutyloxy)propyl),
 (B552, F, F, OMe, F, 1-ethyloxybutyl), (B553, F, F, OMe, F, 1-ethyloxy-4-n-
 pentyloxybutyl), (B554, F, F, OMe, F, 1-ethyloxy-2-methylpropyl), (B555, F, F, OMe, F,
 1-ethyloxypropyl), (B556, F, F, OMe, F, 1-ethyloxy-3-methylbutyl), (B557, F, F, OMe, F,
 15 1-ethyloxy-2,2-dimethylpropyl), (B558, F, F, OMe, F, 1-ethyloxyhexyl), (B559, F, F,
 OMe, F, 1-ethyloxy-3,3-dimethylbutyl), (B560, F, F, OMe, F, 1-ethyloxyheptyl), (B561, F,
 F, OMe, F, 1-ethyloxyoctyl), (B562, F, F, OMe, F, 1-ethyloxynonyl), (B563, F, F, OMe, F,
 1-ethyloxydecyl), (B564, F, F, OMe, F, 1-ethyloxyundecyl), (B565, F, F, OMe, F, 1-
 ethyloxydodecyl), (B566, F, F, OMe, F, 1-ethyloxy-1-cyclohexylmethyl), (B567, F, F,
 20 OMe, F, 1-n-propyloxyethyl), (B568, F, F, OMe, F, 1-n-propyloxypropyl), (B569, F, F,
 OMe, F, 3-n-propyloxypropyl), (B570, F, F, OMe, F, 1-n-propyloxy-3-n-hexyloxypropyl),
 (B571, F, F, OMe, F, 1-n-propyloxybutyl), (B572, F, F, OMe, F, 1-n-propyloxy-4-n-
 pentyloxybutyl), (B573, F, F, OMe, F, 1,4-di(n-propyloxy)butyl), (B574, F, F, OMe, F, 1-
 n-propyloxy-2-methylpropyl), (B575, F, F, OMe, F, 1-n-propyloxypentyl), (B576, F, F,
 25 OMe, F, 1-n-propyloxy-3-methylbutyl), (B577, F, F, OMe, F, 1-n-propyloxy-2,2-
 dimethylpropyl), (B578, F, F, OMe, F, 1-n-propyloxyhexyl), (B579, F, F, OMe, F, 1-n-
 propyloxy-3,3-dimethylbutyl), (B580, F, F, OMe, F, 1-n-propyloxyheptyl), (B581, F, F,
 OMe, F, 1-n-propyloxyoctyl), (B582, F, F, OMe, F, 1-n-propyloxynonyl), (B583, F, F,
 OMe, F, 1-n-propyloxydecyl), (B584, F, F, OMe, F, 1-n-propyloxyundecyl), (B585, F, F,
 30 OMe, F, 1-n-propyloxydodecyl), (B586, F, F, OMe, F, 1-n-propyloxy-1-cyclohexylmethyl),

(B587, F, F, OMe, F, 1-isopropoxyethyl), (B588, F, F, OMe, F, 1-isopropoxypropyl),
 (B589, F, F, OMe, F, 3-isopropoxypropyl), (B590, F, F, OMe, F, 1-isopropoxy-3-n-
 hexyloxypropyl), (B591, F, F, OMe, F, 1-isopropoxybutyl), (B592, F, F, OMe, F, 1-
 isopropoxy-4-n-pentyloxybutyl), (B593, F, F, OMe, F, 1-isopropoxy-2-methylpropyl),
 5 (B594, F, F, OMe, F, 1-isopropoxypentyl), (B595, F, F, OMe, F, 1-isopropoxy-3-
 methylbutyl), (B596, F, F, OMe, F, 1-isopropoxy-2,2-dimethylpropyl), (B597, F, F,
 OMe, F, 1-isopropoxyhexyl), (B598, F, F, OMe, F, 1-isopropoxy-3,3-dimethylbutyl),
 (B599, F, F, OMe, F, 1-isopropoxyheptyl), (B600, F, F, OMe, F, 1-isopropoxyoctyl),
 (B601, F, F, OMe, F, 1-isopropoxynonyl), (B602, F, F, OMe, F, 1-isopropoxydecyl),
 10 (B603, F, F, OMe, F, 1-isopropoxyundecyl), (B604, F, F, OMe, F, 1-
 isopropoxydodecyl), (B605, F, F, OMe, F, 1-isopropoxy-1-cyclohexylmethyl), (B606,
 F, F, OMe, F, 1-n-butyloxyethyl), (B607, F, F, OMe, F, 1-n-butyloxypropyl), (B608, F, F,
 OMe, F, 3-n-butyloxypropyl), (B609, F, F, OMe, F, 1-n-butyloxybutyl), (B610, F, F, OMe,
 F, 1,4-di(n-butyloxy)butyl), (B611, F, F, OMe, F, 1-n-butyloxy-2-methylpropyl), (B612, F,
 15 F, OMe, F, 1-n-butyloxypentyl), (B613, F, F, OMe, F, 1-n-butyloxy-3-methylbutyl),
 (B614, F, F, OMe, F, 1-n-butyloxy-2,2-dimethylpropyl), (B615, F, F, OMe, F, 1-n-
 butyloxyhexyl), (B616, F, F, OMe, F, 1-n-butyloxy-3,3-dimethylbutyl), (B617, F, F, OMe,
 F, 1-n-butyloxyheptyl), (B618, F, F, OMe, F, 1-n-butyloxyoctyl), (B619, F, F, OMe, F, 1-
 n-butyloxynonyl), (B620, F, F, OMe, F, 1-n-butyloxydecyl), (B621, F, F, OMe, F, 1-n-
 butyloxyundecyl), (B622, F, F, OMe, F, 1-n-butyloxydodecyl), (B623, F, F, OMe, F, 1-n-
 butyloxy-1-cyclohexylmethyl), (B624, F, F, OMe, F, 1-isobutyloxyethyl), (B625, F, F,
 OMe, F, 1-isobutyloxypropyl), (B626, F, F, OMe, F, 1-isobutyloxybutyl), (B627, F, F,
 OMe, F, 1-isobutyloxy-2-methylpropyl), (B628, F, F, OMe, F, 1-isobutyloxypentyl),
 (B629, F, F, OMe, F, 1-isobutyloxy-3-methylbutyl), (B630, F, F, OMe, F, 1-isobutyloxy-
 25 2,2-dimethylpropyl), (B631, F, F, OMe, F, 1-isobutyloxyhexyl), (B632, F, F, OMe, F, 1-
 isobutyloxy-3,3-dimethylbutyl), (B633, F, F, OMe, F, 1-isobutyloxyheptyl), (B634, F, F,
 OMe, F, 1-isobutyloxyoctyl), (B635, F, F, OMe, F, 1-isobutyloxynonyl), (B636, F, F,
 OMe, F, 1-isobutyloxydecyl), (B637, F, F, OMe, F, 1-isobutyloxyundecyl), (B638, F, F,
 OMe, F, 1-isobutyloxydodecyl), (B639, F, F, OMe, F, 1-isobutyloxy-1-cyclohexylmethyl),
 30 (B640, F, F, OMe, F, 1-t-butyloxyethyl), (B641, F, F, OMe, F, 1-t-butyloxypropyl), (B642,

F, F, OMe, F, 1-t-butyloxybutyl), (B643, F, F, OMe, F, 1-t-butyloxy-2-methylpropyl),
 (B644, F, F, OMe, F, 1-t-butyloxypropyl), (B645, F, F, OMe, F, 1-t-butyloxy-3-
 methylbutyl), (B646, F, F, OMe, F, 1-t-butyloxy-2,2-dimethylpropyl), (B647, F, F, OMe,
 F, 1-t-butyloxyhexyl), (B648, F, F, OMe, F, 1-t-butyloxy-3,3-dimethylbutyl), (B649, F, F,
 5 OMe, F, 1-t-butyloxyheptyl), (B650, F, F, OMe, F, 1-t-butyloxyoctyl), (B651, F, F, OMe,
 F, 1-t-butyloxynonyl), (B652, F, F, OMe, F, 1-t-butyloxydecyl), (B653, F, F, OMe, F, 1-t-
 butyloxyundecyl), (B654, F, F, OMe, F, 1-t-butyloxydodecyl), (B655, F, F, OMe, F, 1-t-
 butyloxy-1-cyclohexylmethyl), (B656, F, F, OMe, F, 1-n-pentyloxyethyl), (B657, F, F,
 OMe, F, 1-n-pentyloxypropyl), (B658, F, F, OMe, F, 3-n-pentyloxypropyl), (B659, F, F,
 10 OMe, F, 1-n-pentyloxy-3-methylthiopropyl), (B660, F, F, OMe, F, 1-n-pentyloxybutyl),
 (B661, F, F, OMe, F, 1-n-pentyloxy-2-methylpropyl), (B662, F, F, OMe, F, 1-n-
 pentyloxypropyl), (B663, F, F, OMe, F, 1-n-pentyloxy-3-methylbutyl), (B664, F, F, OMe,
 F, 1-n-pentyloxy-2,2-dimethylpropyl), (B665, F, F, OMe, F, 1-n-pentyloxyhexyl), (B666,
 F, F, OMe, F, 1-n-pentyloxy-3,3-dimethylbutyl), (B667, F, F, OMe, F, 1-n-
 15 pentyloxyheptyl), (B668, F, F, OMe, F, 1-n-pentyloxyoctyl), (B669, F, F, OMe, F, 1-n-
 pentyloxynonyl), (B670, F, F, OMe, F, 1-n-pentyloxydecyl), (B671, F, F, OMe, F, 1-n-
 pentyloxyundecyl), (B672, F, F, OMe, F, 1-n-pentyloxydodecyl), (B673, F, F, OMe, F, 1-
 n-pentyloxy-1-cyclohexylmethyl), (B674, F, F, OMe, F, 1-isopentyloxypropyl), (B675, F, F,
 OMe, F, 1-neopentyloxyethyl), (B676, F, F, OMe, F, 1-neopentyloxypropyl), (B677, F, F,
 20 OMe, F, 1-neopentyloxybutyl), (B678, F, F, OMe, F, 1-neopentyloxy-2-methylpropyl),
 (B679, F, F, OMe, F, 1-neopentyloxypropyl), (B680, F, F, OMe, F, 1-neopentyloxy-3-
 methylbutyl), (B681, F, F, OMe, F, 1-neopentyloxy-2,2-dimethylpropyl), (B682, F, F,
 OMe, F, 1-neopentyloxyhexyl), (B683, F, F, OMe, F, 1-neopentyloxy-3,3-dimethylbutyl),
 (B684, F, F, OMe, F, 1-neopentyloxyheptyl), (B685, F, F, OMe, F, 1-neopentyloxyoctyl),
 25 (B686, F, F, OMe, F, 1-neopentyloxynonyl), (B687, F, F, OMe, F, 1-neopentyloxydecyl),
 (B688, F, F, OMe, F, 1-neopentyloxyundecyl), (B689, F, F, OMe, F, 1-
 neopentyloxydodecyl), (B690, F, F, OMe, F, 1-neopentyloxy-1-cyclohexylmethyl), (B691,
 F, F, OMe, F, 1-n-hexyloxyethyl), (B692, F, F, OMe, F, 1-n-hexyloxypropyl), (B693, F, F,
 OMe, F, 3-n-hexyloxypropyl), (B694, F, F, OMe, F, 1-n-hexyloxybutyl), (B695, F, F, OMe,
 30 F, 1-n-hexyloxy-2-methylpropyl), (B696, F, F, OMe, F, 1-n-hexyloxypropyl), (B697, F, F,

OMe, F, 1-n-hexyloxy-3-methylbutyl), (B698, F, F, OMe, F, 1-n-hexyloxy-2,2-dimethylpropyl), (B699, F, F, OMe, F, 1-n-hexyloxyhexyl), (B700, F, F, OMe, F, 1-n-hexyloxy-3,3-dimethylbutyl), (B701, F, F, OMe, F, 1-n-hexyloxyheptyl), (B702, F, F, OMe, F, 1-n-hexyloxyoctyl), (B703, F, F, OMe, F, 1-n-hexyloxynonyl), (B704, F, F, OMe, F, 1-n-hexyloxydecyl), (B705, F, F, OMe, F, 1-n-hexyloxyundecyl), (B706, F, F, OMe, F, 1-n-hexyloxydodecyl), (B707, F, F, OMe, F, 1-n-hexyloxy-1-cyclohexylmethyl), (B708, F, F, OMe, F, 3-isohexyloxypropyl), (B709, F, F, OMe, F, 3-(3,3-dimethylbutyloxy)propyl), (B710, F, F, OMe, F, 3-(2-cyclopentylethyloxy)propyl), (B711, F, F, OMe, F, 1-n-octyloxydodecyl), (B712, F, F, OMe, OMe, 1-methyloxyethyl), (B713, F, F, OMe, OMe, 1-methyloxypropyl), (B714, F, F, OMe, OMe, 1-methyloxy-3-n-hexyloxypropyl), (B715, F, F, OMe, OMe, 1-methyloxybutyl), (B716, F, F, OMe, OMe, 1-methyloxy-4-n-pentyloxybutyl), (B717, F, F, OMe, OMe, 1-methyloxy-2-methylpropyl), (B718, F, F, OMe, OMe, 1-methyloxypropyl), (B719, F, F, OMe, OMe, 1-methyloxy-3-methylbutyl), (B720, F, F, OMe, OMe, 1-methyloxy-2,2-dimethylpropyl), (B721, F, F, OMe, OMe, 1-methyloxyhexyl), (B722, F, F, OMe, OMe, 4-methyloxyhexyl), (B723, F, F, OMe, OMe, 1-methyloxy-4-methylpentyl), (B724, F, F, OMe, OMe, 1-methyloxy-3,3-dimethylbutyl), (B725, F, F, OMe, OMe, 3-methyloxy-2,4-dimethyl-3-pentyl), (B726, F, F, OMe, OMe, 1-methyloxyheptyl), (B727, F, F, OMe, OMe, 4-methyloxy-4-heptyl), (B728, F, F, OMe, OMe, 1-methyloxyoctyl), (B729, F, F, OMe, OMe, 3-methyloxyoctyl), (B730, F, F, OMe, OMe, 1-methyloxynonyl), (B731, F, F, OMe, OMe, 1-methyloxydecyl), (B732, F, F, OMe, OMe, 1-methyloxyundecyl), (B733, F, F, OMe, OMe, 1-methyloxydodecyl), (B734, F, F, OMe, OMe, 1-methyloxy-1-cyclohexylmethyl), (B735, F, F, OMe, OMe, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B736, F, F, OMe, OMe, 1-ethyloxyethyl), (B737, F, F, OMe, OMe, 1-ethyloxypropyl), (B738, F, F, OMe, OMe, 1-(4-ethyloxybutyloxy)propyl), (B739, F, F, OMe, OMe, 1-ethyloxybutyl), (B740, F, F, OMe, OMe, 1-ethyloxy-2-methylpropyl), (B741, F, F, OMe, OMe, 1-ethyloxypropyl), (B742, F, F, OMe, OMe, 1-ethyloxy-3-methylbutyl), (B743, F, F, OMe, OMe, 1-ethyloxy-2,2-dimethylpropyl), (B744, F, F, OMe, OMe, 1-ethyloxyhexyl), (B745, F, F, OMe, OMe, 1-ethyloxy-3,3-dimethylbutyl), (B746, F, F, OMe, OMe, 1-ethyloxyheptyl), (B747, F, F, OMe, OMe, 1-ethyloxyoctyl), (B748, F, F, OMe, OMe, 1-ethyloxynonyl), (B749, F, F,

OMe, OMe, 1-ethyloxydecyl), (B750, F, F, OMe, OMe, 1-ethyloxyundecyl), (B751, F, F, OMe, OMe, 1-ethyloxydodecyl), (B752, F, F, OMe, OMe, 1-ethyloxy-1-cyclohexylmethyl), (B753, F, F, OMe, OMe, 1-n-propyloxyethyl), (B754, F, F, OMe, OMe, 1-n-propyloxypropyl), (B755, F, F, OMe, OMe, 3-n-propyloxypropyl), (B756, F, F, OMe, OMe, 1-n-propyloxybutyl), (B757, F, F, OMe, OMe, 1,4-di(n-propyloxy)butyl), (B758, F, F, OMe, OMe, 1-n-propyloxy-2-methylpropyl), (B759, F, F, OMe, OMe, 1-n-propyloxypentyl), (B760, F, F, OMe, OMe, 1-n-propyloxy-3-methylbutyl), (B761, F, F, OMe, OMe, 1-n-propyloxy-2,2-dimethylpropyl), (B762, F, F, OMe, OMe, 1-n-propyloxyhexyl), (B763, F, F, OMe, OMe, 1-n-propyloxy-3,3-dimethylbutyl), (B764, F, F, OMe, OMe, 1-n-propyloxyheptyl), (B765, F, F, OMe, OMe, 1-n-propyloxyoctyl), (B766, F, F, OMe, OMe, 1-n-propyloxynonyl), (B767, F, F, OMe, OMe, 1-n-propyloxydecyl), (B768, F, F, OMe, OMe, 1-n-propyloxyundecyl), (B769, F, F, OMe, OMe, 1-n-propyloxydodecyl), (B770, F, F, OMe, OMe, 1-n-propyloxy-1-cyclohexylmethyl), (B771, F, F, OMe, OMe, 1-isopropyloxyethyl), (B772, F, F, OMe, OMe, 1-isopropyloxypropyl), (B773, F, F, OMe, OMe, 3-isopropyloxypropyl), (B774, F, F, OMe, OMe, 1-isopropyloxybutyl), (B775, F, F, OMe, OMe, 1-isopropyloxy-2-methylpropyl), (B776, F, F, OMe, OMe, 1-isoproxypentyl), (B777, F, F, OMe, OMe, 1-isopropyloxy-3-methylbutyl), (B778, F, F, OMe, OMe, 1-isopropyloxy-2,2-dimethylpropyl), (B779, F, F, OMe, OMe, 1-isopropyloxyhexyl), (B780, F, F, OMe, OMe, 1-isopropyloxy-3,3-dimethylbutyl), (B781, F, F, OMe, OMe, 1-isopropyloxyheptyl), (B782, F, F, OMe, OMe, 1-isopropyloxyoctyl), (B783, F, F, OMe, OMe, 1-isoproxynonyl), (B784, F, F, OMe, OMe, 1-isopropyloxydecyl), (B785, F, F, OMe, OMe, 1-isopropyloxyundecyl), (B786, F, F, OMe, OMe, 1-isopropyloxydodecyl), (B787, F, F, OMe, OMe, 1-isopropyloxy-1-cyclohexylmethyl), (B788, F, F, OMe, OMe, 1-n-butyloxyethyl), (B789, F, F, OMe, OMe, 1-n-butyloxypropyl), (B791, F, F, OMe, OMe, 1-n-butyloxybutyl), (B792, F, F, OMe, OMe, 1,4-di(n-butyloxy)butyl), (B793, F, F, OMe, OMe, 1-n-butyloxy-2-methylpropyl), (B794, F, F, OMe, OMe, 1-n-butyloxypentyl), (B795, F, F, OMe, OMe, 1-n-butyloxy-3-methylbutyl), (B796, F, F, OMe, OMe, 1-n-butyloxy-2,2-dimethylpropyl), (B797, F, F, OMe, OMe, 1-n-butyloxyhexyl), (B798, F, F, OMe, OMe, 1-n-butyloxy-3,3-dimethylbutyl), (B799, F, F, OMe, OMe, 1-n-butyloxyheptyl), (B800, F, F, OMe, OMe,

1-n-butyloxyoctyl), (B801, F, F, OMe, OMe, 1-n-butyloxynonyl), (B802, F, F, OMe, OMe, 1-n-butyloxydecyl), (B803, F, F, OMe, OMe, 1-n-butyloxyundecyl), (B804, F, F, OMe, OMe, 1-n-butyloxydodecyl), (B805, F, F, OMe, OMe, 1-n-butyloxy-1-cyclohexylmethyl), (B806, F, F, OMe, OMe, 1-isobutyloxyethyl), (B807, F, F, OMe, OMe, 1-isobutyloxypropyl), (B808, F, F, OMe, OMe, 1-isobutyloxybutyl), (B809, F, F, OMe, OMe, 1-isobutyloxy-2-methylpropyl), (B810, F, F, OMe, OMe, 1-isobutyloxypentyl), (B811, F, F, OMe, OMe, 1-isobutyloxy-3-methylbutyl), (B812, F, F, OMe, OMe, 1-isobutyloxy-2,2-dimethylpropyl), (B813, F, F, OMe, OMe, 1-isobutyloxyhexyl), (B814, F, F, OMe, OMe, 1-isobutyloxy-3,3-dimethylbutyl), (B815, F, F, OMe, OMe, 1-isobutyloxyheptyl), (B816, F, F, OMe, OMe, 1-isobutyloxyoctyl), (B817, F, F, OMe, OMe, 1-isobutyloxyynonyl), (B818, F, F, OMe, OMe, 1-isobutyloxydecyl), (B819, F, F, OMe, OMe, 1-isobutyloxyundecyl), (B820, F, F, OMe, OMe, 1-isobutyloxydodecyl), (B821, F, F, OMe, OMe, 1-isobutyloxy-1-cyclohexylmethyl), (B822, F, F, OMe, OMe, 1-t-butyloxyethyl), (B823, F, F, OMe, OMe, 1-t-butyloxypropyl), (B824, F, F, OMe, OMe, 1-t-butyloxybutyl), (B825, F, F, OMe, OMe, 1-t-butyloxy-2-methylpropyl), (B826, F, F, OMe, OMe, 1-t-butyloxypentyl), (B827, F, F, OMe, OMe, 1-t-butyloxy-3-methylbutyl), (B828, F, F, OMe, OMe, 1-t-butyloxy-2,2-dimethylpropyl), (B829, F, F, OMe, OMe, 1-t-butyloxyhexyl), (B830, F, F, OMe, OMe, 1-t-butyloxy-3,3-dimethylbutyl), (B831, F, F, OMe, OMe, 1-t-butyloxyheptyl), (B832, F, F, OMe, OMe, 1-t-butyloxyoctyl), (B833, F, F, OMe, OMe, 1-t-butyloxynonyl), (B834, F, F, OMe, OMe, 1-t-butyloxydecyl), (B835, F, F, OMe, OMe, 1-t-butyloxyundecyl), (B836, F, F, OMe, OMe, 1-t-butyloxydodecyl), (B837, F, F, OMe, OMe, 1-t-butyloxy-1-cyclohexylmethyl), (B838, F, F, OMe, OMe, 1-n-pentyloxyethyl), (B839, F, F, OMe, OMe, 1-n-pentyloxypropyl), (B840, F, F, OMe, OMe, 3-n-pentyloxypropyl), (B841, F, F, OMe, OMe, 1-n-pentyloxy-3-methylthiopropyl), (B842, F, F, OMe, OMe, 1-n-pentyloxybutyl), (B843, F, F, OMe, OMe, 1-n-pentyloxy-2-methylpropyl), (B844, F, F, OMe, OMe, 1-n-pentyloxypentyl), (B845, F, F, OMe, OMe, 1-n-pentyloxy-3-methylbutyl), (B846, F, F, OMe, OMe, 1-n-pentyloxy-2,2-dimethylpropyl), (B847, F, F, OMe, OMe, 1-n-pentyloxyhexyl), (B848, F, F, OMe, OMe, 1-n-pentyloxy-3,3-dimethylbutyl), (B849, F, F, OMe, OMe, 1-n-pentyloxyheptyl), (B850, F, F, OMe, OMe, 1-n-pentyloxyoctyl), (B851, F, F, OMe, OMe, 1-n-pentyloxynonyl),

(B852, F, F, OMe, OMe, 1-n-pentyloxydecyl), (B853, F, F, OMe, OMe, 1-n-pentyloxyundecyl), (B854, F, F, OMe, OMe, 1-n-pentyloxydodecyl), (B855, F, F, OMe, OMe, 1-n-pentyloxy-1-cyclohexylmethyl), (B856, F, F, OMe, OMe, 1-isopentyloxypropyl), (B857, F, F, OMe, OMe, 1-neopentyloxyethyl), (B858, F, F, OMe, OMe, 1-neopentyloxypropyl), (B859, F, F, OMe, OMe, 3-neopentyloxyethyl), (B860, F, F, OMe, OMe, 1-neopentyloxybutyl), (B861, F, F, OMe, OMe, 1-neopentyloxy-2-methylpropyl), (B862, F, F, OMe, OMe, 1-neopentyloxypentyl), (B863, F, F, OMe, OMe, 1-neopentyloxy-3-methylbutyl), (B864, F, F, OMe, OMe, 1-neopentyloxy-2,2-dimethylpropyl), (B865, F, F, OMe, OMe, 1-neopentyloxyhexyl), (B866, F, F, OMe, OMe, 1-neopentyloxy-3,3-dimethylbutyl), (B867, F, F, OMe, OMe, 1-neopentyloxyheptyl), (B868, F, F, OMe, OMe, 1-neopentyloxyoctyl), (B869, F, F, OMe, OMe, 1-neopentyloxynonyl), (B870, F, F, OMe, OMe, 1-neopentyloxydecyl), (B871, F, F, OMe, OMe, 1-neopentyloxyundecyl), (B872, F, F, OMe, OMe, 1-neopentyloxydodecyl), (B873, F, F, OMe, OMe, 1-neopentyloxy-1-cyclohexylmethyl), (B874, F, F, OMe, OMe, 1-n-hexyloxyethyl), (B875, F, F, OMe, OMe, 1-n-hexyloxypropyl), (B876, F, F, OMe, OMe, 3-n-hexyloxypropyl), (B877, F, F, OMe, OMe, 1-n-hexyloxybutyl), (B878, F, F, OMe, OMe, 1-n-hexyloxy-2-methylpropyl), (B879, F, F, OMe, OMe, 1-n-hexyloxypentyl), (B880, F, F, OMe, OMe, 1-n-hexyloxy-3-methylbutyl), (B881, F, F, OMe, OMe, 1-n-hexyloxy-2,2-dimethylpropyl), (B882, F, F, OMe, OMe, 1-n-hexyloxyhexyl), (B883, F, F, OMe, OMe, 1-n-hexyloxy-3,3-dimethylbutyl), (B884, F, F, OMe, OMe, 1-n-hexyloxyheptyl), (B885, F, F, OMe, OMe, 1-n-hexyloxyoctyl), (B886, F, F, OMe, OMe, 1-n-hexyloxynonyl), (B887, F, F, OMe, OMe, 1-n-hexyloxydecyl), (B888, F, F, OMe, OMe, 1-n-hexyloxyundecyl), (B889, F, F, OMe, OMe, 1-n-hexyloxydodecyl), (B890, F, F, OMe, OMe, 1-n-hexyloxy-1-cyclohexylmethyl), (B891, F, F, OMe, OMe, 3-isohexyloxypropyl), (B892, F, F, OMe, OMe, 3-(3,3-dimethylbutyloxy)propyl), (B893, F, F, OMe, OMe, 3-(2-cyclopentylethyloxy)propyl), (B894, F, F, OMe, OMe, 1-n-octyloxyethyl), (B895, Cl, Cl, Me, F, 1-methyloxyethyl), (B898, Cl, Cl, Me, F, 1-methyloxybutyl), (B900, Cl, Cl, Me, F, 1-methyloxy-2-methylpropyl), (B901, Cl, Cl, Me, F, 1-methyloxypentyl), (B902, Cl, Cl, Me, F, 1-methyloxy-3-methylbutyl), (B903, Cl, Cl, Me, F, 3-methyloxy-3-methylbutyl), (B904, Cl, Cl, Me, F, 4-methyloxyhexyl), (B906, Cl, Cl, Me, F, 1-methyloxy-1-

cyclohexylmethyl), (B907, Cl, Cl, Me, F, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B908, Cl, Cl, Me, F, 1-ethyloxyethyl), (B909, Cl, Cl, Me, F, 1-ethyloxypropyl), (B910, Cl, Cl, Me, F, 1-ethyloxy-3-n-hexyloxypropyl), (B911, Cl, Cl, Me, F, 1-ethyloxybutyl), (B912, Cl, Cl, Me, F, 1-ethyloxy-4-n-pentyloxybutyl), (B913, Cl, Cl, Me, F, 1-ethyloxy-2-methylpropyl), (B914, Cl, Cl, Me, F, 1-ethyloxy-3-methylbutyl), (B915, Cl, Cl, Me, F, 1-ethyloxyhexyl), (B916, Cl, Cl, Me, F, 1-ethyloxyheptyl), (B917, Cl, Cl, Me, F, 1-ethyloxyoctyl), (B918, Cl, Cl, Me, F, 1-ethyloxynonyl), (B919, Cl, Cl, Me, F, 1-ethyloxydecyl), (B920, Cl, Cl, Me, F, 1-ethyloxyundecyl), (B921, Cl, Cl, Me, F, 1-ethyloxydodecyl), (B922, Cl, Cl, Me, F, 1-ethyloxy-1-cyclohexylmethyl), (B923, Cl, Cl, Me, F, 1-n-propyloxy-3-n-hexyloxypropyl), (B924, Cl, Cl, Me, F, 1-n-propyloxy-4-n-pentyloxybutyl), (B925, Cl, Cl, Me, F, 1-n-propyloxy-2-methylpropyl), (B926, Cl, Cl, Me, F, 1-n-propyloxy-3-methylbutyl), (B928, Cl, Cl, Me, F, 1-n-propyloxyhexyl), (B929, Cl, Cl, Me, F, 1-n-propyloxy-3,3-dimethylbutyl), (B930, Cl, Cl, Me, F, 1-n-propyloxyheptyl), (B931, Cl, Cl, Me, F, 1-n-propyloxyoctyl), (B932, Cl, Cl, Me, F, 1-n-propyloxynonyl), (B933, Cl, Cl, Me, F, 1-n-propyloxydecyl), (B934, Cl, Cl, Me, F, 1-n-propyloxyundecyl), (B935, Cl, Cl, Me, F, 1-n-propyloxydodecyl), (B937, Cl, Cl, Me, F, 1-isopropyloxyethyl), (B938, Cl, Cl, Me, F, 1-isopropyloxypropyl), (B939, Cl, Cl, Me, F, 1-isopropyloxy-3-n-hexyloxypropyl), (B940, Cl, Cl, Me, F, 1-isopropyloxybutyl), (B941, Cl, Cl, Me, F, 1-isopropyloxy-4-n-pentyloxybutyl), (B942, Cl, Cl, Me, F, 1-isopropyloxy-2-methylpropyl), (B943, Cl, Cl, Me, F, 1-isopropyloxypropyl), (B944, Cl, Cl, Me, F, 1-isopropyloxy-3-methylbutyl), (B945, Cl, Cl, Me, F, 1-isopropyloxy-2,2-dimethylpropyl), (B946, Cl, Cl, Me, F, 1-isopropyloxyhexyl), (B947, Cl, Cl, Me, F, 1-isopropyloxy-3,3-dimethylbutyl), (B948, Cl, Cl, Me, F, 1-isopropyloxyheptyl), (B949, Cl, Cl, Me, F, 1-isopropyloxyoctyl), (B950, Cl, Cl, Me, F, 1-isopropyloxynonyl), (B951, Cl, Cl, Me, F, 1-isopropyloxydecyl), (B952, Cl, Cl, Me, F, 1-isopropyloxyundecyl), (B953, Cl, Cl, Me, F, 1-isopropyloxydodecyl), (B954, Cl, Cl, Me, F, 1-isopropyloxy-1-cyclohexylmethyl), (B955, Cl, Cl, Me, F, 1,4-di(n-butyloxy)butyl), (B956, Cl, Cl, Me, F, 1-n-butyloxy-2-methylpropyl), (B957, Cl, Cl, Me, F, 1-n-butyloxy-3-methylbutyl), (B959, Cl, Cl, Me, F, 1-n-butyloxyhexyl), (B960, Cl, Cl, Me, F, 1-n-butyloxy-3,3-dimethylbutyl), (B961, Cl, Cl, Me, F, 1-n-butyloxyheptyl), (B962, Cl, Cl, Me, F, 1-n-butyloxyoctyl), (B963, Cl, Cl, Me, F,

1-n-butyloxynonyl), (B964, Cl, Cl, Me, F, 1-n-butyloxydecyl), (B965, Cl, Cl, Me, F, 1-n-butyloxyundecyl), (B966, Cl, Cl, Me, F, 1-n-butyloxydodecyl), (B968, Cl, Cl, Me, F, 1-isobutyloxyethyl), (B969, Cl, Cl, Me, F, 1-isobutyloxypropyl), (B970, Cl, Cl, Me, F, 1-isobutyloxybutyl), (B971, Cl, Cl, Me, F, 1-isobutyloxy-2-methylpropyl), (B972, Cl, Cl, Me, F, 1-isobutyloxypropyl), (B973, Cl, Cl, Me, F, 1-isobutyloxy-3-methylbutyl), (B974, Cl, Cl, Me, F, 1-isobutyloxy-2,2-dimethylpropyl), (B975, Cl, Cl, Me, F, 1-isobutyloxyhexyl), (B976, Cl, Cl, Me, F, 1-isobutyloxy-3,3-dimethylbutyl), (B977, Cl, Cl, Me, F, 1-isobutyloxyheptyl), (B978, Cl, Cl, Me, F, 1-isobutyloxyoctyl), (B979, Cl, Cl, Me, F, 1-isobutyloxyynonyl), (B980, Cl, Cl, Me, F, 1-isobutyloxydecyl), (B981, Cl, Cl, Me, F, 1-isobutyloxyundecyl), (B982, Cl, Cl, Me, F, 1-isobutyloxydodecyl), (B983, Cl, Cl, Me, F, 1-isobutox-1-cyclohexylmethyl), (B984, Cl, Cl, Me, F, 1-t-butyloxyethyl), (B985, Cl, Cl, Me, F, 1-t-butyloxypropyl), (B986, Cl, Cl, Me, F, 1-t-butyloxybutyl), (B987, Cl, Cl, Me, F, 1-t-butyloxy-2-methylpropyl), (B988, Cl, Cl, Me, F, 1-t-butyloxypropyl), (B989, Cl, Cl, Me, F, 1-t-butyloxy-3-methylbutyl), (B990, Cl, Cl, Me, F, 1-t-butyloxy-2,2-dimethylpropyl), (B991, Cl, Cl, Me, F, 1-t-butyloxyhexyl), (B992, Cl, Cl, Me, F, 1-t-butyloxy-3,3-dimethylbutyl), (B993, Cl, Cl, Me, F, 1-t-butyloxyheptyl), (B994, Cl, Cl, Me, F, 1-t-butyloxyoctyl), (B995, Cl, Cl, Me, F, 1-t-butyloxynonyl), (B996, Cl, Cl, Me, F, 1-t-butyloxydecyl), (B997, Cl, Cl, Me, F, 1-t-butyloxyundecyl), (B998, Cl, Cl, Me, F, 1-t-butyloxydodecyl), (B999, Cl, Cl, Me, F, 1-t-butyloxy-1-cyclohexylmethyl), (B1000, Cl, Cl, Me, F, 1-n-pentyloxyethyl), (B1001, Cl, Cl, Me, F, 1-n-pentyloxy-2-methylpropyl), (B1002, Cl, Cl, Me, F, 1-n-pentyloxy-3-methylbutyl), (B1003, Cl, Cl, Me, F, 1-n-pentyloxy-2,2-dimethylpropyl), (B1004, Cl, Cl, Me, F, 1-n-pentyloxyhexyl), (B1005, Cl, Cl, Me, F, 1-n-pentyloxy-3,3-dimethylbutyl), (B1006, Cl, Cl, Me, F, 1-n-pentyloxyheptyl), (B1007, Cl, Cl, Me, F, 1-n-pentyloxyoctyl), (B1008, Cl, Cl, Me, F, 1-n-pentyloxynonyl), (B1009, Cl, Cl, Me, F, 1-n-pentyloxydecyl), (B1010, Cl, Cl, Me, F, 1-n-pentyloxyundecyl), (B1011, Cl, Cl, Me, F, 1-n-pentyloxydodecyl), (B1012, Cl, Cl, Me, F, 1-n-pentyloxy-1-cyclohexylmethyl), (B1013, Cl, Cl, Me, F, 1-neopentyloxyethyl), (B1014, Cl, Cl, Me, F, 1-neopentyloxypropyl), (B1015, Cl, Cl, Me, F, 1-neopentyloxybutyl), (B1016, Cl, Cl, Me, F, 1-neopentyloxy-2-methylpropyl), (B1017, Cl, Cl, Me, F, 1-neopentyloxypropyl), (B1018, Cl, Cl, Me, F, 1-neopentyloxy-3-methylbutyl), (B1019, Cl, Cl, Me, F, 1-

neopentyloxy-2,2-dimethylpropyl), (B1020, Cl, Cl, Me, F, 1-neopentyloxyhexyl), (B1021, Cl, Cl, Me, F, 1-neopentyloxy-3,3-dimethylbutyl), (B1022, Cl, Cl, Me, F, 1-neopentyloxyheptyl), (B1023, Cl, Cl, Me, F, 1-neopentyloxyoctyl), (B1024, Cl, Cl, Me, F, 1-neopentyloxynonyl), (B1025, Cl, Cl, Me, F, 1-neopentyloxydecyl), (B1026, Cl, Cl, Me, F, 1-neopentyloxyundecyl), (B1027, Cl, Cl, Me, F, 1-neopentyloxydodecyl), (B1028, Cl, Cl, Me, F, 1-neopentyloxy-1-cyclohexylmethyl), (B1029, Cl, Cl, Me, F, 1-n-hexyloxybutyl), (B1030, Cl, Cl, Me, F, 1-n-hexyloxy-2-methylpropyl), (B1031, Cl, Cl, Me, F, 1-n-hexyloxypentyl), (B1032, Cl, Cl, Me, F, 1-n-hexyloxy-3-methylbutyl), (B1033, Cl, Cl, Me, F, 1-n-hexyloxy-2,2-dimethylpropyl), (B1034, Cl, Cl, Me, F, 1-n-hexyloxyhexyl), (B1035, Cl, Cl, Me, F, 1-n-hexyloxy-3,3-dimethylbutyl), (B1036, Cl, Cl, Me, F, 1-n-hexyloxyheptyl), (B1037, Cl, Cl, Me, F, 1-n-hexyloxyoctyl), (B1038, Cl, Cl, Me, F, 1-n-hexyloxynonyl), (B1039, Cl, Cl, Me, F, 1-n-hexyloxydecyl), (B1040, Cl, Cl, Me, F, 1-n-hexyloxyundecyl), (B1041, Cl, Cl, Me, F, 1-n-hexyloxydodecyl), (B1042, Cl, Cl, Me, F, 1-n-hexyloxy-1-cyclohexylmethyl), (B1043, Cl, Cl, Me, OMe, 1-methyloxyethyl), (B1044, Cl, Cl, Me, OMe, 1-methyloxypropyl), (B1045, Cl, Cl, Me, OMe, 1-methyloxy-3-n-hexyloxypropyl), (B1046, Cl, Cl, Me, OMe, 1-methyloxybutyl), (B1047, Cl, Cl, Me, OMe, 1-methyloxy-4-n-pentyloxybutyl), (B1048, Cl, Cl, Me, OMe, 1-methyloxy-2-methylpropyl), (B1049, Cl, Cl, Me, OMe, 1-methyloxypentyl), (B1050, Cl, Cl, Me, OMe, 1-methyloxy-3-methylbutyl), (B1051, Cl, Cl, Me, OMe, 1-methyloxy-2,2-dimethylpropyl), (B1052, Cl, Cl, Me, OMe, 1-methyloxyhexyl), (B1055, Cl, Cl, Me, OMe, 1-methyloxyheptyl), (B1056, Cl, Cl, Me, OMe, 1-methyloxyoctyl), (B1057, Cl, Cl, Me, OMe, 3-methyloxyoctyl), (B1058, Cl, Cl, Me, OMe, 1-methyloxynonyl), (B1061, Cl, Cl, Me, OMe, 1-methyloxydodecyl), (B1062, Cl, Cl, Me, OMe, 1-methyloxy-1-cyclohexylmethyl), (B1063, Cl, Cl, Me, OMe, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B1064, Cl, Cl, Me, OMe, 1-ethyloxyethyl), (B1065, Cl, Cl, Me, OMe, 1-ethyloxypropyl), (B1066, Cl, Cl, Me, OMe, 1-ethyloxy-3-n-hexyloxypropyl), (B1067, Cl, Cl, Me, OMe, 1-(4-ethyloxybutyloxy)propyl), (B1068, Cl, Cl, Me, OMe, 1-ethyloxybutyl), (B1069, Cl, Cl, Me, OMe, 1-ethyloxy-4-n-pentyloxybutyl), (B1070, Cl, Cl, Me, OMe, 1-ethyloxy-2-methylpropyl), (B1071, Cl, Cl, Me, OMe, 1-ethyloxypentyl), (B1072, Cl, Cl, Me, OMe, 1-ethyloxy-3-methylbutyl), (B1073, Cl, Cl, Me, OMe, 1-ethyloxy-2,2-dimethylpropyl),

(B1074, Cl, Cl, Me, OMe, 1-ethyloxyhexyl), (B1075, Cl, Cl, Me, OMe, 1-ethyloxy-3,3-dimethylbutyl), (B1076, Cl, Cl, Me, OMe, 1-ethyloxyheptyl), (B1077, Cl, Cl, Me, OMe, 1-ethyloxyoctyl), (B1078, Cl, Cl, Me, OMe, 1-ethyloxynonyl), (B1079, Cl, Cl, Me, OMe, 1-ethyloxydecyl), (B1080, Cl, Cl, Me, OMe, 1-ethyloxyundecyl), (B1081, Cl, Cl, Me, OMe, 1-ethyloxydodecyl), (B1082, Cl, Cl, Me, OMe, 1-ethyloxy-1-cyclohexylmethyl), (B1083, Cl, Cl, Me, OMe, 1-n-propyloxyethyl), (B1084, Cl, Cl, Me, OMe, 1-n-propyloxypropyl), (B1085, Cl, Cl, Me, OMe, 3-n-propyloxypropyl), (B1086, Cl, Cl, Me, OMe, 1-n-propyloxy-3-n-hexyloxypropyl), (B1087, Cl, Cl, Me, OMe, 1-n-propyloxybutyl), (B1088, Cl, Cl, Me, OMe, 1-n-propyloxy-4-n-pentyloxybutyl), (B1089, Cl, Cl, Me, OMe, 1,4-di(n-propyloxy)butyl), (B1090, Cl, Cl, Me, OMe, 1-n-propyloxy-2-methylpropyl), (B1091, Cl, Cl, Me, OMe, 1-n-propyloxypentyl), (B1092, Cl, Cl, Me, OMe, 1-n-propyloxy-3-methylbutyl), (B1093, Cl, Cl, Me, OMe, 1-n-propyloxy-2,2-dimethylpropyl), (B1094, Cl, Cl, Me, OMe, 1-n-propyloxyhexyl), (B1095, Cl, Cl, Me, OMe, 1-n-propyloxy-3,3-dimethylbutyl), (B1096, Cl, Cl, Me, OMe, 1-n-propyloxyheptyl), (B1097, Cl, Cl, Me, OMe, 1-n-propyloxyoctyl), (B1098, Cl, Cl, Me, OMe, 1-n-propyloxynonyl), (B1099, Cl, Cl, Me, OMe, 1-n-propyloxydecyl), (B1100, Cl, Cl, Me, OMe, 1-n-propyloxyundecyl), (B1101, Cl, Cl, Me, OMe, 1-n-propyloxydodecyl), (B1103, Cl, Cl, Me, OMe, 1-isopropyloxyethyl), (B1104, Cl, Cl, Me, OMe, 1-isopropyloxypropyl), (B1105, Cl, Cl, Me, OMe, 3-isopropyloxypropyl), (B1106, Cl, Cl, Me, OMe, 1-isopropyloxy-3-n-hexyloxypropyl), (B1107, Cl, Cl, Me, OMe, 1-isopropyloxybutyl), (B1108, Cl, Cl, Me, OMe, 1-isopropyloxy-4-n-pentyloxybutyl), (B1109, Cl, Cl, Me, OMe, 1-isopropyloxy-2-methylpropyl), (B1110, Cl, Cl, Me, OMe, 1-isopropyloxypentyl), (B1111, Cl, Cl, Me, OMe, 1-isopropyloxy-3-methylbutyl), (B1112, Cl, Cl, Me, OMe, 1-isopropyloxy-2,2-dimethylpropyl), (B1113, Cl, Cl, Me, OMe, 1-isopropyloxyhexyl), (B1114, Cl, Cl, Me, OMe, 1-isopropyloxy-3,3-dimethylbutyl), (B1115, Cl, Cl, Me, OMe, 1-isopropyloxyheptyl), (B1116, Cl, Cl, Me, OMe, 1-isopropyloxyoctyl), (B1117, Cl, Cl, Me, OMe, 1-isopropyloxynonyl), (B1118, Cl, Cl, Me, OMe, 1-isopropyloxydecyl), (B1119, Cl, Cl, Me, OMe, 1-isopropyloxyundecyl), (B1120, Cl, Cl, Me, OMe, 1-isopropyloxydodecyl), (B1121, Cl, Cl, Me, OMe, 1-isopropyloxy-1-cyclohexylmethyl), (B1123, Cl, Cl, Me, OMe, 1-n-butyloxypropyl), (B1125, Cl, Cl, Me, OMe, 1,4-di(n-butyloxy)butyl), (B1126, Cl, Cl,

Me, OMe, 1-n-butyloxybutyl), (B1127, Cl, Cl, Me, OMe, 1-n-butyloxy-2-methylpropyl),
 (B1128, Cl, Cl, Me, OMe, 1-n-butyloxypentyl), (B1129, Cl, Cl, Me, OMe, 1-n-butyloxy-3-
 methylbutyl), (B1130, Cl, Cl, Me, OMe, 1-n-butyloxy-2,2-dimethylpropyl), (B1131, Cl,
 Cl, Me, OMe, 1-n-butyloxyhexyl), (B1132, Cl, Cl, Me, OMe, 1-n-butyloxy-3,3-
 5 dimethylbutyl), (B1133, Cl, Cl, Me, OMe, 1-n-butyloxyheptyl), (B1134, Cl, Cl, Me, OMe,
 1-n-butyloxyoctyl), (B1135, Cl, Cl, Me, OMe, 1-n-butyloxynonyl), (B1136, Cl, Cl, Me,
 OMe, 1-n-butyloxydecyl), (B1137, Cl, Cl, Me, OMe, 1-n-butyloxyundecyl), (B1138, Cl, Cl,
 Me, OMe, 1-n-butyloxydodecyl), (B1139, Cl, Cl, Me, OMe, 1-n-butyloxy-1-
 cyclohexylmethyl), (B1140, Cl, Cl, Me, OMe, 1-isobutyloxyethyl), (B1141, Cl, Cl, Me,
 10 OMe, 1-isobutyloxypropyl), (B1142, Cl, Cl, Me, OMe, 1-isobutyloxybutyl), (B1143, Cl, Cl,
 Me, OMe, 1-isobutyloxy-2-methylpropyl), (B1144, Cl, Cl, Me, OMe, 1-isobutyloxypentyl),
 (B1145, Cl, Cl, Me, OMe, 1-isobutyloxy-3-methylbutyl), (B1146, Cl, Cl, Me, OMe, 1-
 isobutyloxy-2,2-dimethylpropyl), (B1147, Cl, Cl, Me, OMe, 1-isobutyloxyhexyl), (B1148,
 Cl, Cl, Me, OMe, 1-isobutyloxy-3,3-dimethylbutyl), (B1149, Cl, Cl, Me, OMe, 1-
 15 isobutyloxyheptyl), (B1150, Cl, Cl, Me, OMe, 1-isobutyloxyoctyl), (B1151, Cl, Cl, Me,
 OMe, 1-isobutyloxynonyl), (B1152, Cl, Cl, Me, OMe, 1-isobutyloxydecyl), (B1153, Cl, Cl,
 Me, OMe, 1-isobutyloxyundecyl), (B1154, Cl, Cl, Me, OMe, 1-isobutyloxydodecyl),
 (B1155, Cl, Cl, Me, OMe, 1-isobutyloxy-1-cyclohexylmethyl), (B1156, Cl, Cl, Me, OMe,
 1-t-butyloxyethyl), (B1157, Cl, Cl, Me, OMe, 1-t-butyloxypropyl), (B1158, Cl, Cl, Me,
 20 OMe, 1-t-butyloxybutyl), (B1159, Cl, Cl, Me, OMe, 1-t-butyloxy-2-methylpropyl),
 (B1160, Cl, Cl, Me, OMe, 1-t-butyloxypentyl), (B1161, Cl, Cl, Me, OMe, 1-t-butyloxy-3-
 methylbutyl), (B1162, Cl, Cl, Me, OMe, 1-t-butyloxy-2,2-dimethylpropyl), (B1163, Cl, Cl,
 Me, OMe, 1-t-butyloxyhexyl), (B1164, Cl, Cl, Me, OMe, 1-t-butyloxy-3,3-dimethylbutyl),
 (B1165, Cl, Cl, Me, OMe, 1-t-butyloxyheptyl), (B1166, Cl, Cl, Me, OMe, 1-t-
 25 butyloxyoctyl), (B1167, Cl, Cl, Me, OMe, 1-t-butyloxynonyl), (B1168, Cl, Cl, Me, OMe,
 1-t-butyloxydecyl), (B1169, Cl, Cl, Me, OMe, 1-t-butyloxyundecyl), (B1170, Cl, Cl, Me,
 OMe, 1-t-butyloxydodecyl), (B1171, Cl, Cl, Me, OMe, 1-t-butyloxy-1-cyclohexylmethyl),
 (B1172, Cl, Cl, Me, OMe, 1-n-pentyloxyethyl), (B1173, Cl, Cl, Me, OMe, 1-n-
 pentyloxypropyl), (B1174, Cl, Cl, Me, OMe, 3-n-pentyloxypropyl), (B1175, Cl, Cl, Me,
 30 OMe, 1-n-pentyloxy-3-methylthiopropyl), (B1176, Cl, Cl, Me, OMe, 1-n-pentyloxybutyl),

(B1177, Cl, Cl, Me, OMe, 1-n-pentyloxy-2-methylpropyl), (B1178, Cl, Cl, Me, OMe, 1-n-pentyloxy-3-methylbutyl), (B1180, Cl, Cl, Me, OMe, 1-n-pentyloxy-2,2-dimethylpropyl), (B1181, Cl, Cl, Me, OMe, 1-n-pentyloxyhexyl), (B1182, Cl, Cl, Me, OMe, 1-n-pentyloxy-3,3-dimethylbutyl), (B1183, Cl, Cl, Me, OMe, 1-n-pentyloxyheptyl), (B1184, Cl, Cl, Me, OMe, 1-n-pentyloxyoctyl), (B1185, Cl, Cl, Me, OMe, 1-n-pentyloxynonyl), (B1186, Cl, Cl, Me, OMe, 1-n-pentyloxydecyl), (B1187, Cl, Cl, Me, OMe, 1-n-pentyloxyundecyl), (B1188, Cl, Cl, Me, OMe, 1-n-pentyloxydodecyl), (B1189, Cl, Cl, Me, OMe, 1-n-pentyloxy-1-cyclohexylmethyl), (B1190, Cl, Cl, Me, OMe, 1-isopentyloxypropyl), (B1191, Cl, Cl, Me, OMe, 1-neopentyloxyethyl), (B1192, Cl, Cl, Me, OMe, 1-neopentyloxypropyl), (B1193, Cl, Cl, Me, OMe, 3-neopentyloxypropyl), (B1194, Cl, Cl, Me, OMe, 1-neopentyloxybutyl), (B1195, Cl, Cl, Me, OMe, 1-neopentyloxy-2-methylpropyl), (B1196, Cl, Cl, Me, OMe, 1-neopentyloxy-3-methylbutyl), (B1197, Cl, Cl, Me, OMe, 1-neopentyloxy-2,2-dimethylpropyl), (B1198, Cl, Cl, Me, OMe, 1-neopentyloxyhexyl), (B1199, Cl, Cl, Me, OMe, 1-neopentyloxy-3,3-dimethylbutyl), (B1200, Cl, Cl, Me, OMe, 1-neopentyloxyheptyl), (B1201, Cl, Cl, Me, OMe, 1-neopentyloxyoctyl), (B1202, Cl, Cl, Me, OMe, 1-neopentyloxynonyl), (B1203, Cl, Cl, Me, OMe, 1-neopentyloxydecyl), (B1204, Cl, Cl, Me, OMe, 1-neopentyloxyundecyl), (B1205, Cl, Cl, Me, OMe, 1-neopentyloxydodecyl), (B1206, Cl, Cl, Me, OMe, 1-neopentyloxy-1-cyclohexylmethyl), (B1207, Cl, Cl, Me, OMe, 1-n-hexyloxyethyl), (B1208, Cl, Cl, Me, OMe, 1-n-hexyloxypropyl), (B1209, Cl, Cl, Me, OMe, 3-n-hexyloxypropyl), (B1210, Cl, Cl, Me, OMe, 1-n-hexyloxybutyl), (B1211, Cl, Cl, Me, OMe, 1-n-hexyloxy-2-methylpropyl), (B1212, Cl, Cl, Me, OMe, 1-n-hexyloxy-3-methylbutyl), (B1213, Cl, Cl, Me, OMe, 1-n-hexyloxy-2,2-dimethylpropyl), (B1214, Cl, Cl, Me, OMe, 1-n-hexyloxyhexyl), (B1215, Cl, Cl, Me, OMe, 1-n-hexyloxy-3,3-dimethylbutyl), (B1216, Cl, Cl, Me, OMe, 1-n-hexyloxyheptyl), (B1217, Cl, Cl, Me, OMe, 1-n-hexyloxyoctyl), (B1218, Cl, Cl, Me, OMe, 1-n-hexyloxynonyl), (B1219, Cl, Cl, Me, OMe, 1-n-hexyloxydecyl), (B1220, Cl, Cl, Me, OMe, 1-n-hexyloxyundecyl), (B1221, Cl, Cl, Me, OMe, 1-n-hexyloxydodecyl), (B1222, Cl, Cl, Me, OMe, 1-n-hexyloxy-1-cyclohexylmethyl), (B1223, Cl, Cl, Me, OMe, 3-isohexyloxydodecyl), (B1224, Cl, Cl, Me, OMe, 1-n-hexyloxy-1-cyclohexylmethyl), (B1225, Cl, Cl, Me, OMe, 3-isohexyloxydodecyl), (B1226, Cl, Cl, Me,

OMe, 3-(3,3-dimethylbutyloxy)propyl), (B1227, Cl, Cl, Me, OMe, 3-(2-cyclopentylethyloxy)propyl), (B1228, Cl, Cl, Me, OMe, 1-n-octyloxydodecyl), (B1229, Cl, Cl, OMe, F, 1-methyloxyethyl), (B1230, Cl, Cl, OMe, F, 1-methyloxypropyl), (B1231, Cl, Cl, OMe, F, 1-methyloxy-3-n-hexyloxypropyl), (B1232, Cl, Cl, OMe, F, 1-methyloxybutyl), (B1233, Cl, Cl, OMe, F, 1-methyloxy-4-n-pentyloxybutyl), (B1234, Cl, Cl, OMe, F, 1-methyloxy-2-methylpropyl), (B1235, Cl, Cl, OMe, F, 1-methyloxypropyl), (B1236, Cl, Cl, OMe, F, 1-methyloxy-3-methylbutyl), (B1237, Cl, Cl, OMe, F, 1-methyloxy-2,2-dimethylpropyl), (B1239, Cl, Cl, OMe, F, 4-methyloxyhexyl), (B1240, Cl, Cl, OMe, F, 1-methyloxy-4-methylpentyl), (B1241, Cl, Cl, OMe, F, 1-methyloxy-3,3-dimethylbutyl), (B1242, Cl, Cl, OMe, F, 3-methyloxy-2,4-dimethyl-3-pentyl), (B1243, Cl, Cl, OMe, F, 1-methyloxyheptyl), (B1244, Cl, Cl, OMe, F, 4-methyloxy-4-heptyl), (B1245, Cl, Cl, OMe, F, 1-methyloxyoctyl), (B1246, Cl, Cl, OMe, F, 3-methyloxyoctyl), (B1247, Cl, Cl, OMe, F, 1-methyloxynonyl), (B1248, Cl, Cl, OMe, F, 1-methyloxydecyl), (B1249, Cl, Cl, OMe, F, 1-methyloxyundecyl), (B1251, Cl, Cl, OMe, F, 1-methyloxy-1-cyclohexylmethyl), (B1252, Cl, Cl, OMe, F, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B1253, Cl, Cl, OMe, F, 1-ethyloxyethyl), (B1254, Cl, Cl, OMe, F, 1-ethyloxypropyl), (B1255, Cl, Cl, OMe, F, 1-ethyloxy-3-n-hexyloxypropyl), (B1256, Cl, Cl, OMe, F, 1-(4-ethyloxybutyloxy)propyl), (B1257, Cl, Cl, OMe, F, 1-ethyloxybutyl), (B1258, Cl, Cl, OMe, F, 1-ethyloxy-4-n-pentyloxybutyl), (B1259, Cl, Cl, OMe, F, 1-ethyloxy-2-methylpropyl), (B1260, Cl, Cl, OMe, F, 1-ethyloxypropyl), (B1261, Cl, Cl, OMe, F, 1-ethyloxy-3-methylbutyl), (B1262, Cl, Cl, OMe, F, 1-ethyloxy-2,2-dimethylpropyl), (B1263, Cl, Cl, OMe, F, 1-ethyloxyhexyl), (B1264, Cl, Cl, OMe, F, 1-ethyloxy-3,3-dimethylbutyl), (B1265, Cl, Cl, OMe, F, 1-ethyloxyheptyl), (B1266, Cl, Cl, OMe, F, 1-ethyloxyoctyl), (B1267, Cl, Cl, OMe, F, 1-ethyloxynonyl), (B1268, Cl, Cl, OMe, F, 1-ethyloxydecyl), (B1269, Cl, Cl, OMe, F, 1-ethyloxyundecyl), (B1270, Cl, Cl, OMe, F, 1-ethyloxydodecyl), (B1271, Cl, Cl, OMe, F, 1-ethyloxy-1-cyclohexylmethyl), (B1272, Cl, Cl, OMe, F, 1-n-propyloxyethyl), (B1273, Cl, Cl, OMe, F, 1-n-propyloxypropyl), (B1274, Cl, Cl, OMe, F, 3-n-propyloxypropyl), (B1275, Cl, Cl, OMe, F, 1-n-propyloxy-3-n-hexyloxypropyl), (B1276, Cl, Cl, OMe, F, 1-n-propyloxybutyl), (B1277, Cl, Cl, OMe, F, 1-n-propyloxy-4-n-pentyloxybutyl), (B1278, Cl, Cl, OMe, F, 1,4-di(n-propyloxy)butyl), (B1279, Cl, Cl, OMe,

F, 1-n-propyloxy-2-methylpropyl), (B1280, Cl, Cl, OMe, F, 1-n-propyloxypentyl), (B1281, Cl, Cl, OMe, F, 1-n-propyloxy-3-methylbutyl), (B1282, Cl, Cl, OMe, F, 1-n-propyloxy-2,2-dimethylpropyl), (B1283, Cl, Cl, OMe, F, 1-n-propyloxyhexyl), (B1284, Cl, Cl, OMe, F, 1-n-propyloxy-3,3-dimethylbutyl), (B1285, Cl, Cl, OMe, F, 1-n-propyloxyheptyl),
5 (B1286, Cl, Cl, OMe, F, 1-n-propyloxyoctyl), (B1287, Cl, Cl, OMe, F, 1-n-propyloxynonyl), (B1288, Cl, Cl, OMe, F, 1-n-propyloxydecyl), (B1289, Cl, Cl, OMe, F, 1-n-propyloxyundecyl), (B1290, Cl, Cl, OMe, F, 1-n-propyloxydodecyl), (B1291, Cl, Cl, OMe, F, 1-n-propyloxy-1-cyclohexylmethyl), (B1292, Cl, Cl, OMe, F, 1-isopropyloxyethyl), (B1293, Cl, Cl, OMe, F, 1-isopropyloxypropyl), (B1294, Cl, Cl, OMe, F, 3-isopropyloxypropyl), (B1295, Cl, Cl, OMe, F, 1-isopropyloxy-3-n-hexyloxypropyl),
10 (B1296, Cl, Cl, OMe, F, 1-isopropyloxybutyl), (B1297, Cl, Cl, OMe, F, 1-isopropyloxy-4-n-pentyloxybutyl), (B1298, Cl, Cl, OMe, F, 1-isopropyloxy-2-methylpropyl), (B1299, Cl, Cl, OMe, F, 1-isoproxypentyl), (B1300, Cl, Cl, OMe, F, 1-isopropyloxy-3-methylbutyl), (B1301, Cl, Cl, OMe, F, 1-isopropyloxy-2,2-dimethylpropyl), (B1302, Cl, Cl, OMe, F, 1-isopropyloxyhexyl), (B1303, Cl, Cl, OMe, F, 1-isopropyloxy-3,3-dimethylbutyl), (B1304, Cl, Cl, OMe, F, 1-isopropyloxyheptyl), (B1305, Cl, Cl, OMe, F, 1-isopropyloxyoctyl), (B1306, Cl, Cl, OMe, F, 1-isoproxynonyl), (B1307, Cl, Cl, OMe, F, 1-isopropyloxydecyl), (B1308, Cl, Cl, OMe, F, 1-isopropyloxyundecyl), (B1309, Cl, Cl, OMe, F, 1-isopropyloxydodecyl), (B1310, Cl, Cl, OMe, F, 1-isopropyloxy-1-cyclohexylmethyl), (B1311, Cl, Cl, OMe, F, 1-n-butyloxyethyl), (B1312, Cl, Cl, OMe, F, 1-n-butyloxypropyl), (B1313, Cl, Cl, OMe, F, 3-n-butyloxypropyl), (B1314, Cl, Cl, OMe, F, 1-n-butyloxybutyl), (B1315, Cl, Cl, OMe, F, 1,4-di(n-butyloxy)butyl), (B1316, Cl, Cl, OMe, F, 1-n-butyloxy-2-methylpropyl), (B1317, Cl, Cl, OMe, F, 1-n-butyloxypentyl), (B1318, Cl, Cl, OMe, F, 1-n-butyloxy-3-methylbutyl), (B1319, Cl, Cl, OMe, F, 1-n-butyloxy-2,2-dimethylpropyl), (B1320, Cl, Cl, OMe, F, 1-n-butyloxyhexyl), (B1321, Cl, Cl, OMe, F, 1-n-butyloxy-3,3-dimethylbutyl), (B1322, Cl, Cl, OMe, F, 1-n-butyloxyheptyl), (B1323, Cl, Cl, OMe, F, 1-n-butyloxyoctyl), (B1324, Cl, Cl, OMe, F, 1-n-butyloxynonyl), (B1325, Cl, Cl, OMe, F, 1-n-butyloxydecyl), (B1326, Cl, Cl, OMe, F, 1-n-butyloxyundecyl), (B1327, Cl, Cl, OMe, F, 1-n-butyloxydodecyl), (B1328, Cl, Cl, OMe, F, 1-n-butyloxy-1-cyclohexylmethyl), (B1329, Cl, Cl, OMe, F, 1-isobutyloxyethyl),
30

F, 1-neopentyloxypropyl), (B1382, Cl, Cl, OMe, F, 3-neopentyloxypropyl), (B1383, Cl, Cl, OMe, F, 1-neopentyloxybutyl), (B1384, Cl, Cl, OMe, F, 1-neopentyloxy-2-methylpropyl), (B1385, Cl, Cl, OMe, F, 1-neopentyloxypropyl), (B1386, Cl, Cl, OMe, F, 1-neopentyloxy-3-methylbutyl), (B1387, Cl, Cl, OMe, F, 1-neopentyloxy-2,2-dimethylpropyl), (B1388, Cl, Cl, OMe, F, 1-neopentyloxyhexyl), (B1389, Cl, Cl, OMe, F, 1-neopentyloxy-3,3-dimethylbutyl), (B1390, Cl, Cl, OMe, F, 1-neopentyloxyheptyl), (B1391, Cl, Cl, OMe, F, 1-neopentyloxyoctyl), (B1392, Cl, Cl, OMe, F, 1-neopentyloxynonyl), (B1393, Cl, Cl, OMe, F, 1-neopentyloxydecyl), (B1394, Cl, Cl, OMe, F, 1-neopentyloxyundecyl), (B1395, Cl, Cl, OMe, F, 1-neopentyloxydodecyl), (B1396, Cl, Cl, OMe, F, 1-neopentyloxy-1-cyclohexylmethyl), (B1397, Cl, Cl, OMe, F, 1-n-hexyloxyethyl), (B1398, Cl, Cl, OMe, F, 1-n-hexyloxypropyl), (B1399, Cl, Cl, OMe, F, 3-n-hexyloxypropyl), (B1400, Cl, Cl, OMe, F, 1-n-hexyloxybutyl), (B1401, Cl, Cl, OMe, F, 1-n-hexyloxy-2-methylpropyl), (B1402, Cl, Cl, OMe, F, 1-n-hexyloxypropyl), (B1403, Cl, Cl, OMe, F, 1-n-hexyloxy-3-methylbutyl), (B1404, Cl, Cl, OMe, F, 1-n-hexyloxy-2,2-dimethylpropyl), (B1405, Cl, Cl, OMe, F, 1-n-hexyloxyhexyl), (B1406, Cl, Cl, OMe, F, 1-n-hexyloxy-3,3-dimethylbutyl), (B1407, Cl, Cl, OMe, F, 1-n-hexyloxyheptyl), (B1408, Cl, Cl, OMe, F, 1-n-hexyloxyoctyl), (B1409, Cl, Cl, OMe, F, 1-n-hexyloxynonyl), (B1410, Cl, Cl, OMe, F, 1-n-hexyloxydecyl), (B1411, Cl, Cl, OMe, F, 1-n-hexyloxyundecyl), (B1412, Cl, Cl, OMe, F, 1-n-hexyloxydodecyl), (B1413, Cl, Cl, OMe, F, 1-n-hexyloxy-1-cyclohexylmethyl), (B1414, Cl, Cl, OMe, F, 3-isohexyloxypropyl), (B1415, Cl, Cl, OMe, F, 3-(3,3-dimethylbutyloxy)propyl), (B1416, Cl, Cl, OMe, F, 3-(2-cyclopentyletoxy)propyl), (B1417, Cl, Cl, OMe, F, 1-n-octyloxyethyl), (B1418, Cl, Cl, OMe, OMe, 1-methyloxyethyl), (B1419, Cl, Cl, OMe, OMe, 1-methyloxypropyl), (B1420, Cl, Cl, OMe, OMe, 1-methyloxy-3-n-hexyloxypropyl), (B1421, Cl, Cl, OMe, OMe, 1-methyloxybutyl), (B1422, Cl, Cl, OMe, OMe, 1-methyloxy-4-n-pentyloxybutyl), (B1423, Cl, Cl, OMe, OMe, 1-methyloxy-2-methylpropyl), (B1424, Cl, Cl, OMe, OMe, 1-methyloxypropyl), (B1425, Cl, Cl, OMe, OMe, 1-methyloxy-3-methylbutyl), (B1426, Cl, Cl, OMe, OMe, 1-methyloxy-2,2-dimethylpropyl), (B1427, Cl, Cl, OMe, OMe, 1-methyloxyhexyl), (B1428, Cl, Cl, OMe, OMe, 4-methyloxyhexyl), (B1429, Cl, Cl, OMe, OMe, 1-methyloxy-4-methylpentyl), (B1430, Cl, Cl, OMe, OMe, 1-methyloxy-3,3-dimethylbutyl), (B1431, Cl, Cl, OMe, OMe, 3-methyloxy-2,4-dimethyl-3-

pentyl), (B1432, Cl, Cl, OMe, OMe, 1-methyloxyheptyl), (B1433, Cl, Cl, OMe, OMe, 4-
 methyloxy-4-heptyl), (B1434, Cl, Cl, OMe, OMe, 1-methyloxyoctyl), (B1435, Cl, Cl, OMe,
 OMe, 3-methyloxyoctyl), (B1436, Cl, Cl, OMe, OMe, 1-methyloxynonyl), (B1437, Cl, Cl,
 OMe, OMe, 1-methyloxydecyl), (B1439, Cl, Cl, OMe, OMe, 1-methyloxydodecyl), (B1440,
 5 Cl, Cl, OMe, OMe, 1-methyloxy-1-cyclohexylmethyl), (B1441, Cl, Cl, OMe, OMe, 1-(4-
 ethyloxybutyloxy)-1-cyclohexylmethyl), (B1442, Cl, Cl, OMe, OMe, 1-ethyloxyethyl),
 (B1443, Cl, Cl, OMe, OMe, 1-ethyloxypropyl), (B1444, Cl, Cl, OMe, OMe, 1-(4-
 ethyloxybutyloxy)propyl), (B1445, Cl, Cl, OMe, OMe, 1-ethyloxybutyl), (B1446, Cl, Cl,
 OMe, OMe, 1-ethyloxy-2-methylpropyl), (B1447, Cl, Cl, OMe, OMe, 1-ethyloxypentyl),
 10 (B1448, Cl, Cl, OMe, OMe, 1-ethyloxy-3-methylbutyl), (B1449, Cl, Cl, OMe, OMe, 1-
 ethyloxy-2,2-dimethylpropyl), (B1450, Cl, Cl, OMe, OMe, 1-ethyloxyhexyl), (B1451, Cl,
 Cl, OMe, OMe, 1-ethyloxy-3,3-dimethylbutyl), (B1452, Cl, Cl, OMe, OMe, 1-
 ethyloxyheptyl), (B1453, Cl, Cl, OMe, OMe, 1-ethyloxyoctyl), (B1454, Cl, Cl, OMe, OMe,
 1-ethyloxynonyl), (B1455, Cl, Cl, OMe, OMe, 1-ethyloxydecyl), (B1456, Cl, Cl, OMe,
 15 OMe, 1-ethyloxyundecyl), (B1457, Cl, Cl, OMe, OMe, 1-ethyloxydodecyl), (B1458, Cl, Cl,
 OMe, OMe, 1-ethyloxy-1-cyclohexylmethyl), (B1459, Cl, Cl, OMe, OMe, 1-n-
 propyloxyethyl), (B1460, Cl, Cl, OMe, OMe, 1-n-propyloxypropyl), (B1461, Cl, Cl, OMe,
 OMe, 3-n-propyloxypropyl), (B1462, Cl, Cl, OMe, OMe, 1-n-propyloxybutyl), (B1463, Cl,
 Cl, OMe, OMe, 1,4-di(n-propyloxy)butyl), (B1464, Cl, Cl, OMe, OMe, 1-n-propyloxy-2-
 20 methylpropyl), (B1465, Cl, Cl, OMe, OMe, 1-n-propyloxypentyl), (B1466, Cl, Cl, OMe,
 OMe, 1-n-propyloxy-3-methylbutyl), (B1467, Cl, Cl, OMe, OMe, 1-n-propyloxy-2,2-
 dimethylpropyl), (B1468, Cl, Cl, OMe, OMe, 1-n-propyloxyhexyl), (B1469, Cl, Cl, OMe,
 OMe, 1-n-propyloxy-3,3-dimethylbutyl), (B1470, Cl, Cl, OMe, OMe, 1-n-
 propyloxyheptyl), (B1471, Cl, Cl, OMe, OMe, 1-n-propyloxyoctyl), (B1472, Cl, Cl, OMe,
 25 OMe, 1-n-propyloxynonyl), (B1473, Cl, Cl, OMe, OMe, 1-n-propyloxydecyl), (B1474, Cl,
 Cl, OMe, OMe, 1-n-propyloxyundecyl), (B1475, Cl, Cl, OMe, OMe, 1-n-
 propyloxydodecyl), (B1476, Cl, Cl, OMe, OMe, 1-n-propyloxy-1-cyclohexylmethyl),
 (B1477, Cl, Cl, OMe, OMe, 1-isopropyloxyethyl), (B1478, Cl, Cl, OMe, OMe, 1-
 isopropyloxypropyl), (B1479, Cl, Cl, OMe, OMe, 3-isopropyloxypropyl), (B1480, Cl, Cl,
 30 OMe, OMe, 1-isopropyloxybutyl), (B1481, Cl, Cl, OMe, OMe, 1-isopropyloxy-2-

methylpropyl), (B1482, Cl, Cl, OMe, OMe, 1-isopropoxypropyl), (B1483, Cl, Cl, OMe, OMe, 1-isopropoxy-3-methylbutyl), (B1484, Cl, Cl, OMe, OMe, 1-isopropoxy-2,2-dimethylpropyl), (B1485, Cl, Cl, OMe, OMe, 1-isopropoxyhexyl), (B1486, Cl, Cl, OMe, OMe, 1-isopropoxy-3,3-dimethylbutyl), (B1487, Cl, Cl, OMe, OMe, 1-isopropoxyheptyl), (B1488, Cl, Cl, OMe, OMe, 1-isopropoxyoctyl), (B1489, Cl, Cl, OMe, OMe, 1-isopropoxynonyl), (B1490, Cl, Cl, OMe, OMe, 1-isopropoxydecyl), (B1491, Cl, Cl, OMe, OMe, 1-isopropoxyundecyl), (B1492, Cl, Cl, OMe, OMe, 1-isopropoxydodecyl), (B1493, Cl, Cl, OMe, OMe, 1-isopropoxy-1-cyclohexylmethyl), (B1494, Cl, Cl, OMe, OMe, 1-n-butyloxyethyl), (B1495, Cl, Cl, OMe, OMe, 1-n-butyloxypropyl), (B1496, Cl, Cl, OMe, OMe, 3-n-butyloxypropyl), (B1497, Cl, Cl, OMe, OMe, 1-n-butyloxybutyl), (B1498, Cl, Cl, OMe, OMe, 1,4-di(n-butyloxy)butyl), (B1499, Cl, Cl, OMe, OMe, 1-n-butyloxy-2-methylpropyl), (B1500, Cl, Cl, OMe, OMe, 1-n-butyloxypropyl), (B1501, Cl, Cl, OMe, OMe, 1-n-butyloxy-3-methylbutyl), (B1502, Cl, Cl, OMe, OMe, 1-n-butyloxy-2,2-dimethylpropyl), (B1503, Cl, Cl, OMe, OMe, 1-n-butyloxyhexyl), (B1504, Cl, Cl, OMe, OMe, 1-n-butyloxy-3,3-dimethylbutyl), (B1505, Cl, Cl, OMe, OMe, 1-n-butyloxyheptyl), (B1506, Cl, Cl, OMe, OMe, 1-n-butyloxyoctyl), (B1507, Cl, Cl, OMe, OMe, 1-n-butyloxynonyl), (B1508, Cl, Cl, OMe, OMe, 1-n-butyloxydecyl), (B1509, Cl, Cl, OMe, OMe, 1-n-butyloxyundecyl), (B1510, Cl, Cl, OMe, OMe, 1-n-butyloxydodecyl), (B1511, Cl, Cl, OMe, OMe, 1-n-butyloxy-1-cyclohexylmethyl), (B1512, Cl, Cl, OMe, OMe, 1-isobutyloxyethyl), (B1513, Cl, Cl, OMe, OMe, 1-isobutyloxypropyl), (B1514, Cl, Cl, OMe, OMe, 1-isobutyloxybutyl), (B1515, Cl, Cl, OMe, OMe, 1-isobutyloxy-2-methylpropyl), (B1516, Cl, Cl, OMe, OMe, 1-isobutyloxypropyl), (B1517, Cl, Cl, OMe, OMe, 1-isobutyloxy-3-methylbutyl), (B1518, Cl, Cl, OMe, OMe, 1-isobutyloxy-2,2-dimethylpropyl), (B1519, Cl, Cl, OMe, OMe, 1-isobutyloxyhexyl), (B1520, Cl, Cl, OMe, OMe, 1-isobutyloxy-3,3-dimethylbutyl), (B1521, Cl, Cl, OMe, OMe, 1-isobutyloxyheptyl), (B1522, Cl, Cl, OMe, OMe, 1-isobutyloxyoctyl), (B1523, Cl, Cl, OMe, OMe, 1-isobutyloxynonyl), (B1524, Cl, Cl, OMe, OMe, 1-isobutyloxydecyl), (B1525, Cl, Cl, OMe, OMe, 1-isobutyloxyundecyl), (B1526, Cl, Cl, OMe, OMe, 1-isobutyloxydodecyl), (B1527, Cl, Cl, OMe, OMe, 1-isobutyloxy-1-cyclohexylmethyl), (B1528, Cl, Cl, OMe, OMe, 1-t-butyloxyethyl), (B1529, Cl, Cl, OMe,

OMe, 1-t-butyloxypropyl), (B1530, Cl, Cl, OMe, OMe, 1-t-butyloxybutyl), (B1531, Cl, Cl, OMe, OMe, 1-t-butyloxy-2-methylpropyl), (B1532, Cl, Cl, OMe, OMe, 1-t-butyloxy-pentyl), (B1533, Cl, Cl, OMe, OMe, 1-t-butyloxy-3-methylbutyl), (B1534, Cl, Cl, OMe, OMe, 1-t-butyloxy-2,2-dimethylpropyl), (B1535, Cl, Cl, OMe, OMe, 1-t-butyloxyhexyl), (B1536, Cl, Cl, OMe, OMe, 1-t-butyloxy-3,3-dimethylbutyl), (B1537, Cl, Cl, OMe, OMe, 1-t-butyloxyheptyl), (B1538, Cl, Cl, OMe, OMe, 1-t-butyloxyoctyl), (B1539, Cl, Cl, OMe, OMe, 1-t-butyloxynonyl), (B1540, Cl, Cl, OMe, OMe, 1-t-butyloxydecyl), (B1541, Cl, Cl, OMe, OMe, 1-t-butyloxyundecyl), (B1542, Cl, Cl, OMe, OMe, 1-t-butyloxydodecyl), (B1543, Cl, Cl, OMe, OMe, 1-t-butyloxy-1-cyclohexylmethyl), (B1544, Cl, Cl, OMe, OMe, 1-n-pentyloxyethyl), (B1545, Cl, Cl, OMe, OMe, 1-n-pentyloxypropyl), (B1546, Cl, Cl, OMe, OMe, 3-n-pentyloxypropyl), (B1547, Cl, Cl, OMe, OMe, 1-n-pentyloxy-3-methylthiopropyl), (B1548, Cl, Cl, OMe, OMe, 1-n-pentyloxybutyl), (B1549, Cl, Cl, OMe, OMe, 1-n-pentyloxy-2-methylpropyl), (B1550, Cl, Cl, OMe, OMe, 1-n-pentyloxy-pentyl), (B1551, Cl, Cl, OMe, OMe, 1-n-pentyloxy-3-methylbutyl), (B1552, Cl, Cl, OMe, OMe, 1-n-pentyloxy-2,2-dimethylpropyl), (B1553, Cl, Cl, OMe, OMe, 1-n-pentyloxyhexyl), (B1554, Cl, Cl, OMe, OMe, 1-n-pentyloxy-3,3-dimethylbutyl), (B1555, Cl, Cl, OMe, OMe, 1-n-pentyloxyheptyl), (B1556, Cl, Cl, OMe, OMe, 1-n-pentyloxyoctyl), (B1557, Cl, Cl, OMe, OMe, 1-n-pentyloxynonyl), (B1558, Cl, Cl, OMe, OMe, 1-n-pentyloxydecyl), (B1559, Cl, Cl, OMe, OMe, 1-n-pentyloxyundecyl), (B1560, Cl, Cl, OMe, OMe, 1-n-pentyloxydodecyl), (B1561, Cl, Cl, OMe, OMe, 1-n-pentyloxy-1-cyclohexylmethyl), (B1562, Cl, Cl, OMe, OMe, 1-isopentyloxypropyl), (B1563, Cl, Cl, OMe, OMe, 1-neopentyloxyethyl), (B1564, Cl, Cl, OMe, OMe, 1-neopentyloxypropyl), (B1565, Cl, Cl, OMe, OMe, 3-neopentyloxypropyl), (B1566, Cl, Cl, OMe, OMe, 1-neopentyloxybutyl), (B1567, Cl, Cl, OMe, OMe, 1-neopentyloxy-2-methylpropyl), (B1568, Cl, Cl, OMe, OMe, 1-neopentyloxy-pentyl), (B1569, Cl, Cl, OMe, OMe, 1-neopentyloxy-3-methylbutyl), (B1570, Cl, Cl, OMe, OMe, 1-neopentyloxy-2,2-dimethylpropyl), (B1571, Cl, Cl, OMe, OMe, 1-neopentyloxyhexyl), (B1572, Cl, Cl, OMe, OMe, 1-neopentyloxy-3,3-dimethylbutyl), (B1573, Cl, Cl, OMe, OMe, 1-neopentyloxyheptyl), (B1574, Cl, Cl, OMe, OMe, 1-neopentyloxyoctyl), (B1575, Cl, Cl, OMe, OMe, 1-neopentyloxynonyl), (B1576, Cl, Cl, OMe, OMe, 1-neopentyloxydecyl),

(B1577, Cl, Cl, OMe, OMe, 1-neopentyloxyundecyl), (B1578, Cl, Cl, OMe, OMe, 1-neopentyloxydodecyl), (B1579, Cl, Cl, OMe, OMe, 1-neopentyloxy-1-cyclohexylmethyl), (B1580, Cl, Cl, OMe, OMe, 1-n-hexyloxyethyl), (B1581, Cl, Cl, OMe, OMe, 1-n-hexyloxypropyl), (B1582, Cl, Cl, OMe, OMe, 3-n-hexyloxypropyl), (B1583, Cl, Cl, OMe, OMe, 1-n-hexyloxybutyl), (B1584, Cl, Cl, OMe, OMe, 1-n-hexyloxy-2-methylpropyl), (B1585, Cl, Cl, OMe, OMe, 1-n-hexyloxy-pentyl), (B1586, Cl, Cl, OMe, OMe, 1-n-hexyloxy-3-methylbutyl), (B1587, Cl, Cl, OMe, OMe, 1-n-hexyloxy-2,2-dimethylpropyl), (B1588, Cl, Cl, OMe, OMe, 1-n-hexyloxyhexyl), (B1589, Cl, Cl, OMe, OMe, 1-n-hexyloxy-3,3-dimethylbutyl), (B1590, Cl, Cl, OMe, OMe, 1-n-hexyloxyheptyl), (B1591, Cl, Cl, OMe, OMe, 1-n-hexyloxyoctyl), (B1592, Cl, Cl, OMe, OMe, 1-n-hexyloxynonyl), (B1593, Cl, Cl, OMe, OMe, 1-n-hexyloxydecyl), (B1594, Cl, Cl, OMe, OMe, 1-n-hexyloxyundecyl), (B1595, Cl, Cl, OMe, OMe, 1-n-hexyloxydodecyl), (B1596, Cl, Cl, OMe, OMe, 1-n-hexyloxy-1-cyclohexylmethyl), (B1597, Cl, Cl, OMe, OMe, 3-isohexyloxypropyl), (B1598, Cl, Cl, OMe, OMe, 3-(3,3-dimethylbutyloxy)propyl), (B1599, Cl, Cl, OMe, OMe, 3-(2-cyclopentylethyloxy)propyl), (B1600, Cl, Cl, OMe, OMe, 1-n-octyloxyethyl), (B1601, F, F, F, F, 1-methyloxy-3-n-hexyloxypropyl), (B1602, F, F, Cl, F, 1-methyloxy-3-n-hexyloxypropyl), (B1603, F, F, F, F, 1-methyloxy-4-n-pentyloxybutyl), (B1604, F, F, Cl, F, 1-methyloxy-4-n-pentyloxybutyl), (B1605, F, F, Me, F, 1-methyloxy-2,2-dimethylpropyl), (B1606, F, F, Me, F, 1-methyloxy-4-methylpentyl), (B1607, F, F, Me, F, 1-methyloxyheptyl), (B1608, F, F, Me, F, 1-methyloxyoctyl), (B1609, F, F, Me, F, 1-methyloxynonyl), (B1610, F, F, Me, F, 1-methyloxydecyl), (B1611, F, F, Me, F, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B1612, F, F, Me, F, 1-(4-ethyloxybutyloxy)propyl), (B1613, F, F, Me, F, 1-ethyloxy-pentyl), (B1614, F, F, Me, F, 1-n-propyloxybutyl), (B1615, F, F, Me, F, 1-n-propyloxypentyl), (B1616, F, F, Me, F, 1-n-butyloxyethyl), (B1617, F, F, Me, F, 1-n-butyloxypropyl), (B1618, F, F, Me, F, 3-n-butyloxypropyl), (B1619, F, F, Me, F, 1-n-butyloxybutyl), (B1620, F, F, Me, F, 1,4-di(n-butyloxy)butyl), (B1621, F, F, Me, F, 1-n-butyloxypentyl), (B1622, F, F, Me, F, 1-n-pentyloxyethyl), (B1623, F, F, Me, F, 1-n-pentyloxypropyl), (B1624, F, F, Me, F, 3-n-pentyloxypropyl), (B1625, F, F, Me, F, 1-n-pentyloxy-3-methylthiopropyl), (B1626, F, F, Me, F, 1-n-pentyloxybutyl), (B1627, F, F, Me, F, 1-n-pentyloxypentyl), (B1628, F, F, Me,

F, 1-n-pentyloxy-2,2-dimethylpropyl), (B1629, F, F, Me, F, 1-n-pentyloxy-1-cyclohexylmethyl), (B1630, F, F, Me, F, 1-isopentyloxypropyl), (B1631, F, F, Me, F, 3-neopentyloxypropyl), (B1632, F, F, Me, F, 1-n-hexyloxypropyl), (B1633, F, F, Me, F, 3-n-hexyloxypropyl), (B1634, F, F, Me, F, 3-isohexyloxypropyl), (B1635, F, F, Me, F, 3-
 5 (3,3-dimethylbutyloxy)propyl), (B1636, F, F, Me, F, 3-(2-cyclopentylethyloxy)propyl), (B1637, F, F, Me, F, 1-n-octyloxyethyl), (B1638, Cl, Cl, Me, F, 1-methyloxy-2,2-dimethylpropyl), (B1639, Cl, Cl, Me, F, 1-methyloxyhexyl), (B1640, Cl, Cl, Me, F, 1-methyloxy-4-methylpentyl), (B1641, Cl, Cl, Me, F, 1-methyloxyheptyl), (B1642, Cl, Cl, Me, F, 1-methyloxyoctyl), (B1643, Cl, Cl, Me, F, 3-methyloxyoctyl), (B1644, Cl, Cl, Me, F, 1-methyloxynonyl), (B1645, Cl, Cl, Me, F, 1-methyloxydecyl), (B1646, Cl, Cl, Me, F, 1-methyloxyundecyl), (B1647, Cl, Cl, Me, F, 1-(4-ethyloxybutyloxy)propyl), (B1648, Cl, Cl, Me, F, 1-ethyloxy-3,3-dimethylbutyl), (B1650, Cl, Cl, Me, F, 1-n-propyloxyethyl), (B1651, Cl, Cl, Me, F, 1-n-propyloxypropyl), (B1652, Cl, Cl, Me, F, 3-n-propyloxypropyl), (B1653, Cl, Cl, Me, F, 1-n-propyloxybutyl), (B1654, Cl, Cl, Me, F, 1,4-di(n-propyloxy)butyl), (B1655, Cl, Cl, Me, F, 1-n-propyloxypentyl), (B1656, Cl, Cl, Me, F, 3-isopropyloxypropyl), (B1657, Cl, Cl, Me, F, 1-n-butyloxyethyl), (B1658, Cl, Cl, Me, F, 1-n-butyloxypropyl), (B1659, Cl, Cl, Me, F, 3-n-butyloxypropyl), (B1660, Cl, Cl, Me, F, 1-n-butyloxybutyl), (B1661, Cl, Cl, Me, F, 1-n-butyloxypentyl), (B1662, Cl, Cl, Me, F, 1-n-pentyloxypropyl), (B1663, Cl, Cl, Me, F, 3-n-pentyloxypropyl), (B1664, Cl, Cl, Me, F, 1-n-pentyloxy-3-methylthiopropyl), (B1665, Cl, Cl, Me, F, 1-n-pentyloxybutyl), (B1666, Cl, Cl, Me, F, 1-n-pentyloxypentyl), (B1667, Cl, Cl, Me, F, 1-isopentyloxypropyl), (B1668, Cl, Cl, Me, F, 3-neopentyloxypropyl), (B1669, Cl, Cl, Me, F, 1-n-hexyloxypropyl), (B1670, Cl, Cl, Me, F, 3-n-hexyloxypropyl), (B1671, Cl, Cl, Me, F, 3-isohexyloxypropyl), (B1672, Cl, Cl, Me, F, 3-(3,3-dimethylbutyloxy)propyl), (B1673, Cl, Cl, Me, F, 3-(2-cyclopentylethyloxy)propyl), (B1674, Cl, Cl, Me, F, 1-n-octyloxyethyl), (B1675, Me, Me, Me, F, 1-methyloxy-3-n-hexyloxypropyl), (B1676, Me, Me, Me, F, 1-methyloxy-4-n-pentyloxybutyl), (B1677, Me, Me, Me, F, 1-methyloxy-2,2-dimethylpropyl), (B1678, Me, Me, Me, F, 1-methyloxyhexyl), (B1679, Me, Me, Me, F, 1-methyloxy-4-methylpentyl), (B1680, Me, Me, Me, F, 1-methyloxyheptyl), (B1681, Me, Me, Me, F, 1-methyloxyoctyl), (B1682, Me, Me, Me, F, 3-methyloxyoctyl), (B1683, Me,

Me, Me, F, 1-methyloxynonyl), (B1684, Me, Me, Me, F, 1-methyloxydecyl), (B1685, Me, Me, Me, F, 1-methyloxyundecyl), (B1686, Me, Me, Me, F, 1-(4-ethyloxybutyloxy)-1-cyclohexylmethyl), (B1687, Me, Me, Me, F, 1-(4-ethyloxybutyloxy)propyl), (B1688, Me, Me, Me, F, 1-ethyloxypentyl), (B1689, Me, Me, Me, F, 1-ethyloxy-3,3-dimethylbutyl),
5 (B1690, Me, Me, Me, F, 1-n-propyloxyethyl), (B1691, Me, Me, Me, F, 1-n-propyloxypropyl), (B1692, Me, Me, Me, F, 3-n-propyloxypropyl), (B1693, Me, Me, Me, F, 1-n-propyloxybutyl), (B1694, Me, Me, Me, F, 1,4-di(n-propyloxy)butyl), (B1695, Me, Me, Me, F, 1-n-propyloxypentyl), (B1696, Me, Me, Me, F, 3-isopropyloxypropyl), (B1697, Me, Me, Me, F, 1-n-butyloxyethyl), (B1698, Me, Me, Me, F, 1-n-butyloxypropyl), (B1699, Me,
10 Me, Me, F, 3-n-butyloxypropyl), (B1700, Me, Me, Me, F, 1-n-butyloxybutyl), (B1701, Me, Me, Me, F, 1,4-di(n-butyloxy)butyl), (B1702, Me, Me, Me, F, 1-n-butyloxypentyl), (B1703, Me, Me, Me, F, 1-n-pentyloxyethyl), (B1704, Me, Me, Me, F, 1-n-pentyloxypropyl), (B1705, Me, Me, Me, F, 3-n-pentyloxypropyl), (B1706, Me, Me, Me, F, 1-n-pentyloxy-3-methylthiopropyl), (B1707, Me, Me, Me, F, 1-n-pentyloxybutyl), (B1708,
15 Me, Me, Me, F, 1-n-pentyloxypentyl), (B1709, Me, Me, Me, F, 1-n-pentyloxy-2,2-dimethylpropyl), (B1710, Me, Me, Me, F, 1-n-pentyloxy-1-cyclohexylmethyl), (B1711, Me, Me, Me, F, 1-isopentyloxypropyl), (B1712, Me, Me, Me, F, 3-neopentyloxypropyl), (B1713, Me, Me, Me, F, 1-n-hexyloxypropyl), (B1714, Me, Me, Me, F, 3-n-hexyloxypropyl), (B1715, Me, Me, Me, F, 3-isohexyloxypropyl), (B1716, Me, Me, Me, F,
20 3-(3,3-dimethylbutyloxy)propyl), (B1717, Me, Me, Me, F, 3-(2-cyclopentylethyloxy)propyl), (B1718, Me, Me, Me, F, 1-n-octyloxyethyl), (B1719, Me, Me, Me, F, 1-methyloxyhexyl), (B1720, Me, Me, Me, F, 3-methyloxyoctyl), (B1721, Me, Me, Me, F, 1-methyloxyundecyl), (B1722, Me, Me, Me, F, 1-ethyloxy-3,3-dimethylbutyl), (B1723, Me, Me, Me, F, 1-n-propyloxyethyl), (B1724, Me, Me, Me, F, 1-n-propyloxypropyl), (B1725, Me, Me, Me, F, 3-n-propyloxypropyl), (B1726, Me, Me, Me, F,
25 1,4-di(n-propyloxy)butyl), (B1727, Me, Me, Me, F, 3-isopropyloxypropyl)

Example 584 Synthesis of 3-(4-{4-[3-(1-n-butyloxypropyl)-2-fluorophenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid disodium salt (C1)

30 To a suspension of methanol (100 mL) solution of 3-(4-{4-[3-(1-n-butyloxypropyl)-2-

fluorophenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid (3.22 mg) was added 2M sodium hydroxide aqueous solution (6.06 mL). After stirring for 1 h, n-hexylaldehyde (5.88 mL) was added to the reaction mixture. After methanol was evaporated under reduced pressure, the obtained residue was redissolved by adding water (40 mL). The water solution was freeze drying to obtain the compound (C1) 3.40 g.

¹H-NMR(DMSO-d₆) 8.05 - 8.11 (m, 1H), 7.69 - 7.75 (m, 1H), 7.22 - 7.29 (m, 2H), 7.15 (d, 1H, J = 3.1 Hz), 7.03 (s, 1H), 4.56 - 4.60 (m, 1H), 3.31 (t, 2H, J = 6.3 Hz), 1.65 - 1.80 (m, 5H), 1.45 - 1.55 (m, 2H), 1.30 - 1.40 (m, 2H), 0.83 - 0.91 (m, 6H).

C2 to C6 were synthesized by similar method described above.

Example 585 Synthesis of 3-[2,6-dichloro-4-(4-{3-[3-(2-ethylbutyloxy)propyl]-2-fluorophenyl}thiazol-2-ylcarbonyl)phenyl]-2-methylacrylic acid disodium salt (C2)

¹H-NMR(DMSO-d₆) 8.11 (s, 2H), 7.97-8.03 (m, 2H), 7.11 - 7.18 (m, 1H), 3.26 - 3.41 (m, 4H), 2.72 (t, 2H, J = 7.3 Hz), 1.78 - 1.87 (m, 2H), 1.62 (s, 3H), 1.24 - 1.62 (m, 5H), 0.86 (t, 6H, J = 7.3 Hz).

Example 586 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxydecyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid disodium salt (C3)

¹H-NMR(DMSO-d₆) 8.06 - 8.17 (m, 3H), 7.20 - 7.28 (m, 2H), 7.13 (d, 1H, J = 3.2 Hz), 7.06 (s, 1H), 4.53 - 4.58 (m, 1H), 3.17 (s, 3H), 1.60 - 1.82 (m, 5H), 1.23 (m, 14H), 0.86 (t, 3H, J = 7.0 Hz).

Example 587 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(1-methoxyoctyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid disodium salt (C4)

¹H-NMR(DMSO-d₆) 8.06 - 8.12 (m, 3H), 7.23 - 7.29 (m, 2H), 7.16 (d, 1H, J = 3.1 Hz), 7.12 (s, 1H), 4.53 - 4.57 (m, 1H), 3.17 (s, 3H), 1.60 - 1.82 (m, 5H), 1.23 - 1.37 (m, 10H),

0.84 (t, 3H, J = 6.6 Hz).

Example 588 Synthesis of 3-(2,6-dichloro-4-{4-[2-fluoro-3-(3-n-propyloxypropyl)phenyl]thiazol-2-ylcarbonyl}phenyl)-2-methylacrylic acid disodium salt (C5)

¹H-NMR(DMSO-d₆) 8.13 (s, 2H), 7.98 - 8.04 (m, 1H), 7.12 - 7.17 (m, 4H), 3.40 (t, 2H, J = 6.3 Hz), 3.30 (t, 2H, J = 6.6 Hz), 7.20 (t, 2H, J = 7.5 Hz), 1.78 - 1.88 (m, 2H), 1.64 (s, 3H), 1.47 - 1.64 (m, 2H), 0.88 (t, 3H, J = 7.5 Hz).

Example 589 Synthesis of 3-(4-{4-[3-(3-ethoxypropyl)-2-fluorophenyl]thiazol-2-ylcarbonyl}-2,6-difluorophenyl)-2-methylacrylic acid disodium salt (C6)

¹H-NMR(DMSO-d₆) 7.99 - 8.05 (m, 1H), 7.72 - 7.78 (m, 2H), 7.12 - 7.19 (m, 3H), 7.07 (s, 1H), 3.38 - 3.47 (m, 4H), 2.69 - 2.74 (m, 2H), 1.76 - 1.87 (m, 5H), 1.13 (t, 3H, J = 7.0 Hz).

Test Examples

Test Example 1 Isolation and purification of Thrombopoietin (TPO)

Human TPO (hTPO) and murine TPO (mTPO) were purchased from R&D Systems.

Test Example 2 The thrombopoietic activity

The TPO dependent BaF/hTPOR cell line which was established by introducing human TPO receptor (hTPOR) into BaF-B03 cells according to Collins et al (J. Cell. Physiol., 137:293-298 (1988)) was used to test the thrombopoietic activity of the present compound. The DNA sequences and encoded peptide sequences for human hTPOR have been described by Vigon et al (Proc. Natl. Acad. Sci. USA, 89:5640-5644 (1992)). TPO dose not have any ability to support proliferation of interleukin-3 dependent parental cell line BaF-B03. BAF/hTPOR cells were maintained in RPMI medium and WEHI-3B conditioned medium as a source of murine interleukin-3 (IL-3).

These cells were washed and resuspended in RPMI medium without a source of murine

IL-3 and seeded into each well of 96-well microtiter plates at a density of 5×10^4 cells per well in the absence or presence of various concentration of hTPO or the present compound. After incubation at 37°C for 20 hours in the 5% CO₂ incubator, 10% WST-1 reagent (Takara Biomedicals, Japan) was added to each wells and the cells were further incubated for 4 hours. The absorbance at 450 nm was measured. Tables 1 and 2 exemplify the ED₅₀ for tested compounds of the present invention, wherein the ED₅₀ is the half concentration of the concentration showing the maximum thrombopoietic activity.

[Table 1]

No.	ED50(μM)	No.	ED50(μM)	No.	ED50(μM)	No.	ED50(μM)
A1	0.00227	B34	0.00099	B89	0.00151	B1933	0.00788
A2	0.004	B35	0.00077	B90	0.00115	B1934	0.01304
A3	0.004	B36	0.00063	B91	0.00102	B1936	0.01711
A4	0.00180	B37	0.00088	B93	0.00091	B1938	0.01268
A5	0.00191	B38	0.00062	B94	0.00097	B1940	0.01883
A6	0.00104	B39	0.00101	B95	0.00082	B1945	0.01927
A7	0.00226	B40	0.00088	B96	0.00078	B1948	0.01091
A8	0.0029	B41	0.00067	B97	0.00094	B1949	0.01316
A9	0.0030	B42	0.00034	B98	0.00073	B1952	0.01013
A10	0.0012	B43	0.00165	B99	0.00059	B1953	0.01007
A11	0.00087	B44	0.00127	B100	0.00068	B1954	0.01294
A12	0.0008	B45	0.00136	B101	0.0019	B1955	0.01165
A1123	0.00727	B46	0.00128	B347	0.01872	B1956	0.01507
A1308	0.0129	B47	0.00280	B349	0.01679	B1957	0.01275
A1309	0.01278	B48	0.00223	B354	0.0032	B1958	0.00757
A1310	0.0123	B49	0.0013	B355	0.0033	B1959	0.01126
A1311	0.00886	B50	0.00080	B380	0.02325	B1960	0.01014
A1312	0.01083	B51	0.00068	B397	0.00252	B1990	0.01214
A1314	0.01251	B52	0.0017	B418	0.0063	B1991	0.01323
A1315	0.01247	B53	0.0014	B419	0.01455	B1992	0.01305
A1316	0.00529	B56	0.0027	B425	0.00201	B1993	0.01392
A1317	0.01506	B58	0.0015	B484	0.00129	B1994	0.01424
B1	0.0022	B60	0.00075	B488	0.01588	B1995	0.01093
B2	0.004	B61	0.00076	B505	0.012	B1997	0.01553
B6	0.0024	B62	0.00076	B519	0.00103	B1998	0.00835
B7	0.0036	B63	0.00020	B521	0.01688	B1999	0.01324
B8	0.0040	B64	0.00119	B1054	0.01994	B2001	0.01942
B9	0.0016	B65	0.00104	B1059	0.0032	B2004	0.01394
B10	0.0019	B66	0.00091	B1060	0.0039	B2005	0.01033
B11	0.00081	B67	0.00048	B1102	0.00286	B2020	0.01094
B12	0.0021	B68	0.00082	B1122	0.00825	B2021	0.00609
B13	0.0010	B69	0.00078	B1124	0.01584	B2022	0.01563
B14	0.00073	B70	0.00043	B1437	0.0065	B2023	0.00645
B15	0.00073	B71	0.00100	B1438	0.0063	B2024	0.00996

B16	0.00077	B72	0.00078	B1799	0.01732	B2025	0.0032
B18	0.00057	B73	0.00135	B1800	0.00304	B2026	0.01259
B19	0.00073	B74	0.00080	B1833	0.01899	B2027	0.01259
B20	0.00081	B75	0.00077	B1848	0.01594	B2028	0.01143
B21	0.00067	B76	0.00298	B1851	0.01684	B2099	0.00291
B22	0.00114	B77	0.00306	B1852	0.01648		
B23	0.00123	B78	0.00097	B1877	0.01304		
B24	0.00197	B79	0.00077	B1884	0.01685		
B25	0.00093	B80	0.00070	B1890	0.01815		
B26	0.00039	B81	0.00139	B1892	0.01164		
B27	0.00075	B82	0.00107	B1916	0.01286		
B28	0.00079	B83	0.00072	B1920	0.01452		
B29	0.00203	B84	0.00102	B1922	0.01359		
B30	0.00078	B85	0.00088	B1925	0.01841		
B31	0.00085	B86	0.00063	B1926	0.01556		
B32	0.00303	B87	0.00062	B1927	0.01944		
B33	0.00333	B88	0.00311	B1928	0.01257		

[Table 2]

No.	ED50(μ M)	No.	ED50(μ M)	No.	ED50(μ M)	No.	ED50(μ M)
B380	0.02325	B1886	0.02208	B1919	0.02793	B1963	0.02858
B1836	0.02102	B1900	0.02316	B1923	0.02017	B2000	0.0205
B1849	0.02245	B1901	0.02425	B1924	0.02058	B2003	0.02271
B1854	0.02443	B1904	0.02457	B1929	0.02584	B2012	0.02419
B1855	0.02133	B1905	0.02665	B1935	0.0254	B2018	0.02351
B1861	0.02282	B1908	0.02628	B1937	0.02308		
B1863	0.02276	B1909	0.02586	B1941	0.02413		
B1878	0.02119	B1918	0.02102	B1951	0.02226		

Formulation example

5 Formulation example 1

Granules are prepared using the following ingredients.

10	Ingredients	The compound represented by the formula (I)	10 mg
		Lactose	700 mg
		Corn starch	274 mg
		HPC-L	16 mg
			1000 mg

The compound represented by the formula (I) and lactose are made pass through a 60 mesh sieve. Corn starch is made pass through a 120 mesh sieve. They are mixed by a twin shell blender. An aqueous solution of HPC-L (low mucosity

hydroxypropylcellulose) is added to the mixture and the resulting mixture is kneaded, granulated (by the extrusion with pore size 0.5 to 1 mm mesh), and dried. The dried granules thus obtained are sieved by a swing sieve (12/60 mesh) to yield the granules.

5 Formulation 2

Powders for filling capsules are prepared using the following ingredients.

10	Ingredients	The compound represented by the formula (I)	10 mg
		Lactose	79 mg
		Corn starch	10 mg
		Magnesium stearate	1 mg
			100 mg

The compound represented by the formula (I) and lactose are made pass through a 60 mesh sieve. Corn starch is made pass through a 120 mesh sieve. These ingredients and magnesium stearate are mixed by a twin shell blender. 100 mg of the 10-fold trituration is filled into a No. 5 hard gelatin capsule.

Formulation 3

Granules for filling capsules are prepared using the following ingredients.

20	Ingredients	The compound represented by the formula (I)	15 mg
		Lactose	90 mg
		Corn starch	42 mg
		HPC-L	3 mg
			150 mg

The compound represented by the formula (I) and lactose are made pass through a 60 mesh sieve. Corn starch is made pass through a 120 mesh sieve. After mixing them, an aqueous solution of HPC-L is added to the mixture and the resulting mixture is kneaded, granulated, and dried. After the dried granules are lubricated, 150 mg of that are filled into a No. 4 hard gelatin capsule.

30 Formulation 4

Tablets are prepared using the following ingredients.

5	Ingredients	The compound represented by the formula (I)	10 mg
		Lactose	90 mg
		Microcrystal cellulose	30 mg
		CMC-Na	15 mg
		Magnesium stearate	5 mg
			150 mg

The compound represented by the formula (I), lactose, microcrystal cellulose, and CMC-Na (carboxymethylcellulose sodium salt) are made pass through a 60 mesh sieve and then mixed. The resulting mixture is mixed with magnesium stearate to obtain the mixed powder for the tablet formulation. The mixed powder is compressed to yield tablets of 150 mg.

Formulation 5

Intravenous formulations are prepared using the following ingredients.

Ingredients	The compound represented by the formula (I)	100 mg
	Saturated fattyacid glyceride	1000 ml

Usually a solution of ingredients above described is administered intravenously to a patient by the speed of 1 ml/min.

Industrial Applicability

The compounds of the present invention have thrombopoietin receptor agonism and are useful as the treating or preventing agent for hemopathy accompanied with unusual count of platelet, for example, thrombocytopenia and the like